


**ASTRA TECH  
IMPLANT SYSTEM**

# Product catalog

ASTRA TECH Implant System™ EV



**DENSPLY  
IMPLANTS**



## Simplicity without compromise

The design philosophy of the ASTRA TECH Implant System EV is based on the natural dentition utilizing a site-specific, crown-down approach supported by an intuitive surgical protocol and a simple prosthetic workflow, for increased confidence and satisfaction for all members of the treatment team.

- Versatile implant designs including straight, conical, sloped, short, narrow and wide, using only one surgical tray
- Flexible drilling protocol allows for preferred primary stability
- Restorative components including round and triangular options supporting soft tissue sculpturing
- Unique interface with one-position-only placement for:
  - ATLANTIS patient-specific CAD/CAM abutments
  - Self-guiding impression components that require only one hand for precise seating

The foundation of this evolutionary step remains the unique ASTRA TECH Implant System BioManagement Complex, well-documented for its long-term marginal bone maintenance and esthetic results.

## CONTENTS

### Overview

Product overview 3.0	4
Product overview 3.6	6
Product overview 4.2	8
Product overview 4.8	10
Product overview 5.4	12

### Surgery

Implants – OsseoSpeed™ EV	16
Cover screws	17
Healing abutments – HealDesign™ EV/Healing Uni EV	18

### Prosthetics

#### Temporization

TempDesign™ EV/TempAbutment EV – implant level	21
Abutment screws	21

#### Cement-retained restorations

TiDesign™ EV	22
ZirDesign™ EV	23
CastDesign™ EV	23
Impression and laboratory components – implant level	24
TitaniumBase EV	26
Direct Abutment™ EV	27

#### Screw-retained restorations

Uni Abutment EV	29
Angled Abutment EV	31

#### Attachment retained restorations

Locator™ EV	32
Ball Abutment EV	33

### Instruments

Surgical tray	36
Washtray EV	37
Drills	38
Surgical instruments	42
Surgical units	44
Restorative instruments	45
Laboratory products	47

### OsseoSpeed™ Profile EV

Product overview P4.2	50
Product overview P4.8	52
Implants – OsseoSpeed™ Profile EV	54
Surgical Instruments	55
Healing abutments	56
Temporary abutments	57
Cement-retained restorations – TiDesign™ Profile EV	58
Screw-retained restorations	58
Impression and laboratory components – implant level	59

### Guided Surgery

Trays for guided surgery	61
Punch/Initial Drill	62
Drills	63
PositioningAid	66
Fixation system	67
Sleeves	67

### Repair and retrieval

Compatibility table	69
Remove/retrieve screw fragments	70
Clean internal threads	71
Remove/retrieve Uni Abutments EV/implants	72
General instruments	73

### Appendix

Index: order by reference number	74
Index: alphabetical order	79
Torque guide	84
Explanation of the symbols on labels and instructions for use	84

All products are subject to change without notice. All products may not be regulatory cleared/released/licensed in all markets. Please contact your local DENTSPLY Implants representative for current product assortment and availability.

To improve readability for our customers, DENTSPLY Implants does not use ® or ™ in body copy.

However, DENTSPLY Implants does not waive any right to the trademark and nothing herein shall be interpreted to the contrary.


All trademarks and company names are the property of their respective owners.

Product illustrations are not to scale.

# Product overview

3.0

GREEN



## Implants

OsseoSpeed™ EV  
3.0 S



- 8 mm 25212
- 9 mm 25213
- 11 mm 25214
- 13 mm 25215
- 15 mm 25216

## Cover screw



- 0 mm 25280

## Healing abutments

HealDesign™ EV 3.0



- Ø 3.5 2.5 mm 25901
- Ø 3.5 3.5 mm 25298
- Ø 3.5 4.5 mm 25297
- Ø 3.5 6.5 mm 25795

Healing Uni EV 3.0



- Ø 4 2 mm 25574
- Ø 4 3 mm 25575
- Ø 4 4 mm 25576
- Ø 4 6 mm 25577

## Cement-retained

### Temporary abutments

TempDesign™ EV



- Ø 6 5 mm 25503

Temp Abutment EV



- Ø 3.3 1 mm 25508

### Abutments

TiDesign™ EV 3.0



- Ø 4.0 2.5 mm 25330
- Ø 4.0 1.5 mm 25331
- Ø 4.0 15° 1.5 mm 25332

ATLANTIS™ abutments

○ Patient-specific abutments



## Screw-retained

### Abutments

Uni Abutment EV 3.0



- 2 mm 25555
- 3 mm 25556
- 5 mm 25557

ATLANTIS™ Crown Abutment

○ Patient-specific abutments

### Healing caps

Uni Abutment EV  
Heal Cap



- Ø 4.3 Short 25952
- Ø 4.3 25616
- Ø 5.5 Short 25953
- Ø 5.5 25617








### Abutment










Uni Abutment EV  
Pick-up



- Ø 4.3 25641
- Ø 5.5 25642

NOTE: ATLANTIS patient-specific prosthetic solutions available.  
Speak with your local DENTSPLY Implants representative for more information.


<p><b>Direct Abutment™ EV 3.0</b></p>  <p>             Ø 3.3 1 mm 25361              Ø 3.3 2 mm 25362              Ø 3.3 3 mm 25363         </p> <p><b>TitaniumBase EV 3.0</b></p>  <p>             Ø 4.0 1 mm 25924              Ø 4.0 2 mm 25925         </p>	<p align="center"><b>Implant impressions</b></p> <p><b>Implant Pick-Up EV</b>      <b>Implant Transfer EV</b></p>  <p align="center">Long 25513      Long 25534</p> <p><b>Implant Pick-Up Design EV</b></p>  <p align="center">25523</p>	<p align="center"><b>Lab products</b></p> <p><b>Lab Abutment Screw EV</b></p>  <p align="center">25476 QTY 3</p> <p><b>Lab Pin Design EV</b></p>  <p align="center">25528</p> <p><b>Implant Replica EV</b></p>  <p align="center">25543</p>
---	--	--

<p align="center"><b>impressions</b></p> <p><b>Uni Abutment EV Transfer</b></p>  <p align="center">25646</p>	<p align="center"><b>Lab products</b></p> <p><b>Uni Abutment EV Replica</b></p>  <p align="center">25615</p> <p><b>Lab Abutment Pin EV</b></p>  <p>             Short 25643              Intermediate 25644              Long 25645         </p> <p><b>Lab Bridge Screw EV</b></p>  <p align="center">25656 QTY 3</p>	<p align="center"><b>Bridge screw</b></p> <p><b>Bridge Screw EV</b></p>  <p align="center">25481</p> <hr/> <p align="center"><b>ATLANTIS™ suprastructures</b></p> 	<p align="center"><b>Cylinders</b></p> <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p align="center">25648</p> <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p align="center">25647</p> <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p align="center">25649</p>
---	--	--	--

# Product overview

3.6

PURPLE



## Implants

### OsseoSpeed™ EV 3.6 S



- 6 mm 25221
- 8 mm 25222
- 9 mm 25223
- 11 mm 25224
- 13 mm 25225
- 15 mm 25226
- 17 mm 25227

## Cover screw



- 0 mm 25281

## Healing abutments

### HealDesign™ EV 3.6



- Ø 4 2.5 mm 25902
- Ø 4 3.5 mm 25300
- Ø 4 4.5 mm 25299
- Ø 4 6.5 mm 25796
- Ø 5 2.5 mm 25903
- Ø 5 3.5 mm 25920
- Ø 5 4.5 mm 25904
- Ø 5 6.5 mm 25905
- Ø 6 3.5 mm 25906
- Ø 6 4.5 mm 25907
- △ Ø 5 3.5 mm 25301

### Healing Uni EV 3.6



- Ø 4 2 mm 25285
- Ø 4 3 mm 25578
- Ø 4 4 mm 25286
- Ø 4 6 mm 25287

## Cement-retained

### Temporary abutments

#### TempDesign™ EV



- Ø 7 5 mm 25504

#### Temp Abutment EV



- Ø 4.0 1 mm 25509

### Abutments

#### TiDesign™ EV 3.6



- Ø 4.5 2.5 mm 25334
- Ø 4.5 20° 1.5 mm 25335
- △ Ø 5.5 1.5 mm 25333

#### CastDesign™ EV 3.6



- Ø 4.1 1 mm 25326

#### ZirDesign™ EV 3.6



- Ø 4.5 2.5 mm 25316
- Ø 4.5 20° 1.5 mm 25317
- △ Ø 5.5 1.5 mm 25315

#### ATLANTIS™ abutments

○ Patient-specific abutments



## Screw-retained

### Abutments

#### Uni Abutment EV 3.6



- 1 mm 25558   3 mm 25560
- 2 mm 25559   5 mm 25561

#### Angled Abutment EV 3.6 20°



- Ø 4.2 1 mm 25619
- Ø 4.2 2 mm 25620
- Ø 4.2 1 mm 25621
- Ø 4.2 2 mm 25622

#### ATLANTIS™ Crown Abutment

○ Patient-specific abutments

### Healing caps

#### Uni Abutment EV Heal Cap



- Ø 4.3 Short 25952
- Ø 4.3 25616
- Ø 5.5 Short 25953
- Ø 5.5 25617

#### Angled Abutment EV Heal Cap



25650

### Abutment

#### Uni Abutment EV Pick-up



- Ø 4.3 25641
- Ø 5.5 25642

#### Angled Abutment EV Pick-up



25651

## Attachment-retained

### Abutments

#### Locator™ Abutment EV 3.6



- 1 mm 25657
- 2 mm 25658
- 3 mm 25659
- 4 mm 25660
- 5 mm 25661

#### Ball Abutment EV 3.6











- 1 mm 25684
- 2 mm 25685
- 3 mm 25686
- 4 mm 25687
- 5 mm 25688
- 7 mm 25689














### Abutment impressions








#### Locator™ Abutment Pick-up



24484

<p><b>Direct Abutment™ EV 3.6</b></p>  <p>Ø 4 1 mm 25364 Ø 4 2 mm 25365 Ø 4 3 mm 25366</p>	<p><b>Implant impressions</b></p>		<p><b>Lab products</b></p>	
<p><b>TitaniumBase EV 3.6</b></p>  <p>Ø 4.1 1 mm 25926 Ø 4.1 2 mm 25927</p>	<p><b>Implant Pick-Up EV</b></p>  <p>Short 25516 Long 25515</p>	<p><b>Implant Transfer EV</b></p>  <p>Short 25535 Long 25536</p>	<p><b>Lab Abutment Screw EV</b></p>  <p>25477 QTY 3</p>	<p><b>Lab Pin Design EV</b></p>  <p>25528</p>
	<p><b>Implant Pick-Up Design EV</b></p>  <p>25524</p>		<p><b>Implant Replica EV</b></p>  <p>25544</p>	


<p><b>impressions</b></p>	<p><b>Lab products</b></p>		<p><b>Bridge screw</b></p>	<p><b>Cylinders</b></p>	
<p><b>Uni Abutment EV Transfer</b></p>  <p>25646</p>	<p><b>Uni Abutment EV Replica</b></p>  <p>25615</p>	<p><b>Lab Abutment Pin EV</b></p>  <p>Short 25643 Intermediate 25644 Long 25645</p>	<p><b>Bridge Screw EV</b></p>  <p>25481</p>	<p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>25648</p>	<p><b>Angled Abutment EV Temporary Cylinder</b></p>  <p>25654</p>
	<p><b>Angled Abutment EV Replica</b></p>  <p>25652</p>	<p><b>Lab Bridge Screw EV</b></p>  <p>25656 QTY 3</p>	<p><b>ATLANTIS™ suprastructures</b></p> 	<p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p>	<p><b>Angled Abutment EV Semi-Burnout Cylinder</b></p>  <p>25653</p>
				<p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p>	<p><b>Angled Abutment EV Burnout Cylinder</b></p>  <p>25655</p>

<p><b>Replicas</b></p>		<p><b>Attachment components</b></p>			
<p><b>Locator™ Abutment Replica</b></p>  <p>24485</p>	<p><b>Ball Abutment EV Replica</b></p>  <p>25826</p>	<p><b>Dalbo Plus Female Part TE Basic, complete</b></p>  <p>25834</p>	<p><b>Locator™ Process Kit</b></p>  <p>24483</p>	<p><b>Locator™ Insert – Extended Range Male</b></p> 	<p><b>OD Cylinder EV</b></p>  <p>25638</p>
			<p><b>Locator™ Insert – Male</b></p> 	<p>Grey 25679 Red 24492 Orange 25843 Green 24489</p>	
			<p>Blue 24488 Pink 24487 Clear 24486</p>		

# Product overview

4.2

YELLOW



## Implants

### OsseoSpeed™ EV 4.2 S



- 6 mm 25231
- 8 mm 25232
- 9 mm 25233
- 11 mm 25234
- 13 mm 25235
- 15 mm 25236
- 17 mm 25237

### OsseoSpeed™ EV 4.2 C



- 8 mm 25262
- 9 mm 25263
- 11 mm 25264
- 13 mm 25265
- 15 mm 25266
- 17 mm 25267

## Cover screw



0 mm 25282

## Healing abutments

### HealDesign™ EV 4.2



- Ø 5.0 2.5 mm 25908
- Ø 5.0 3.5 mm 25501
- Ø 5.0 4.5 mm 25302
- Ø 5.0 6.5 mm 25797
- Ø 6.5 2.5 mm 25909
- Ø 6.5 3.5 mm 25910
- Ø 6.5 4.5 mm 25911
- Ø 6.5 6.5 mm 25912



- △ Ø 5 3.5 mm 25303
- △ Ø 6.5 3.5 mm 25304

### Healing Uni EV 4.2



- Ø 4 2 mm 25288
- Ø 4 3 mm 25579
- Ø 4 4 mm 25289
- Ø 4 6 mm 25290

## Cement-retained

### Temporary abutments

#### TempDesign™ EV



Ø 9 5 mm 25505

#### Temp Abutment EV



Ø 4.5 1 mm 25510

### Abutments

#### TiDesign™ EV 4.2



- Ø 5.5 2.5 mm 25338
- Ø 5.5 20° 1.5 mm 25339
- △ Ø 5.5 1.5 mm 25336
- △ Ø 7.0 1.5 mm 25337

#### CastDesign™ EV 4.2



Ø 4.1 1 mm 25327

#### ZirDesign™ EV 4.2



- Ø 5.5 2.5 mm 25320
- Ø 5.5 20° 1.5 mm 25321
- △ Ø 5.5 1.5 mm 25318
- △ Ø 7.0 1.5 mm 25319

#### ATLANTIS™ abutments

○ Patient-specific abutments



## Screw-retained

### Abutments

#### Uni Abutment EV 4.2



- 1 mm 25562
- 2 mm 25563
- 3 mm 25564
- 5 mm 25565

#### Angled Abutment EV 4.2 20°



- Ø 4.2 1 mm 25625
- Ø 4.2 2 mm 25626
- Ø 4.2 1 mm 25627
- Ø 4.2 2 mm 25628

#### ATLANTIS™ Crown Abutment

○ Patient-specific abutments

### Healing caps

#### Uni Abutment EV Heal Cap



- Ø 4.3 Short 25952
- Ø 4.3 25616
- Ø 5.5 Short 25953
- Ø 5.5 25617

#### Angled Abutment EV Heal Cap



25650

### Abutment

#### Uni Abutment EV Pick-up



- Ø 4.3 25641
- Ø 5.5 25642

#### Angled Abutment EV Pick-up



25651

## Attachment-retained

### Abutments

#### Locator™ Abutment EV 4.2



- 1 mm 25662
- 2 mm 25663
- 3 mm 25664
- 4 mm 25665
- 5 mm 25666

#### Ball Abutment EV 4.2



- 1 mm 25690
- 2 mm 25691
- 3 mm 25692
- 4 mm 25693
- 5 mm 25694
- 7 mm 25695









### Abutment impressions














#### Locator™ Abutment Pick-up










24484



<p><b>Direct Abutment™ EV 4.2</b></p>  <p>             Ø 5 1 mm 25367              Ø 5 2 mm 25368              Ø 5 3 mm 25369              Ø 6 1 mm 25494              Ø 6 2 mm 25495              Ø 6 3 mm 25496         </p> <p><b>TitaniumBase EV 4.2</b></p>  <p>             Ø 4.7 1 mm 25928              Ø 4.7 2 mm 25929         </p>	<p><b>Implant impressions</b></p> <p><b>Implant Pick-Up EV</b></p>  <p>Short 25518 Long 25517</p> <p><b>Implant Transfer EV</b></p>  <p>Short 25537 Long 25538</p> <p><b>Implant Pick-Up Design EV</b></p>  <p>25525</p>	<p><b>Lab products</b></p> <p><b>Lab Abutment Screw EV</b></p>  <p>25478 QTY 3</p> <p><b>Lab Pin Design EV</b></p>  <p>25530</p> <p><b>Implant Replica EV</b></p>  <p>25545</p>
---	---	--


<p><b>impressions</b></p> <p><b>Uni Abutment EV Transfer</b></p>  <p>25646</p>	<p><b>Lab products</b></p> <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p> <p><b>Lab Abutment Pin EV</b></p>  <p>Short 25643 Intermediate 25644 Long 25645</p> <p><b>Angled Abutment EV Replica</b></p>  <p>25652</p> <p><b>Lab Bridge Screw EV</b></p>  <p>25656 QTY 3</p>	<p><b>Bridge screw</b></p> <p><b>Bridge Screw EV</b></p>  <p>25481</p> <p><b>ATLANTIS™ suprastructures</b></p> 	<p><b>Cylinders</b></p> <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>25648</p> <p><b>Angled Abutment EV Temporary Cylinder</b></p>  <p>25654</p> <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p> <p><b>Angled Abutment EV Semi-Burnout Cylinder</b></p>  <p>25653</p> <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p> <p><b>Angled Abutment EV Burnout Cylinder</b></p>  <p>25655</p>
---	---	---	--

<p><b>Replicas</b></p> <p><b>Locator™ Abutment Replica</b></p>  <p>24485</p> <p><b>Ball Abutment EV Replica</b></p>  <p>25826</p>	<p><b>Attachment components</b></p> <p><b>Dalbo Plus Female Part TE Basic, complete</b></p>  <p>25834</p> <p><b>Locator™ Process Kit</b></p>  <p>24483</p> <p><b>Locator™ Insert – Male</b></p>  <p>Blue 24488 Pink 24487 Clear 24486</p> <p><b>Locator™ Insert – Extended Range Male</b></p>  <p>Grey 25679 Red 24492 Orange 25843 Green 24489</p>	<p><b>OD Cylinder EV</b></p>  <p>25638</p>
---	--	---

# Product overview

4.8

BLUE



## Implants

**OsseoSpeed™ EV  
4.8 S**



6 mm 25241  
8 mm 25242  
9 mm 25243  
11 mm 25244  
13 mm 25245  
15 mm 25246  
17 mm 25247

**OsseoSpeed™ EV  
4.8 C**



8 mm 25272  
9 mm 25273  
11 mm 25274  
13 mm 25275  
15 mm 25276  
17 mm 25277

## Cover screw




0 mm 25283

## Healing abutments

**HealDesign™ EV 4.8**





- Ø 5.0 2.5 mm 25913
- Ø 5.0 3.5 mm 25502
- Ø 5.0 4.5 mm 25914
- Ø 5.0 6.5 mm 25915
- Ø 6.5 2.5 mm 25916
- Ø 6.5 3.5 mm 25917
- Ø 6.5 4.5 mm 25306
- Ø 6.5 6.5 mm 25798
- Ø 7.5 3.5 mm 25918
- Ø 7.5 4.5 mm 25919



- △ Ø 5.0 3.5 mm 25305
- △ Ø 6.5 3.5 mm 25307

**Healing Uni EV 4.8**



- Ø 4 2 mm 25291
- Ø 4 3 mm 25580
- Ø 4 4 mm 25292
- Ø 4 6 mm 25293

## Cement-retained

### Temporary abutments

**TempDesign™ EV**



Ø 10 5 mm 25506

**Temp Abutment EV**



Ø 5.0 1 mm 25511

### Abutments

**TiDesign™ EV 4.8**



- Ø 7.0 2.5 mm 25342
- Ø 5.5 20° 1.5 mm 25343
- △ Ø 5.5 1.5 mm 25340
- △ Ø 7.0 1.5 mm 25341

**CastDesign™ EV 4.8**



Ø 5.1 1 mm 25328

**ZirDesign™ EV 4.8**



- Ø 7.0 2.5 mm 25324
- Ø 5.5 20° 1.5 mm 25325
- △ Ø 5.5 1.5 mm 25322
- △ Ø 7.0 1.5 mm 25323

**ATLANTIS™ abutments**



Patient-specific abutments



## Screw-retained

### Abutments


**Uni Abutment EV 4.8**



1 mm 25566   3 mm 25568  
2 mm 25567   5 mm 25569

**Angled Abutment EV 4.8 20°**





- Ø 4.2 1 mm 25631
- Ø 4.2 2 mm 25632
- Ø 4.2 1 mm 25633
- Ø 4.2 2 mm 25634


**ATLANTIS™ Crown Abutment**  
 Patient-specific abutments

### Healing caps

**Uni Abutment EV  
Heal Cap**



- Ø 4.3 Short 25952
- Ø 4.3 25616
- Ø 5.5 Short 25953
- Ø 5.5 25617

**Angled Abutment EV  
Heal Cap**



25650

### Abutment

**Uni Abutment EV  
Pick-up**



- Ø 4.3 25641
- Ø 5.5 25642

**Angled Abutment EV  
Pick-up**



25651

## Attachment-retained

### Abutments

**Locator™ Abutment  
EV 4.8**



- 1 mm 25667
- 2 mm 25668
- 3 mm 25669
- 4 mm 25670
- 5 mm 25671

**Ball Abutment EV 4.8**











- 1 mm 25696
- 2 mm 25697
- 3 mm 25698
- 4 mm 25699
- 5 mm 25700
- 7 mm 25701














### Abutment impressions








**Locator™ Abutment Pick-up**



24484

<p><b>Direct Abutment™ EV 4.8</b></p>  <p>             Ø 5 1 mm 25370              Ø 5 2 mm 25371              Ø 5 3 mm 25372              Ø 6 1 mm 25497              Ø 6 2 mm 25498              Ø 6 3 mm 25499         </p> <p><b>TitaniumBase EV 4.8</b></p>  <p>             Ø 5.0 1 mm 25930              Ø 5.0 2 mm 25931         </p>	<p><b>Implant impressions</b></p> <p><b>Implant Pick-Up EV</b></p>  <p>Short 25520 Long 25519</p> <p><b>Implant Transfer EV</b></p>  <p>Short 25539 Long 25540</p> <p><b>Implant Pick-Up Design EV</b></p>  <p>25526</p>	<p><b>Lab products</b></p> <p><b>Lab Abutment Screw EV</b></p>  <p>25479 QTY 3</p> <p><b>Lab Pin Design EV</b></p>  <p>25530</p> <p><b>Implant Replica EV</b></p>  <p>25546</p>
---	---	--


<p><b>impressions</b></p> <p><b>Uni Abutment EV Transfer</b></p>  <p>25646</p>	<p><b>Lab products</b></p> <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p> <p><b>Lab Abutment Pin EV</b></p>  <p>Short 25643 Intermediate 25644 Long 25645</p> <p><b>Angled Abutment EV Replica</b></p>  <p>25652</p> <p><b>Lab Bridge Screw EV</b></p>  <p>25656 QTY 3</p>	<p><b>Bridge screw</b></p> <p><b>Bridge Screw EV</b></p>  <p>25481</p> <hr/> <p><b>ATLANTIS™ suprastructures</b></p> 	<p><b>Cylinders</b></p> <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>25648</p> <p><b>Angled Abutment EV Temporary Cylinder</b></p>  <p>25654</p> <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p> <p><b>Angled Abutment EV Semi-Burnout Cylinder</b></p>  <p>25653</p> <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p> <p><b>Angled Abutment EV Burnout Cylinder</b></p>  <p>25655</p>
---	---	---	--

<p><b>Replicas</b></p> <p><b>Locator™ Abutment Replica</b></p>  <p>24485</p> <p><b>Ball Abutment EV Replica</b></p>  <p>25826</p>	<p><b>Dalbo Plus Female Part TE Basic, complete</b></p>  <p>25834</p>	<p><b>Attachment components</b></p> <p><b>Locator™ Process Kit</b></p>  <p>24483</p> <p><b>Locator™ Insert – Male</b></p>  <p>             Blue 24488              Pink 24487              Clear 24486         </p>	<p><b>Locator™ Insert – Extended Range Male</b></p>  <p>             Grey 25679              Red 24492              Orange 25843              Green 24489         </p> <p><b>OD Cylinder EV</b></p>  <p>25638</p>
---	--	---	--

# Product overview

5.4

**BROWN**



## Implants

**OsseoSpeed™ EV 5.4 S**



- 6 mm 25251
- 8 mm 25252
- 9 mm 25253
- 11 mm 25254
- 13 mm 25255
- 15 mm 25256

## Cover screw



0 mm 25284

## Healing abutments

**HealDesign™ EV 5.4**



- Ø 6.5 2.5 mm 25921
- Ø 6.5 3.5 mm 25309
- Ø 6.5 4.5 mm 25308
- Ø 6.5 6.5 mm 25799
- Ø 7.5 3.5 mm 25922
- Ø 7.5 4.5 mm 25923

**Healing Uni EV 5.4**



- Ø 4 2 mm 25294
- Ø 4 3 mm 25581
- Ø 4 4 mm 25295
- Ø 4 6 mm 25296

## Cement-retained

### Temporary abutments

**TempDesign™ EV**



Ø 10 5 mm 25507

**Temp Abutment EV**



Ø 5.5 1 mm 25512

### Abutments

**TiDesign™ EV 5.4**



- Ø 7.0 2.5 mm 25344
- Ø 7.0 1.5 mm 25345

**CastDesign™ EV 5.4**



Ø 5.1 1 mm 25329

**ATLANTIS™ abutments**

○ Patient-specific abutments



## Screw-retained

### Abutments

**Uni Abutment EV 5.4**



- 1 mm 25570
- 2 mm 25571
- 3 mm 25572
- 5 mm 25573

**ATLANTIS™ Crown Abutment**

○ Patient-specific abutments

### Healing caps

**Uni Abutment EV Heal Cap**



- Ø 4.3 Short 25952
- Ø 4.3 25616
- Ø 5.5 Short 25953
- Ø 5.5 25617









### Abutment










**Uni Abutment EV Pick-up**



- Ø 4.3 25641
- Ø 5.5 25642

NOTE: ATLANTIS patient-specific prosthetic solutions available.  
Speak with your local DENTSPLY Implants representative for more information.

<p><b>Direct Abutment™ EV 5.4</b></p>  <p>             Ø 6 1 mm 25373              Ø 6 2 mm 25374              Ø 6 3 mm 25375         </p> <p><b>TitaniumBase EV 5.4</b></p>  <p>             Ø 5.5 1 mm 25932              Ø 5.5 2 mm 25933         </p>	<p align="center"><b>Implant impressions</b></p> <p><b>Implant Pick-Up EV</b>      <b>Implant Transfer EV</b></p>  <p>Short 25522</p>  <p>Short 25541 Long 25542</p> <p><b>Implant Pick-Up Design EV</b></p>  <p>25527</p>	<p align="center"><b>Lab products</b></p> <p><b>Lab Abutment Screw EV</b></p>  <p>25480 QTY 3</p> <p><b>Lab Pin Design EV</b></p>  <p>25530</p> <p><b>Implant Replica EV</b></p>  <p>25547</p>
---	---	---

<p align="center"><b>impressions</b></p> <p><b>Uni Abutment EV Transfer</b></p>  <p>25646</p>	<p align="center"><b>Lab products</b></p> <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p> <p><b>Lab Abutment Pin EV</b></p>  <p>Short 25643 Intermediate 25644 Long 25645</p> <p><b>Lab Bridge Screw EV</b></p>  <p>25656 QTY 3</p>	<p align="center"><b>Bridge screw</b></p> <p><b>Bridge Screw EV</b></p>  <p>25481</p> <hr/> <p align="center"><b>ATLANTIS™ suprastructures</b></p> 	<p align="center"><b>Cylinders</b></p> <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>25648</p> <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p> <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p>
--	--	---	---

# Introduction



The design philosophy of the ASTRA TECH Implant System EV is based on the natural dentition utilizing a site-specific, crown-down approach supported by an intuitive surgical protocol and a simple prosthetic workflow.

The implant assortment provides versatility for meeting the needs of each individual site. This is further supported by corresponding restorative components designed for optimized soft tissue management and long-term function and esthetics.

Ø 3.0	Ø 3.6	Ø 4.2	Ø 4.8	Ø 5.4
<b>3.0</b>	<b>3.6</b>	<b>4.2</b>	<b>4.8</b>	<b>5.4</b>
Green	Purple	Yellow	Blue	Brown

Recommended implant size(s) in relation to tooth position, provided there is sufficient bone volume and space in relation to the adjacent dentition.



The foundation of this evolutionary step remains the unique **ASTRA TECH Implant System BioManagement Complex™**, well-documented for its long-term marginal bone maintenance and esthetic results.

## DENTSPLY Implants warranty program\* — We have you covered

IMPLANTS AND COMPONENTS



LIFETIME

ZIRCONIA



5-YEAR

INSTRUMENTS



3-YEAR

\*For full terms and conditions, refer to the "Implant Systems Warranty" flyer.

# Surgery


## Versatile implant assortment

OsseoSpeed EV implants are available in a versatile range of shapes, diameters and lengths for all indications, including situations with limited space and/or bone quantity.



## Flexible drilling protocol that allows for preferred primary stability

The drilling procedure is made easy by using color-coding and a simple numbering system.



## Site-specific components

Including round and triangular healing abutments.



## Color-coded assortment

Each implant-abutment connection size is identified by a specific color, which is used consistently throughout the system. The color is applied directly to components and instruments, as well as on packaging and informational material, where appropriate.



Three peel-off labels are provided for the patient's treatment record and for communicating with the restorative team.


For specific procedural details, please refer to the respective manual.

# Implants


## OsseoSpeed™ EV

Titanium, sterile


OsseoSpeed EV implants are available in a versatile range of shapes, diameters and lengths for all indications, including situations with limited space and/or bone quantity.



Specific colors have been assigned to the different implant-abutment connection sizes, which are consistently used throughout the system.



- Implants for all indications in both the anterior and posterior region.
- For further details – see Instructions for use or Surgical manual.
- All our implants are made of commercially pure titanium, grade 4.
- OsseoSpeed surface treatment over the entire implant to the top of the first MicroThread.
- For conical implants the body portion is 0.6 mm narrower.



## 3.0 OsseoSpeed™ EV 3.0 S



Ø mm		3.0	3.0	3.0	3.0	3.0
Length mm		8	9	11	13	15
Order no.		25212	25213	25214	25215	25216

## 3.6 OsseoSpeed™ EV 3.6 S



Ø mm	3.6	3.6	3.6	3.6	3.6	3.6	3.6
Length mm	6	8	9	11	13	15	17
Order no.	25221	25222	25223	25224	25225	25226	25227

## 4.2 OsseoSpeed™ EV 4.2 S



Ø mm	4.2	4.2	4.2	4.2	4.2	4.2	4.2
Length mm	6	8	9	11	13	15	17
Order no.	25231	25232	25233	25234	25235	25236	25237

## 4.2 OsseoSpeed™ EV 4.2 C



Ø mm		4.2	4.2	4.2	4.2	4.2	4.2
Body Ø mm		3.6	3.6	3.6	3.6	3.6	3.6
Length mm		8	9	11	13	15	17
Order no.		25262	25263	25264	25265	25266	25267



**4.8 OsseoSpeed™ EV 4.8 S**



Ø mm	4.8	4.8	4.8	4.8	4.8	4.8	4.8
Length mm	6	8	9	11	13	15	17
Order no.	25241	25242	25243	25244	25245	25246	25247

**4.8 OsseoSpeed™ EV 4.8 C**




Ø mm		4.8	4.8	4.8	4.8	4.8	4.8
Body Ø mm		4.2	4.2	4.2	4.2	4.2	4.2
Length mm		8	9	11	13	15	17
Order no.		25272	25273	25274	25275	25276	25277

**5.4 OsseoSpeed™ EV 5.4 S**



Ø mm	5.4	5.4	5.4	5.4	5.4	5.4
Length mm	6	8	9	11	13	15
Order no.	25251	25252	25253	25254	25255	25256

**Cover Screw EV**



Order no.	25280	25281	25282	25283	25284
-----------	-------	-------	-------	-------	-------

**Cover Screw EV**  
Titanium, sterile




# Healing abutments

## HealDesign™ EV


Titanium, sterile

- For soft tissue sculpturing during the healing phase
- Can be used for both one- and two-stage surgery
- Design is primarily matched to TiDesign EV and ZirDesign EV abutments
- Heights and diameters are harmonized with the permanent abutments as well as with the tooth position
  - Round shapes are indicated for all positions in the mouth.
  - △ Triangular shapes are designed for anterior implant sites and mimic the specific shape for incisors and canines. Triangular HealDesign™ EV is a two-piece abutment.
- Marked with diameter and height



\*Compatible with  
OsseoSpeed Profile EV 4.2 and  
OsseoSpeed Profile EV 4.8

### 3.0 HealDesign™ EV 3.0



∅ mm	3.5	3.5	3.5	3.5
Height mm	2.5	3.5	4.5	6.5
Order no.	25901	25298	25297	25795

### 3.6 HealDesign™ EV 3.6



∅ mm	4	4	4	4	5	5	5	5	6	6	5
Height mm	2.5	3.5	4.5	6.5	2.5	3.5	4.5	6.5	3.5	4.5	3.5
Order no.	25902	25300	25299	25796	25903	25920	25904	25905	25906	25907	25301

### 4.2 HealDesign™ EV 4.2




∅ mm	5	5	5	5	6.5	6.5	6.5	6.5	5	6.5
Height mm	2.5	3.5	4.5	6.5	2.5	3.5	4.5	6.5	3.5	3.5
Order no.	25908*	25501*	25302*	25797*	25909*	25910*	25911*	25912*	25303	25304

### 4.8 HealDesign™ EV 4.8




∅ mm	5	5	5	5	6.5	6.5	6.5	6.5	7.5	7.5	5	6.5
Height mm	2.5	3.5	4.5	6.5	2.5	3.5	4.5	6.5	3.5	4.5	3.5	3.5
Order no.	25913*	25502*	25914*	25915*	25916*	25917*	25306*	25798*	25918*	25919*	25305	25307

### 5.4 HealDesign™ EV 5.4



∅ mm	6.5	6.5	6.5	6.5	7.5	7.5
Height mm	2.5	3.5	4.5	6.5	3.5	4.5
Order no.	25921	25309	25308	25799	25922	25923

**3.0 Healing Uni EV 3.0**



A – Ø mm	4	4	4	4
Height mm	2	3	4	6
Order no.	25574	25575	25576	25577

**3.6 Healing Uni EV 3.6**



A – Ø mm	4	4	4	4
Height mm	2	3	4	6
Order no.	25285	25578	25286	25287

**4.2 Healing Uni EV 4.2**



A – Ø mm	4	4	4	4
Height mm	2	3	4	6
Order no.	25288*	25579*	25289*	25290*

**4.8 Healing Uni EV 4.8**



A – Ø mm	4	4	4	4
B – Ø mm	4.3	4.3	4.3	4.3
Height mm	2	3	4	6
Order no.	25291*	25580*	25292*	25293*

**5.4 Healing Uni EV 5.4**




A – Ø mm	4	4	4	4
B – Ø mm	4.8	4.8	4.8	4.8
Height mm	2	3	4	6
Order no.	25294	25581	25295	25296

**Healing Uni EV**

Titanium, sterile

- Promotes soft tissue sculpturing primarily for Uni Abutment EV
- Laser etched bands for gauging
- Marked with height



\* Compatible with OsseSpeed Profile EV 4.2 and OsseSpeed Profile EV 4.8

# Prosthetics

## Site-specific restorative components

Including round and triangular options.



## Self-guiding impression components

Supports all indexing options; one-position-only, six positions and index free.

## One system – one torque

All final abutments are designed for one tightening torque value of 25 Ncm for simplicity.



## One interface – three indexing solutions



One-position-only

Six-position

Index free

The interface design allows for a number of indexing options depending on the component selected, including a unique one-position-only for ATLANTIS patient-specific abutments.

For specific procedural details, please refer to the respective manual.

# Temporary abutments

## TempDesign™ EV




Ø mm	6	7	9	10	10
Margin height mm	5	5	5	5	5
Vert. height mm	10	12	12	12	10
Order no.	25503	25504	25505	25506	25507

## TempDesign™ EV

Titanium-PEEK-plastic, non-sterile, delivered with an abutment screw

- Anatomically pre-designed for reduction technique
- For both screw- and cement-retained restorations
- Can be processed at the laboratory or chairside
- Temporary use; max 180 days
- Screw-retained restorations, limited to single-tooth only
- Indexed abutments will seat in six available positions.



## Temp Abutment EV




Ø mm	3.3	4.0	4.5	5.0	5.5
Margin height mm	1	1	1	1	1
Vert. height mm	9	9	9	9	9
Order no.	25508	25509	25510	25511	25512

## Temp Abutment EV

Titanium, non-sterile, delivered with an abutment screw

- Designed for build-up technique
- For large, multi-unit restorations and/or long-term temporization
- Primarily processed in the laboratory
- Cement-retained restorations, all positions in the mouth
- Screw-retained restorations, limited to single-tooth only
- Indexed abutments will seat in six available positions.



## Abutment Screw EV



Order no.	M1.4 25203	M1.6 25204	M1.8 25205	M2.0 25206	M2.0 25207
-----------	---------------	---------------	---------------	---------------	---------------

## Abutment Screw EV




Titanium, non-sterile


**Note:** A corresponding Abutment Screw EV is included with every temporary abutment as well as final two-piece abutments. To order additional screws, refer to Abutment Screw EV section to the left.

# Cement-retained restorations

## TiDesign™ EV

Titanium, non-sterile,  
delivered with an abutment screw

-  Round – design for the majority of restorative situations
-  Triangular – primarily for incisors and canines with triangular shape; low margin of 1.5 mm above implant level
- Angled design for offset situations compensating for implants in a restoratively unfavorable position
-  Indexed abutments will seat in six available positions.
- Marked with  $\emptyset$



A = buccal height  
B = lingual height



**Note:** A corresponding Abutment Screw EV is included with every two-piece final abutment. To order additional screws, refer to Abutment Screw EV section (p.21).

### 3.0 TiDesign™ EV 3.0




Ø mm	4	4	4
A – height bucc mm	2.5	1.5	1.5
B – height ling mm	3.5	2.5	2.5
Vertical height mm	8	7	7
Order no.	25330	25331	25332

### 3.6 TiDesign™ EV 3.6




Ø mm	4.5	4.5	5.5
A – height bucc mm	2.5	1.5	1.5
B – height ling mm	3.5	2.5	2.5
Vertical height mm	10	9	9
Order no.	25334	25335	25333

### 4.2 TiDesign™ EV 4.2



Ø mm	5.5	5.5	5.5	7
A – height bucc mm	2.5	1.5	1.5	1.5
B – height ling mm	3.5	2.5	2.5	2.5
Vertical height mm	10	9	9	9
Order no.	25338	25339	25336	25337

### 4.8 TiDesign™ EV 4.8



Ø mm	7	5.5	5.5	7
A – height bucc mm	2.5	1.5	1.5	1.5
B – height ling mm	3.5	2.5	2.5	2.5
Vertical height mm	10	9	9	9
Order no.	25342	25343	25340	25341

### 5.4 TiDesign™ EV 5.4



Ø mm	7	7
A – height bucc mm	2.5	1.5
B – height ling mm	3.5	2.5
Vertical height mm	10	9
Order no.	25344	25345

**3.6 ZirDesign™ EV 3.6**




Ø mm	4.5	4.5	5.5
A – height bucc mm	2.5	1.5	1.5
B – height ling mm	3.5	2.5	2.5
Vertical height mm	10	9	9
Order no.	25316	25317	25315

**4.2 ZirDesign™ EV 4.2**



Ø mm	5.5	5.5	5.5	7
A – height bucc mm	2.5	1.5	1.5	1.5
B – height ling mm	3.5	2.5	2.5	2.5
Vertical height mm	10	9	9	9
Order no.	25320	25321	25318	25319



A = buccal height  
B = lingual height

**4.8 ZirDesign™ EV 4.8**



Ø mm	7	5.5	5.5	7
A – height bucc mm	2.5	1.5	1.5	1.5
B – height ling mm	3.5	2.5	2.5	2.5
Vertical height mm	10	9	9	9
Order no.	25324	25325	25322	25323



**CastDesign™ EV**



Ø mm	4.1	4.1	5.1	5.1
Height mm	1	1	1	1
Vertical height mm	11	11	11	11
Order no.	25326	25327	25328	25329

**ZirDesign™ EV**

Zirconia, non-sterile, delivered with an abutment screw


- Round – design for the majority of restorative situations
- Triangular – primarily for incisors and canines with triangular shape; low margin of 1.5 mm above implant level
- Angled design for offset situations compensating for implants in a restoratively unfavorable position
- Indexed abutments will seat in six available positions.

**CastDesign™ EV**

Metal Base: Au 60%, Pd 20%, Pt 19%, Ir 1%  
Cylinder: PMMA burnout plastic  
Non-sterile, delivered with an abutment screw

For cases that require angulation corrections up to 30° using regular wax-up and cast-to techniques

- Cement-retained restorations, all positions in the mouth
- Screw-retained restorations, limited to single-tooth only
- Indexed abutments will seat in six available positions.




# Impression and laboratory components – implant-level

## Implant Pick-Up EV / Implant Pick-Up Design EV

Titanium, non-sterile


- Self-guiding positioning
- Designed with hex at the pin head
- Possibilities to capture the exact soft tissue shape for best possible esthetic results
- Supports all indexing options; one-position-only, six position and indexed free




## Implant Transfer EV

Titanium, non-sterile

- Self-guiding positioning
- Must be repositioned in the unique site in the impression
- Designed with a hex at the pin head



## Implant Pick-Up EV, Short



Ø mm		4.6	4.6	4.6	5.4
Height mm		16.5	16.5	16.5	16.5
Order no.		25516	25518	25520	25522

## Implant Pick-Up EV, Long



Ø mm	3.8	4.6	4.6	4.6
Height mm	22	22	22	22
Order no.	25513	25515	25517	25519

## Implant Pick-Up Design EV



Ø mm	3.0	3.6	4.2	4.8	5.4
Height mm	22	22	22	22	22
Order no.	25523	25524	25525	25526	25527

## Implant Transfer EV, Short



Ø mm		3.6	4.2	4.8	5.4
Height mm		11	11	11	11
Order no.		25535	25537	25539	25541



**Implant Transfer EV, Long**



3.0 3.6 4.2 4.8 5.4

Ø mm	3.5	3.6	4.2	4.8	5.4
Height mm	14	14	14	14	14
Order no.	25534	25536	25538	25540	25542

**Implant Replica EV**



3.0 3.6 4.2 4.8 5.4

Height mm	16.5	16.5	16.5	16.5	16.5
Order no.	25543	25544	25545	25546	25547

**Implant Replica EV**

Titanium, non-sterile

Adjustment of apex allow for removal of replica from master model without need for sectioning

**Lab Abutment Screw EV**



3.0 3.6 4.2 4.8 5.4

Order no.	25476	25477	25478	25479	25480
-----------	-------	-------	-------	-------	-------


**Lab Abutment Screw EV**

Titanium, non-sterile

QTY 3

Designed for use with Implant Replica EV only

**Lab Pin Design EV**



3.0 3.6 4.2 4.8 5.4

Height mm	25		25		
Order no.	25528		25530		

**Lab Pin Design EV**


Stainless steel, non-sterile


- For maintenance of screw access channel during the laboratory procedure
- Friction fit to the Lab Abutment Screw EV screw hole

# Cement-retained restorations

## TitaniumBase EV

Titanium, non-sterile, delivered with an abutment screw

- For temporary and final cement- / screw-retained restorations
  - Screw-retained restorations, limited to single-tooth only
- Single and partial situations, all positions in the mouth
- TitaniumBase EV is provided with two flattened sides forming an anti-rotational feature
-  Indexed abutments will seat in six available positions



### 3.0 TitaniumBase EV 3.0



Ø mm	4	4
Margin height mm	1	2
Vertical height mm	5	6
Order no.	25924	25925

### 3.6 TitaniumBase EV 3.6



Ø mm	4.1	4.1
Margin height mm	1	2
Vertical height mm	5	6
Order no.	25926	25927

### 4.2 TitaniumBase EV 4.2



Ø mm	4.7	4.7
Margin height mm	1	2
Vertical height mm	5	6
Order no.	25928	25929

### 4.8 TitaniumBase EV 4.8



Ø mm	5	5
Margin height mm	1	2
Vertical height mm	5	6
Order no.	25930	25931

### 5.4 TitaniumBase EV 5.4



Ø mm	5.5	5.5
Margin height mm	1	2
Vertical height mm	5	6
Order no.	25932	25933

## Components and instruments for scanning of OsseoSpeed™ EV implants

### ATLANTIS™ FLO

For lab-based scanning of OsseoSpeed EV implants



### ATLANTIS™ FLO screwdriver

Required for ATLANTIS FLO, used with lab-based scanning



	<b>3.0</b>	<b>3.6</b>	<b>4.2</b>	<b>4.8</b>	<b>5.4</b>
FLO code	P-01	P-02	P-03	P-04	P-05
Order no.	34593	34594	34595	34596	34597

Order no.	34601
-----------	-------

### ATLANTIS™ IO FLO

For intraoral scanning of OsseoSpeed EV implants. To be used with Hex Screwdriver EV.



	<b>3.0</b>	<b>3.6</b>	<b>4.2</b>	<b>4.8</b>	<b>5.4</b>
IO FLO code	IO P-01	IO P-02	IO P-03	IO P-04	IO P-05
Order no.	35243	35244	35245	35246	35247

**3.0 Direct Abutment™ EV 3.0**



Ø mm	3.3	3.3	3.3
Margin height mm	1	2	3
Vert. height mm	6	7	8
Order no.	25361	25362	25363

**3.6 Direct Abutment™ EV 3.6**




Ø mm	4.0	4.0	4.0
Margin height mm	1	2	3
Vert. height mm	6	7	8
Order no.	25364	25365	25366

**Direct Driver EV  
Ø3.3 Ø4**




Length mm	26
Order no.	25764



**Direct Abutment™ EV**

Titanium, sterile

- Sold separately; not included in the Direct EV API™ kit
-  Index-free abutments will be seated in any rotational position.
- Marked with Ø

**4.2 Direct Abutment™ EV 4.2**



Ø mm	5.0	5.0	5.0	6.0	6.0	6.0
Margin height mm	1	2	3	1	2	3
Vert. height mm	6	7	8	6	7	8
Order no.	25367*	25368*	25369*	25494*	25495*	25496*

**Direct Driver EV Ø3.3 Ø4**

Stainless steel, non-sterile

Required for carrying and installation of Direct Abutment EV Ø 3.3 and Ø 4.0 only.

**Hex Driver EV**

Stainless steel, non-sterile

Use the Hex Driver EV for the Ø 5.0 and Ø 6.0 Direct Abutment™ EV.

**4.8 Direct Abutment™ EV 4.8**



Ø mm	5.0	5.0	5.0	6.0	6.0	6.0
Margin height mm	1	2	3	1	2	3
Vert. height mm	6	7	8	6	7	8
Order no.	25370*	25371*	25372*	25497*	25498*	25499*

**5.4 Direct Abutment™ EV 5.4**




Ø mm	6.0	6.0	6.0
Margin height mm	1	2	3
Vert. height mm	6	7	8
Order no.	25373	25374	25375



\* Compatible with OsseoSpeed Profile EV 4.2 and OsseoSpeed Profile EV 4.8

**Direct EV API™**  
Non-sterile



Contains all corresponding components for working with the Direct Abutment™ EV

- Two compartments for clinical and laboratory components respectively
- Direct Abutment™ EV must be ordered separately

**Direct Abutment™ EV HealCap**  
Polycarbonate plastic, non-sterile

- Temporary use; maximum 30 days

# Cement-retained restorations

**Direct EV API™**



Ø mm	3.3	4	5	6
Order no.	25346	25347	25348	25349

**Direct Abutment™ EV HealCap**



Ø mm	3.3	4	5	6
Order no.	25310	25311	25312	25313

**Direct Abutment™ EV Pick-Up**  
Polypropylene plastic, non-sterile

- DA EV Pick-Up Ø3.3 and Ø6 – transparent
- DA EV Pick-Up Ø4 – white
- DA EV Pick-Up Ø5 – grey

**Direct Abutment™ EV Pick-Up**



Ø mm	3.3	4	5	6
Order no.	25396	25397	25398	25399

**Direct Abutment™ EV Replica**  
Titanium, non-sterile

**Direct Abutment™ EV Replica**



Ø mm	3.3	4	5	6
Order no.	25401	25402	25403	25404

**Direct Abutment™ EV Burnout Cap**  
PMMA Burn-out Plastic, non-sterile

**Direct Abutment™ EV Burnout Cap**



Ø mm	3.3	4	5	6
Order no.	25406	25407	25408	25409

# Screw-retained restorations

## 3.0 Uni Abutment EV 3.0



A/B – Ø mm		3.6	3.6	3.6
Height mm		2	3	5
Vertical height mm		3.2	4.2	6.2
Order no.		25555	25556	25557

## 3.6 Uni Abutment EV 3.6



A/B – Ø mm	3.6	3.6	3.6	3.6
Height mm	1	2	3	5
Vertical height mm	2.2	3.2	4.2	6.2
Order no.	25558	25559	25560	25561

## 4.2 Uni Abutment EV 4.2



A/B – Ø mm	3.6	3.6	3.6	3.6
Height mm	1	2	3	5
Vertical height mm	2.2	3.2	4.2	6.2
Order no.	25562*	25563*	25564*	25565*

## 4.8 Uni Abutment EV 4.8



A – Ø mm	3.6	3.6	3.6	3.6
B – Ø mm	4.3	4.3	4.3	4.3
Height mm	1	2	3	5
Vertical height mm	2.2	3.2	4.2	6.2
Order no.	25566*	25567*	25568*	25569*


## 5.4 Uni Abutment EV 5.4




A – Ø mm	3.6	3.6	3.6	3.6
B – Ø mm	4.8	4.8	4.8	4.8
Height mm	1	2	3	5
Vertical height mm	2.2	3.2	4.2	6.2
Order no.	25570	25571	25572	25573

### Uni Abutment EV

Titanium, sterile

- Supporting multiple unit restorations only
- Design facilitates non-parallel implant situations up to 66°
- Same top cone for all platforms
-  Index-free abutments will be seated in any rotational position
- Uni Driver EV required for carrying, installation and removal



### Uni Driver EV

Stainless steel, non-sterile

- For placing and removing Uni Abutment EV
- Use with restorative driver handle and Torque Wrench EV
- Uni Driver EV has a hexagon in the middle of the shaft, needed to meet the removal torques




\* Compatible with OsseSpeed Profile EV 4.2 and OsseSpeed Profile EV 4.8

# Screw-retained restorations

## Uni Abutment EV Heal Cap


Titanium, sterile, one-piece

- Marked with diameter



## Uni Abutment EV Pick-Up and Transfer

Stainless steel, non-sterile, two-piece



## Uni Abutment EV Replica

Stainless steel, non-sterile, one-piece

## Temporary Cylinder

Titanium, non-sterile

## Semi-Burnout Cylinder

Metal Base:

Au 60%, Pd 20%, Pt 19%, Ir 1%

Cylinder: PMMA burnout plastic, non-sterile

## Burnout Cylinder

PMMA burnout plastic, non-sterile


**Note:** Bridge screws needs to be ordered separately.

## Uni Abutment EV Heal Cap Short



	Heal Cap Short	Heal Cap Short	Heal Cap Short	Heal Cap Short	Pick-Up	Pick-Up	Transfer
Ø mm	4.3	4.3	5.5	5.5	4.3	5.5	4.7
Vert. height mm	3.4	4.4	3.4	4.4	17.6	17.6	9.7
Order no.	25952	25616	25953	25617	25641	25642	25646

## Uni Abutment EV Replica Temporary Cylinder Semi-Burnout Cylinder Burnout Cylinder



	Replica	Temporary Cylinder	Semi-Burnout Cylinder	Burnout Cylinder
Ø mm	3.6	4.4	4.4	4.2
Order no.	25615	25648	25647	25649

## Uni Driver EV



Length mm	21.5
Order no.	25708

## Bridge Screw EV

Titanium, non-sterile

- M1.8, anodized (light blue); hex only

## Lab Bridge Screw EV

Titanium, non-sterile

QTY 3

## Lab Abutment Pin EV

Stainless steel, non-sterile

- For maintenance of screw access channel

- Fits the Uni Abutment EV Replica

## Bridge Screw EV Lab Bridge Screw EV Lab Abutment Pin EV Short Intermediate Long



	M1.8	M1.8
Screw head height mm	1.6	1.6
Screw head Ø mm	2.35	2.35
Order no.	25481	25656

Length mm	14	18	22
Order no.	25643	25644	25645

**3.6 Angled Abutment EV 3.6, 20°**



Margin height mm	1	2	1	2
Vertical height mm	6	7	6	7
Order no.	25619	25620	25621	25622

**4.2 Angled Abutment EV 4.2, 20°**



Margin height mm	1	2	1	2
Vertical height mm	6	7	6	7
Order no.	25625	25626	25627	25628

**4.8 Angled Abutment EV 4.8, 20°**




Margin height mm	1	2	1	2
Vertical height mm	6	7	6	7
Order no.	25631	25632	25633	25634

**Angled Abutment EV**

Titanium, sterile, delivered with an abutment screw

- Supporting multiple unit restorations only
- Same top cone for all platforms
- Indexed abutments will seat in six available positions.
- Index-free abutments will be seated in any rotational position.



**Note:** A corresponding abutment screw is included with every Angled Abutment EV. To order additional screws, refer to Abutment Screw EV section (p.21).

**Angled Abutment EV Heal Cap Pick-Up Replica**



Vertical height mm	9	12	17
Order no.	25650	25651	25652

**Angled Abutment EV HealCap**

Titanium, sterile, two-piece

**Angled Abutment EV Pick-Up**

Stainless steel, non-sterile, two-piece

**Angled Abutment EV Replica**

Stainless steel, non-sterile

**Angled Abutment EV Temporary Cylinder Semi-Burnout Cylinder Burnout Cylinder**



Order no.	25654	25653	25655
-----------	-------	-------	-------

**Temporary Cylinder**

Titanium, non-sterile

**Semi-Burnout Cylinder**

Metal Base: Au 60%, Pd 20%, Pt 19%, Ir 1%  
Cylinder: PMMA burnout plastic, non-sterile

**Burnout Cylinder**


PMMA burnout plastic, non-sterile


**Note:** Bridge screws needs to be ordered separately.

# Attachment-retained restorations

## Locator™ Abutment EV

Titanium, TiN, coated non-sterile

- Locator Core Tool required
-  Index-free abutments will be seated in any rotational position.



### 3.6 Locator™ Abutment EV 3.6



A – Ø mm	3.86	3.86	3.86	3.86	3.86
B – Ø mm	3.7	3.7	3.7	3.7	3.7
Height mm	1	2	3	4	5
Order no.	25657	25658	25659	25660	25661

### 4.2 Locator™ Abutment EV 4.2



A – Ø mm	3.85	3.85	3.85	3.85	3.85
B – Ø mm	3.7	3.7	3.7	3.7	3.7
Height mm	1	2	3	4	5
Order no.	25662*	25663*	25664*	25665*	25666*

### 4.8 Locator™ Abutment EV 4.8



A – Ø mm	3.85	3.85	3.85	3.85	3.85
B – Ø mm	4.3	4.3	4.3	4.3	4.3
Height mm	1	2	3	4	5
Order no.	25667*	25668*	25669*	25670*	25671*



\* Compatible with OsseoSpeed Profile EV 4.2 and OsseoSpeed Profile EV 4.8

## Locator™ Core Tool

Stainless steel, non-sterile

Includes plastic holder/sleeve for manual placement of the abutment.


## Locator™ Abutment Pick-up

Aluminum, non-sterile

## Locator™ Abutment Replica

Aluminum, non-sterile

Locator™      Abutment Pick-up    Abutment Replica      Driver      Core Tool



Total length mm			23	
Order no.	24484	24485	25766	24482



**Locator™ Process Kit**



Order no.	24483
-----------	-------

**Locator™ Insert Male**

**Blue**



**Pink**



**Clear**



Grams	680	1361	2268
Retention force, kg	0.7	1.4	2.3
Order no.	24488	24487	24486

**Locator™ Insert Extended Range Male**

**Grey**



**Red**



**Orange**



**Green**



Grams	0	226-680	907	1361-1814
Retention force, kg	0	0.5	0.9	1.8
Order no.	25679	24492	25843	24489

**3.6 Ball Abutment EV 3.6**



A/B Ø mm	3.6	3.6	3.6	3.6	3.6	3.6
Height mm	1	2	3	4	5	7
Vert. height mm	3.9	4.9	5.9	6.9	7.9	9.9
Order no.	25684	25685	25686	25687	25688	25689

**4.2 Ball Abutment EV 4.2**



A/B Ø mm	3.6	3.6	3.6	3.6	3.6	3.6
Height mm	1	2	3	4	5	7
Vert. height mm	3.9	4.9	5.9	6.9	7.9	9.9
Order no.	25690*	25691*	25692*	25693*	25694*	25695*

**Locator™ Process Kit**

QTY 2 sets

**Locator™ Insert – Male**

Nylon non-sterile

The clear, pink and blue insert retention parts allow for a divergence of up to 10° for a single implant and 20° between implants.

QTY 4

**Locator™ Insert – Extended Range Male**

Nylon non-sterile


The grey, red, orange and green inserts permit a divergence of 10–20° for a single implant and up to 40° between implants.


The grey insert is used temporary during long-term treatment for protecting the abutments.

QTY 4

**Ball Abutment EV**

Titanium, sterile

- Diameter of the ball is 2.25 mm
-  Index-free abutments will be seated in any rotational position.



\* Compatible with OsseoSpeed Profile EV 4.2 and OsseoSpeed Profile EV 4.8

# Attachment-retained restorations

## 4.8 Ball Abutment EV 4.8



\*Compatible with OsseoSpeed Profile EV 4.2 and OsseoSpeed Profile EV 4.8

A Ø mm	3.6	3.6	3.6	3.6	3.6	3.6
B Ø mm	4.3	4.3	4.3	4.3	4.3	4.3
Height mm	1	2	3	4	5	7
Vert. height mm	3.9	4.9	5.9	6.9	7.9	9.9
Order no.	25696*	25697*	25698*	25699*	25700*	25701*

**Ball Abutment EV Replica**  
Stainless steel, non-sterile

**Ball Abutment Driver EV**  
Stainless steel, non-sterile

Ball Abutment Driver EV required for installation and removal.

**Ball Abutment EV Replica**



Order no.	25826
-----------	-------

**Ball Abutment Driver EV**



Total length	22.7
Order no.	25768

**Dalbo Plus Female Part Basic includes:**

- **Dalbo Plus attachment**  
Titanium, non-sterile
- **Lamellae retention Insert E**  
Gold alloy, non-sterile
- **Dalbo Plus Duplicating Aid**  
Plastic, non-sterile

**Dalbo Plus Screwdriver/Activator**  
Stainless steel, non-sterile

Used with Ball Abutment for ball solutions.

**Dalbo Plus**

**Female Part TE Basic, complete**

**Lamellae retention Insert E**

**Duplicating Aid**

**Screwdriver/Activator**



Order no.	25834	25844	25827	25835
-----------	-------	-------	-------	-------

**OD Cylinder EV**

Material: Au 68.6%, Ag 11.85%, Cu 10.6%, Pd 3.95%, Zn 2.5%, Pt 2.45%, Ir 0.05%  
Non-sterile

Used with Uni Abutment EV for bar solution

- Compatible with most bar system on the market

**OD Cylinder EV**



Order no.	25638
-----------	-------

# Instruments

## A user-friendly tray assortment – adaptable to the clinical preferences

The flexible tray design with interchangeable overlays allows for adaption of tray content according to your clinical preferences. Each overlay has an intuitive layout to support the user during the procedure.

The washtray is intended for automated reprocessing of surgical instruments and ideal for large clinics or hospitals looking for a time- and cost efficient clinical workflow.



## Drills with excellent cutting properties

Multiple-use drills delivered in sterile packaging for the option of single-use. In addition to the diameter, all drills shafts are color-coded and marked with a number/letter for easy identification and reference.



A user-friendly packaging designed for easy handling.

## Versatile torque wrench design

Few parts and designed for easy handling and cleaning procedures. Interchangeable driver handles for versatile surgical and restorative needs.




# Surgical tray

## One surgical tray – three overlay options

- Tray design with three interchangeable overlays allows for adaptation of tray content according to your clinical preferences.
- Color-coded and intuitive layout.
- PPSU plastic, silicone holders, non-sterile

### Overlay 1

- Streamlined content for the most commonly used straight implants.



Large Tray EV, shown with Overlay 1



Measurements mm	Length 290	Width 178	Height 54
Order no.	25769		

### Overlay 2

- Designed to accommodate the complete range of diameters for straight and conical implants.




Overlay 2



### Overlay 3

- Supports the full implant assortment including short and OsseoSpeed Profile EV implants.



Overlay 3



	Overlay 1	Overlay 2	Overlay 3
Order no.	25721	25722	25723

# Washtray EV

## Washtray ASTRA TECH Implant System EV



Measurements mm	Length	Width	Height
	275	176	64
Order no.	3107 1000		

## Washtray GS ASTRA TECH Implant System EV



Measurements mm	Length	Width	Height
	275	176	64
Order no.	3107 1020		

## Washtray Sterilization Container ASTRA TECH Implant System EV



	Length	Width	Height
Outer dimensions mm	312	190	92
Inner dimensions mm	280	180	78
Order no.	3107 1002		

## Washtray

- One tray for all steps of reprocessing: enhances time- and cost-efficiency
- Instruments are fixed and organized from chair-side through all steps of reprocessing and back to chair-side
- Sterilization container for simple, quick and safe handling can be ordered separately

**Note:** The overlay must be separated from the washtray before cleaning and re-assembled prior sterilization. Please see "DENTSPLY Implants Instruction for Sterilization and Instrument Care"!

## Washtray ASTRA TECH Implant System EV

- Including metal tray with instrument holders, overlay and guide
- The removable overlay has a layout very similar to overlay 3 the existing plastic surgical kit

### Material

Tray: Stainless steel  
 Overlay: Aluminum  
 Yellow parts: Silicone  
 Holders: PEEK-plastic with metal spring

## Washtray GS ASTRA TECH Implant System EV

- Including metal tray with instrument holders, overlay and guide
- The removable overlay has a layout very similar to the Proline overlay on the existing plastic surgical kit

### Material

Tray: Stainless steel  
 Overlay: Aluminum  
 Yellow parts: Silicone  
 Holders: PEEK-plastic with metal spring

## Washtray Sterilization Container ASTRA TECH Implant System EV

- Including two reusable filters, could be used for 1000 cycles.

### Material

Container: Aluminum

### 3107 1001

Washtray Overlay ASTRA TECH Implant System EV

### 3107 1021

Washtray Overlay GS ASTRA TECH Implant System EV

### Material

Overlay: Aluminum

# Drills

## Drills EV

Stainless steel, TiN-coated

- Laser-etched depth indication lines
- Delivered sterile
- Multiple-use except for Precision Drill EV, which is single-use only
- Marked with drill diameter and corresponding number/letter
- Drills for spongy preparation are color-coded white (1) – (6)

**Note:** Precision Drill EV is extremely sharp and should never be handled manually once out of its package



### Drilling depth

The drilling depth is measured from the widest part of the drill tip up to the indication line.

Additional tip depth is maximum 1.0 mm regardless of the drill diameter.



### Guide Drill EV



### Precision Drill EV



### Twist Drill EV, 6–13

①



### Twist Drill EV, 6–17

①



Ø mm	n/a	n/a	1.9	1.9
Order no.	25160	25161	25163	25162

### Step Drill EV, 6–13 mm

②



③



④



⑤



⑥



Ø mm	1.9/2.5	2.5/3.1	3.1/3.7	3.7/4.3	4.3/4.9
Order no.	25165	25169	25173	25177	25181

### Step Drill EV, 6–17 mm

②



③



④



⑤




⑥



Ø mm	1.9/2.5	2.5/3.1	3.1/3.7	3.7/4.3	4.3/4.9
Order no.	25164	25168	25172	25176	25180

**A – Cortical Drill EV**



Ø mm	2.5/2.7	3.1/3.3	3.7/3.9	4.3/4.5	4.9/5.1
Order no.	25423	25488	25490	25492	25431


**Cortical bone preparation – straight implants**

Used for the preparation of the cortical layer to reduce pressure in the bone around the implant neck.


- Cortical bone preparation drills color-coded according to implant-abutment connection.
- Color: corresponds to implant size
- Markings: diameter and drill letter
- **A** – thin cortical bone < 2 mm
- **B** – thick cortical bone ≥ 2 mm
- Length: one option

**Note:** There are separate cortical drills specific for the 6 mm implant.


**B – Cortical Drill EV**



Ø mm	2.5/3.0	3.1/3.6	3.7/4.2	4.3/4.8	4.9/5.4
Order no.	25193	25195	25197	25199	25201



**A 6mm – Cortical Drill EV**



Ø mm		3.1/3.3	3.7/3.9	4.3/4.5	4.9/5.1
Order no.		25487	25412	25420	25422



# Drills

## B 6mm – Cortical Drill EV



Ø mm	3.1/3.6	3.7/4.2	4.3/4.8	4.9/5.4
Order no.	25411	25419	25421	25424

### Cortical bone preparation – conical implants

Used for the preparation of the cortical layer to reduce pressure in the bone around the implant neck.

Apical border of the indication line indicates the minimum depth needed to fit the implant.

**A** In thin cortex, drill to the apical border of the depth indication line.

**B** In thick cortex, drill to the full depth of the depth indication line.


Make sure enough depth is provided for the entire implant.

- Color: corresponds to implant
- Markings: diameter and drill letter
- Length: one option

## A/B – Conical Drill EV




Ø mm	3.1/4.2	3.7/4.8
Order no.	25188	25190





# Optional drills

## V – Twist Drill EV, 6–17 mm



Ø mm	2.5	3.1	3.7	4.3	4.9
Order no.	25780	25781	25782	25783	25784

### Additional osteotomy preparation

If deemed necessary, additional preparation can be performed with either of the following drills:


#### V Twist Drill EV

- Use to widen the apical portion of the osteotomy
- Long version only

**Note:** For conical implants, color refers to the diameter of the implants.



## X – Step Drill EV, 6–13 mm




Ø mm	2.5/2.85	3.1/3.45	3.7/4.05	4.3/4.65	4.9/5.25
Order no.	25482	25483	25484	25485	25486

#### X Step Drill EV

- Use to widen both the apical and body portion of the osteotomy
- Short version only

**Note:** For conical implants, color refers to the diameter of the implants.




# Surgical instruments

## Implant Driver EV

Stainless steel, non-sterile

- For picking up and installing implant.
- Marked with depth and diameter
- Dimple to facilitate correct positioning

**Note:** For use with Contra Angle or Torque Wrench EV Surgical Driver Handle



## Implant Driver EV Short



	3.6	4.2	4.8	5.4
Total length mm	23.5	23.6	23.8	23.7
Order no.	25378	25380	25382	25384

## Implant Driver EV Long



	3.0	3.6	4.2	4.8	5.4
Total length mm	33.6	33.7	33.8	34.0	33.9
Order no.	25377	25379	25381	25383	25385

## Direction Indicator EV

- For use after drill ① and drill ③



## Direction Indicator EV



## Implant Driver Extender EV-GS



## Implant Depth Gauge EV



Order no.	25765	26021	25710
-----------	-------	-------	-------

## Implant Driver Extender EV-GS

Stainless steel, non-sterile

**Note:** For extension of drills.

## Implant Depth Gauge EV

Titanium, non-sterile

- One side corresponds to implant lengths 6–17 mm
- One side is measuring probe with 0–15 mm markings

## Titanium Bowl

Titanium



Order no.	22137
-----------	-------

## Forceps

Titanium



Length	94 mm
Order no.	22437

**Torque Wrench EV**



Order no.	25774	25775
-----------	-------	-------

**Torque Wrench EV Surgical Driver Handle**



**Torque Wrench EV**

Stainless steel, non-sterile

Use together with Surgical Driver Handle for implant installation and adjustment of implant position

**Torque Wrench EV Surgical Driver Handle**

Stainless steel, non-sterile

**Hex Driver EV Machine**

**Short**



**Intermediate**



**Long**



Total length mm	20	24	35
Order no.	25790	25727	25728

**Hex Driver EV Machine**

Stainless steel, non-sterile

For use with Contra Angle or

Torque Wrench EV Surgical Driver Handle or Torque Wrench EV Restorative Driver Handle

**Hex Driver EV Manual**

**Short**



**Intermediate**



**Long**



Total length mm	20	31	38
Order no.	25771	25772	25773

**Hex Driver EV Manual**

Stainless steel, non-sterile

**Mucosal Punch EV**



**Mucosal Punch EV**

Sterile

Single use only

QTY 5

Ø	3.5	4	4.5	5	5.5	6.5
Order no.	25711	25712	25713	25714	25715	25731

# Surgical units

## Implant unit includes:

- Control unit
- Foot control
- Motor with 1.8 m cable including 5 clips
- Main cable
- Motor support
- Stand
- Locking pins
- Irrigation tubing (QTY 3), disposable for single patient use.

**Note:** Contra Angle must be purchased separately.

## 20:1 Contra Angle for Implant Unit and for ImplantMED Drill Unit

**Note:** Be sure to pay attention to the correct contra angle adjustment of your drive unit.

## Disposable Irrigation Set, W&H

Includes pump segment. 2.2 m, sterile for ImplantMED and recommended for Implant Unit. QTY 6

**Irrigation Tube, W&H**, disposable 2.2 m, sterile for ElcoMED 100 and ImplantMED. QTY 10

## Suction Tube

Medena  
Ø 5.5 mm/8 mm, 2.0 m, QTY 1  
Single-use, sterile.

Medena  
Ø 5.5 mm/8 mm, 3.5 m, QTY 1  
Single-use, sterile.

Medena  
Ø 5.5 mm/8 mm, 2.0 m, QTY 1  
Including double bent suction tip.  
Single-use, sterile.

## Bone Trap™

- Simplifies the procedure of collecting and using autologous bone
- Disposable and delivered sterile

## Implant Unit

SI 915  
115 V



Order no. 24360

SI 923  
230 V



24412

## Contra Angle W&H

WS-75 E/KM



Can be dismantled

Order no. 22903

WI-75 E/KM



Cannot be dismantled

24350

## Irrigation Set



Order no. 22176

## Irrigation Tube



22177

## Suction Tube

Medena  
2.0m



Order no. 68108

Medena  
3.5m

Medena 2.0m with  
double bent suction tip



68130

68118

## Radiographic Implant Guides EV



Order no. 25500

## Bone Trap™



Order no. 22179

# Restorative instruments

## Hex Driver EV Manual

Short



Intermediate



Long



Total length mm	20	31	38
Order no.	25771	25772	25773

## Hex Driver EV Manual

Stainless steel, non-sterile

## Hex Driver EV Machine

Short



Intermediate



Long



Total length mm	20	24	35
Order no.	25790	25727	25728

## Hex Driver EV Machine

Stainless steel, non-sterile

For use with Contra Angle or Torque Wrench EV Surgical Driver Handle or Torque Wrench EV Restorative Driver Handle

Direct Driver EV  
Ø3.3 Ø4



Uni Driver EV



Locator™ Driver EV



Total length mm	26	21.5	23
Order no.	25764	25708	25766

## Direct Driver EV

Stainless steel, non-sterile

Required for carrying and installation of Direct Abutment EV Ø3.3 and Ø4

## Uni Driver EV

Stainless steel, non-sterile

- For placing and removing Uni Abutment EV
- Use with restorative driver handle and Torque Wrench EV
- Uni Driver EV has a hexagon in the middle of the shaft, needed to meet the removal torques

## Locator™ Driver EV

Stainless steel, non-sterile

For placement and removal of Locator abutments

## ATLANTIS™ Angulated Screw Access Screwdriver



Total length mm	18	24	32
Order no.	36030	36031	36032

## ATLANTIS™ Angulated Screw Access Screwdriver

- Must be used in combination with ATLANTIS implant suprastructures that have been designed and manufactured with Angulated Screw Access on 1 or more connections
- Every connection with angulated screw access is supplied with a corresponding ATLANTIS prosthetic screw
- Angulated screw access allows the prosthetic screw access channel to be angled up to 30 degrees off the implant/abutment axis, for optimal esthetics and function

# Restorative instruments

## Ball Abutment Driver EV

Stainless steel, non-sterile

For placement and removal of Ball Abutment EV

Direct, Uni, Locator and Ball Abutment drivers fit Torque Wrench EV driver handles.

## Dalbo Plus Screwdriver/Activator

Stainless steel, non-sterile

## Locator™ Core Tool

Stainless steel, non-sterile

Includes plastic holder/sleeve for manual placement of the abutment

## Ball Abutment Driver EV



## Dalbo Plus Screwdriver/Activator



## Locator™ Core Tool




Total length mm	22.7		
Order no.	25768	25835	24482

## Abutment Depth Gauge EV

Titanium, non-sterile

- Laser etched bands for measuring mucosal height over the implant in millimeters.
- Waist at 4–5 mm indication for better visual orientation.



## Abutment Depth Gauge EV



Order no.	25792
-----------	-------



Order no.	25793
-----------	-------



Order no.	25726
-----------	-------

## Torque Wrench EV

Stainless steel, non-sterile

Use together with a restorative driver handle for tightening of abutment and/or bridge screw.

## Torque Wrench EV



Order no.	25774
-----------	-------

## Torque Wrench EV Restorative Handles

Stainless steel, non-sterile

## 4x4 Low

For compatibility for instruments with a square connection 4 x 4 mm

## Torque Wrench EV Restorative Driver Handle

Low

4x4 Low



Order no.	25776	25777	25730
-----------	-------	-------	-------

# Laboratory products

## Lab Abutment Screw EV



Order no.	25476	25477	25478	25479	25480
-----------	-------	-------	-------	-------	-------

## Lab Abutment Screw EV

Titanium, non-sterile  
QTY 3

Designed for use with  
Implant Replica EV only

## Lab Pin Design EV



3.0 3.6 4.2 4.8 5.4

Ø mm	3.0/3.6	4.2/4.8/5.4
Height mm	25	25
Order no.	25528	25530

## Lab Pin Design EV

Stainless steel, non-sterile

- For maintenance of screw access channel during the laboratory procedure
- Friction fit to the Lab Abutment Screw EV screw hole

## Lab Abutment Pin EV

Short Intermediate Long



Length mm	14	18	22
Order no.	25643	25644	25645

## Lab Bridge Screw EV



Screw head height mm	1.6
Screw head Ø mm	2.35
Order no.	25656

## Lab Abutment Pin EV

Stainless steel, non-sterile

- For maintenance of screw access channel
- Fits the UniAbutment EV Replica

## Lab Bridge Screw EV

Titanium, non-sterile  
QTY 3

## Grinding Handle



Order no.	22740
-----------	-------

## Polishing Protector Uni EV



Order no.	25778
-----------	-------

## Polishing Protector Uni EV

Stainless steel, non-sterile  
QTY 3

# OsseoSpeed™ Profile EV

A unique implant specifically designed for sloped ridges

OsseoSpeed Profile EV is specially shaped for efficient use of existing bone in sloped ridge situations.







### Wide range of implant options

Available in straight and conical implant designs in 8–17 mm lengths.



### Self-guiding impression components for an accurate and predictable workflow

This innovative design provides a time-efficient installation procedure and a predictable workflow between the clinician and dental technician.



### One-position-only placement of all indexed components

The unique one-position-only placement makes the entire treatment procedure simple and predictable, from implant placement to the connection of the final abutment.



# Product overview

**P**  
4.2

**YELLOW**



One-position-only



Index free



Round



Triangular

## Implants

**OsseoSpeed™ Profile EV  
4.2 PS**



8 mm 25440  
9 mm 25441  
11 mm 25442  
13 mm 25443  
15 mm 25444  
17 mm 25445

**OsseoSpeed™ Profile EV  
4.2 PC**



8 mm 25452  
9 mm 25453  
11 mm 25454  
13 mm 25455  
15 mm 25456  
17 mm 25457

## Cover screw

**Cover Screw Profile EV 4.2**



0 mm 25582

## Healing abutments

**HealDesign™ Profile EV 4.2**



□ Ø 5.0 3 mm 25587  
□ Ø 5.0 4 mm 25584  
△ Ø 5.0 3 mm 25585  
△ Ø 6.5 3 mm 25586

**Healing EV 4.2**



□ Ø 5.0 2.5 mm 25909  
□ Ø 5.0 3.5 mm 25501  
□ Ø 5.0 4.5 mm 25302  
□ Ø 5.0 6.5 mm 25797  
□ Ø 6.5 2.5 mm 25908  
□ Ø 6.5 3.5 mm 25910  
□ Ø 6.5 4.5 mm 25911  
□ Ø 6.5 6.5 mm 25912

**Healing Uni EV 4.2**



□ 4 2 mm 25288  
□ 4 3 mm 25579  
□ 4 4 mm 25289  
□ 4 6 mm 25290

## Cement-retained

### Temporary abutments

**TempDesign™ Profile EV**



Ø 7 1 mm 25756

**Temp Abutment Profile EV**



Ø 4.5 1 mm 25758

### Abutments

**TiDesign™ Profile EV 4.2**



○ Ø 5.5 15° 2 mm 25595  
○ Ø 5.5 3 mm 25594  
△ Ø 5.5 2 mm 25592  
△ Ø 7.0 2 mm 25593

**ATLANTIS™ abutments**



Patient-specific abutments

## Screw-retained

### Abutments

**Uni Abutment EV 4.2**



1 mm 25562  
2 mm 25563  
3 mm 25564  
5 mm 25565

**Angled Abutment Profile EV**



1 mm 25890  
2 mm 25891

**ATLANTIS™ Crown Abutment**



Patient-specific abutments

### Healing caps

**Uni Abutment EV  
Heal Cap**



Ø 4.3 Short 25952  
Ø 4.3 25616  
Ø 5.5 Short 25953  
Ø 5.5 25617

**Angled Abutment EV  
Heal Cap**



25650

### Abutment

**Uni Abutment EV  
Pick-up**



Ø 4.3 25641  
Ø 5.5 25642

**Angled Abutment EV  
Pick-up**



25651

## Attachment-retained

### Abutments

**Locator™ Abutment  
EV 4.2**



1 mm 25662  
2 mm 25663  
3 mm 25664  
4 mm 25665  
5 mm 25666

**Ball Abutment EV 4.2**











1 mm 25690  
2 mm 25691  
3 mm 25692  
4 mm 25693  
5 mm 25694  
7 mm 25695














### Abutment impressions








**Locator™ Abutment Pick-up**



24484

<p><b>Direct Abutment™ EV 4.2</b></p>  <p>         Ø 5 1 mm 25367          Ø 5 2 mm 25368          Ø 5 3 mm 25369          Ø 6 1 mm 25494          Ø 6 2 mm 25495          Ø 6 3 mm 25496       </p> <p><b>Direct EV API™</b></p>  <p>         Ø 5 25348          Ø 6 25349       </p>	<p><b>Implant impressions</b></p> <p><b>Implant Pick-Up Profile EV</b></p>  <p>Short 25601 Long 25600</p> <p><b>Implant Transfer Profile EV</b></p>  <p>Short 25606 Long 25607</p> <p><b>Implant Pick-Up Design Profile EV</b></p>  <p>25604</p>	<p><b>Lab products</b></p> <p><b>Lab Abutment Screw EV</b></p>  <p>25478 QTY 3</p> <p><b>Lab Pin Design EV</b></p>  <p>25530</p> <p><b>Implant Replica Profile EV</b></p>  <p>25610</p>
--	---	--

<p><b>impressions</b></p> <p><b>Uni Abutment EV Transfer</b></p>  <p>25646</p>	<p><b>Lab products</b></p> <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p> <p><b>Lab Abutment Pin EV</b></p>  <p>Short 25643 Intermediate 25644 Long 25645</p> <p><b>Angled Abutment EV Replica</b></p>  <p>25652</p> <p><b>Lab Bridge Screw EV</b></p>  <p>25656 QTY 3</p>	<p><b>Bridge screw</b></p> <p><b>Bridge Screw EV</b></p>  <p>25481</p> <p><b>ATLANTIS™ suprastructures</b></p>  <p>Patient-specific CAD/CAM implant suprastructures</p>	<p><b>Cylinders</b></p> <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>25648</p> <p><b>Angled Abutment EV Temporary Cylinder</b></p>  <p>25654</p> <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p> <p><b>Angled Abutment EV Semi-Burnout Cylinder</b></p>  <p>25653</p> <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p> <p><b>Angled Abutment EV Burnout Cylinder</b></p>  <p>25655</p>
---	---	--	--

<p><b>Replicas</b></p> <p><b>Locator™ Abutment Replica</b></p>  <p>24485</p> <p><b>Ball Abutment EV Replica</b></p>  <p>25826</p>	<p><b>Attachment components</b></p> <p><b>Dalbo Plus Female Part TE Basic, complete</b></p>  <p>25834</p> <p><b>Locator™ Process Kit</b></p>  <p>24483</p> <p><b>Locator™ Insert – Male</b></p>  <p>         Blue 24488          Pink 24487          Clear 24486       </p> <p><b>Locator™ Insert – Extended Range Male</b></p>  <p>         Grey 25679          Red 24492          Orange 25843          Green 24489       </p> <p><b>OD Cylinder EV</b></p>  <p>25638</p>
---	---

# Product overview



## Implants

### OsseoSpeed™ Profile EV 4.8 PS



- 8 mm 25446
- 9 mm 25447
- 11 mm 25448
- 13 mm 25449
- 15 mm 25450
- 17 mm 25451

### OsseoSpeed™ Profile EV 4.8 PC



- 8 mm 25458
- 9 mm 25459
- 11 mm 25460
- 13 mm 25461
- 15 mm 25462
- 17 mm 25463

## Cover screw

### Cover Screw Profile EV 4.8



0 mm 25583

## Healing abutments

### HealDesign™ Profile EV 4.8



- Ø 5 3 mm 25591
- Ø 6.5 4 mm 25589
- △ Ø 5 3 mm 25588
- △ Ø 6.5 3 mm 25590

### HealDesign™ EV 4.8



- Ø 5.0 2.5 mm 25913
- Ø 5.0 3.5 mm 25502
- Ø 5.0 4.5 mm 25914
- Ø 5.0 6.5 mm 25915
- Ø 6.5 2.5 mm 25916
- Ø 6.5 3.5 mm 25917
- Ø 6.5 4.5 mm 25306
- Ø 6.5 6.5 mm 25798
- Ø 7.5 3.5 mm 25918
- Ø 7.5 4.5 mm 25919

### Healing Uni EV 4.8



- Ø 4 2 mm 25291
- Ø 4 3 mm 25580
- Ø 4 4 mm 25292
- Ø 4 6 mm 25293

## Cement-retained

### Temporary abutments

#### TempDesign™ Profile EV



Ø 8 1 mm 25757

#### Temp Abutment Profile EV



Ø 5 1 mm 25759

### Abutments

#### TiDesign™ Profile EV 4.8



- Ø 5.5 15° 2 mm 25599
- Ø 7.0 3 mm 25598
- △ Ø 5.5 2 mm 25596
- △ Ø 7.0 2 mm 25597

#### ATLANTIS™ abutments



Patient-specific abutments

## Screw-retained

### Abutments

#### Uni Abutment EV 4.8



- 1 mm 25566
- 2 mm 25567
- 3 mm 25568
- 5 mm 25569

#### Angled Abutment Profile EV



- 1 mm 25892
- 2 mm 25893

#### ATLANTIS™ Crown Abutment



Patient-specific abutments

### Healing caps

#### Uni Abutment EV Heal Cap



- Ø 4.3 Short 25952
- Ø 4.3 25616
- Ø 5.5 Short 25953
- Ø 5.5 25617

#### Angled Abutment EV Heal Cap



25650

### Abutment

#### Uni Abutment EV Pick-up



- Ø 4.3 25641
- Ø 5.5 25642

#### Angled Abutment EV Pick-up



25651

## Attachment-retained

### Abutments

#### Locator™ Abutment EV 4.8



- 1 mm 25667
- 2 mm 25668
- 3 mm 25669
- 4 mm 25670
- 5 mm 25671

#### Ball Abutment EV 4.8











- 1 mm 25696
- 2 mm 25697
- 3 mm 25698
- 4 mm 25699
- 5 mm 25700
- 7 mm 25701














### Abutment impressions








#### Locator™ Abutment Pick-up



24484

<p><b>Direct Abutment™ EV 4.8</b></p>  <p>         Ø 5 1 mm 25370          Ø 5 2 mm 25371          Ø 5 3 mm 25372          Ø 6 1 mm 25497          Ø 6 2 mm 25498          Ø 6 3 mm 25499       </p> <p><b>Direct EV API™</b></p>  <p>         Ø 5 25348          Ø 6 25349       </p>	<p><b>Implant impressions</b></p> <p><b>Implant Pick-Up Profile EV</b></p>  <p>Short 25603 Long 25602</p> <p><b>Implant Transfer Profile EV</b></p>  <p>Short 25608 Long 25609</p> <p><b>Implant Pick-Up Design Profile EV</b></p>  <p>25605</p>	<p><b>Lab products</b></p> <p><b>Lab Abutment Screw EV</b></p>  <p>25479 QTY 3</p> <p><b>Lab Pin Design EV</b></p>  <p>25530</p> <p><b>Implant Replica Profile EV</b></p>  <p>25611</p>
--	---	--

<p><b>impressions</b></p> <p><b>Uni Abutment EV Transfer</b></p>  <p>25646</p>	<p><b>Lab products</b></p> <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p> <p><b>Lab Abutment Pin EV</b></p>  <p>Short 25643 Intermediate 25644 Long 25645</p> <p><b>Angled Abutment EV Replica</b></p>  <p>25652</p> <p><b>Lab Bridge Screw EV</b></p>  <p>25656 QTY 3</p>	<p><b>Bridge screw</b></p> <p><b>Bridge Screw EV</b></p>  <p>25481</p> <p><b>ATLANTIS™ suprastructures</b></p>  <p>Patient-specific CAD/CAM implant suprastructures</p>	<p><b>Cylinders</b></p> <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>25648</p> <p><b>Angled Abutment EV Temporary Cylinder</b></p>  <p>25654</p> <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p> <p><b>Angled Abutment EV Semi-Burnout Cylinder</b></p>  <p>25653</p> <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p> <p><b>Angled Abutment EV Burnout Cylinder</b></p>  <p>25655</p>
---	---	--	--

<p><b>Replicas</b></p> <p><b>Locator™ Abutment Replica</b></p>  <p>24485</p> <p><b>Ball Abutment EV Replica</b></p>  <p>25826</p>	<p><b>Attachment components</b></p> <p><b>Dalbo Plus Female Part TE Basic, complete</b></p>  <p>25834</p> <p><b>Locator™ Process Kit</b></p>  <p>24483</p> <p><b>Locator™ Insert – Male</b></p>  <p>         Blue 24488          Pink 24487          Clear 24486       </p> <p><b>Locator™ Insert – Extended Range Male</b></p>  <p>         Grey 25679          Red 24492          Orange 25843          Green 24489       </p> <p><b>OD Cylinder EV</b></p>  <p>25638</p>
---	---


# Implants

## OsseoSpeed™ Profile EV


Titanium, sterile

OsseoSpeed Profile EV implants are available in a range of shapes, diameters and lengths.


PS = Profile Straight    PC = Profile Conical



Specific colors have been assigned to the different implant-abutment connection sizes, which are consistently used throughout the system.



- For further details – see Instructions for Use or the Surgical manual for ASTRA TECH Implant System EV.
- All implants are made of commercially pure titanium, grade 4.
- OsseoSpeed surface treatment over the entire implant to the top of the first MicroThread.
- For conical implants the body portion is 0.6 mm narrower.



### P<sub>4.2</sub> OsseoSpeed™ Profile EV 4.2 PS



Length mm	8	9	11	13	15	17
A – height mm	1.4	1.4	1.4	1.4	1.4	1.4
Order no.	25440	25441	25442	25443	25444	25445

### P<sub>4.2</sub> OsseoSpeed™ Profile EV 4.2 PC



Body Ø mm	3.6	3.6	3.6	3.6	3.6	3.6
Length mm	8	9	11	13	15	17
A – height mm	1.3	1.3	1.3	1.3	1.3	1.3
Order no.	25452	25453	25454	25455	25456	25457

### P<sub>4.8</sub> OsseoSpeed™ Profile EV 4.8 PS



Length mm	8	9	11	13	15	17
A – height mm	1.7	1.7	1.7	1.7	1.7	1.7
Order no.	25446	25447	25448	25449	25450	25451

### P<sub>4.8</sub> OsseoSpeed™ Profile EV 4.8 PC



Body Ø mm	4.2	4.2	4.2	4.2	4.2	4.2
Length mm	8	9	11	13	15	17
A – height mm	1.6	1.6	1.6	1.6	1.6	1.6
Order no.	25458	25459	25460	25461	25462	25463

### Cover Screw Profile EV



P  
4.2



P  
4.8

Order no.	25582	25583
-----------	-------	-------

### Radiographic Implant Guides Profile EV



Order no.	25637
-----------	-------

### Cover Screw Profile EV

Titanium, sterile



- Self-guiding component; engages into the implant only when correctly seated
- One height option for each implant-abutment connection size
- Cover Screw Profile EV is a two-piece cover screw with color coded sleeve. The included screw is without color
- **P** One-position-only cover screw, will seat in one position only

## Surgical instruments

### Implant Driver Profile EV Short



P  
4.2



P  
4.8

Total length mm	24	24
Order no.	25464	25466

### Implant Driver Profile EV Long



P  
4.2



P  
4.8

Total length mm	34	34
Order no.	25465	25467

### Implant Driver Profile EV

Stainless steel, non-sterile

- For picking up and installing implant
- Marked with diameter and a "P" for Profile
- Dimple and flat surface on the driver to facilitate correct positioning
- **P** One-position-only instrument, will seat in one position only


**Note:** For use with Contra Angle or Torque Wrench EV Surgical Driver Handle

# Healing abutments

## HealDesign™ Profile EV

Titanium, sterile

- For soft tissue sculpturing during the healing phase
- Can be used for both one- and two-stage surgery
- Design is primarily matched to TiDesign EV and ZirDesign EV abutments
- Heights and diameters are harmonized with the permanent abutments as well as with the tooth position
  - Round shapes are indicated for all positions in the mouth.
  - △ Triangular shapes are designed for anterior implant sites and mimic the specific shape for incisors and canines. Triangular HealDesign™ EV is a two-piece abutment.
- Marked with diameter, height and "P" for Profile
- (P) One-position-only, healing abutment, will seat in one position only



## P<sub>4.2</sub> HealDesign™ Profile EV 4.2

Ø mm	5	5	5	6.5
Height A mm	5	4	4.5	4
Height B mm	4	3	3	3
Order no.	25584	25587	25585	25586


## P<sub>4.8</sub> HealDesign™ Profile EV 4.8

Ø mm	5	6.5	5	6.5
Height A mm	4.5	5.5	4.5	4.5
Height B mm	3	4	3	3
Order no.	25591	25589	25588	25590



# Temporary abutments

## TempDesign™ Profile EV



Ø mm	7	8
Height bucc A mm	1	1
ling B mm	1	1
Vertical height mm	12	12
Order no.	25756	25757

## Temp Abutment Profile EV



Ø mm	4.5	5.0
Height bucc A mm	1	1
ling B mm	1	1
Vertical height mm	9	9
Order no.	25758	25759

## Abutment Screw EV




	M1.8	M2.0
Order no.	25205	25206

## TempDesign™ EV

Titanium-PEEK-plastic, non-sterile, delivered with an abutment screw


- Anatomically pre-designed for reduction technique
- For both screw- and cement-retained restorations
- Can be processed at the laboratory or chairside
- Temporary use; max 180 days
- Screw-retained restorations; limited to single-tooth only
- (P) One-position-only abutments, will seat in one position only



## Temp Abutment EV

Titanium, non-sterile, delivered with an abutment screw

- Designed for build-up technique
- For large, multi-unit restorations and/or long-term temporization
- Primarily processed in the laboratory
- Cement-retained restorations, all positions in the mouth
- Screw-retained restorations, limited to single-tooth only
- (P) One-position-only abutments, will seat in one-position-only



**Note:** A corresponding Abutment Screw EV is included with every temporary abutment as well as final two-piece abutments. To order additional screws, see below

## Abutment Screw EV




Titanium, non-sterile


**Note:** A corresponding Abutment Screw EV is included with every temporary abutment as well as final two-piece abutments.

# Cement-retained restorations


## TiDesign™ Profile EV

Titanium, non-sterile,  
delivered with an abutment screw

-  Round – design for the majority of restorative situations
-  Triangular – primarily for incisors and canines with triangular shape
- Angled design for offset situations compensating for implants in a restoratively unfavorable position
- Marked with diameter and P for Profile
-  One-position-only abutments, will seat in one position only



## TiDesign™ Profile EV 4.2



Ø mm	5.5	5.5	5.5	7.0
A – height bucc mm	3	2	2	2
B – height ling mm	3	2	2	2
Vertical height mm	9.5	8.5	8.5	8.5
Order no.	25594	25595	25592	25593

## TiDesign™ Profile EV 4.8




Ø mm	7.0	5.5	5.5	7.0
A – height bucc mm	3	2	2	2
B – height ling mm	3	2	2	2
Vertical height mm	9	8	8	8
Order no.	25598	25599	25596	25597

# Screw-retained restorations

## Uni Abutment EV (See page 29)


Titanium, sterile

- Supporting multiple unit restorations only
- Design facilitates non-parallel implant situations up to 66°
- Same top cone for all platforms
-  Index-free abutments will be seated in any rotational position


## Angled Abutment Profile EV

Titanium, sterile,  
delivered with an abutment screw

- Supporting multiple unit restorations only
- Same top cone as standard OsseoSpeed EV
- Index-free abutments will be seated in any rotational position
- Marked with a “P”



## Angled Abutment Profile EV 4.2, 20°



A – height bucc mm	2	3
B – height ling mm	1	2
Vertical height mm	6	7
Order no.	25890	25891

## Angled Abutment Profile EV 4.8, 20°



A – height bucc mm	2	3
B – height ling mm	1	2
Vertical height mm	6	7
Order no.	25892	25893

# Impression and laboratory components – implant-level

## Implant Pick-Up Profile EV, Short



Sleeve Ø mm	4.6	4.6
Height mm	16.5	16.5
Order no.	25601	25603

## Implant Pick-Up Profile EV, Long



Sleeve Ø mm	4.6	4.6
Height mm	22	22
Order no.	25600	25602

## Implant Pick-Up Design Profile EV




Sleeve Ø mm	4.2	4.8
Height mm	22	22
Order no.	25604	25605

## Implant Pick-Up Profile EV / Implant Pick-Up Design Profile EV


Titanium, non-sterile

- Self-guiding positioning
- Marked with a "P"
- Designed with hex at the pin head
- Possibilities of capture the exact soft tissue shape for best possible esthetic results
- Supports indexing options; one-position-only and index free



Marked with a sloped groove and a "P" to identify Profile

## Implant Transfer Profile EV, Short



Sleeve Ø mm	4.2	4.8
Height mm	11	11
Order no.	25606	25608

## Implant Transfer Profile EV, Long




Sleeve Ø mm	4.2	4.8
Height mm	14	14
Order no.	25607	25609

## Implant Transfer Profile EV

Titanium, non-sterile

- Self-guiding positioning
- Marked with a "P"
- Must be repositioned in the unique site in the impression
- Designed with a hex at the pin head
- Supports indexing options; one-position-only and index free



Marked with a sloped groove and a "P" to identify Profile




## Implant Replica Profile EV



Height mm	16.5	16.5
Order no.	25610	25611

## Lab Abutment Screw EV



Order no.	25478	25479
-----------	-------	-------

## Implant Replica Profile EV

Titanium, non-sterile

Adjustment of apex allow for removal of replica from master model without need for sectioning

## Lab Abutment Screw EV

Titanium, non-sterile

QTY 3

Designed for use with Implant Replica Profile EV and Implant Replica EV only

# Guided surgery with ASTRA TECH Implant System™ EV

The combination of SIMPLANT computer-guided implant treatment and the ASTRA TECH Implant System EV simplifies the process of digital implant dentistry without sacrificing precision and safety.

## Sleeve-on-drill instruments for an easy and safe surgical handling

The sleeve-on design simplifies handling and eliminates the need for additional assistance in holding freestanding drill keys in place.



## SIMPLANT SAFE Guide with lateral opening for easier access

The optional lateral access provides greater ease of handling even for cases with limited inter-occlusal space. This allows for treatment of an expanded range of indications and increased patient comfort and satisfaction.



## A user-friendly tray assortment – adaptable to the clinical preferences

The flexible tray design with interchangeable overlays allows for adaption of tray content according to your clinical preferences. Each overlay has an intuitive layout to support the user during the procedure


The washtray is intended for automated reprocessing of surgical instruments and ideal for large clinics or hospitals looking for a time- and cost efficient clinical workflow.

# Trays for guided surgery


## One plastic surgical tray – two overlay options

The guided surgical tray design with two interchangeable overlays allows for adaptation of tray content according to your clinical preferences.

### Streamline




### Proline



	Large Tray EV (without overlay)	Streamline	Proline
Order no.	25769	26099	26098

### Washtray GS ASTRA TECH Implant System EV



### Streamline

- The Streamline Overlay supports the most commonly used straight implants from 6 mm to 15 mm.

### Proline

- The Proline Overlay supports the complete assortment within guided surgery including 6mm, conical and Profile EV implants.
- The overlays can be snapped onto the tray base. This solution offers the possibility of adapting the tray's contents according to individual preferences.

	Straight			Conical	
Ø	3.6 S	4.2 S	4.8 S	4.2 C	4.8 C
Length					
6 mm	x	x	x		
8 mm	x	x	x	x	x
9 mm	x	x	x	x	x
11 mm	x	x	x	x	x
13 mm	x	x	x	x	x
15 mm	x	x	x	x	x

	Profile Straight		Profile Conical	
Ø	P 4.2 PS	P 4.8 PS	P 4.2 PC	P 4.8 PC
Length				
6 mm				
8 mm	x	x	x	x
9 mm	x	x	x	x
11 mm	x	x	x	x
13 mm	x	x	x	x
15 mm	x	x	x	x

### Washtray GS

#### ASTRA TECH Implant System™ EV

The Washtray allows for machine cleaning, disinfection and subsequent steam sterilization of instruments. For more information see page 36.

Order no.	3107 1020
-----------	-----------

# Punch/Initial Drill

## Punch EV-GS

Stainless steel

- Laser etched depth indicator
- Delivered sterile
- Laser marked with (P) and corresponding implant diameter.
- Laser marking according to implant length
- Color: corresponds to the implant diameter
- Single use only

**Note:** By using SIMPLANT as the planning Software, these Drills will be delivered case specific with the SAFE Guide.

## Punch EV-GS



Ø mm	3.6	4.2	4.8
Order no.	26010	26011	26012

## Initial Drill

Stainless steel

- Laser etched depth indicator
- Delivered sterile
- Laser marked with (I) and corresponding implant diameter.
- Laser marking according to implant length
- Color: corresponds to implant diameter
- Multiple use drill

## Initial Drill



Ø mm	3.6	4.2	4.8
Order no.	26013	26014	26015

# Drills

## Drill EV-GS with narrow diameter Sleeve (ND)

1-Drill EV-GS, ND



3.6 4.2

3-Drill EV-GS, ND



3.6 4.2

4-Drill EV-GS, ND



3.6 4.2

Ø mm	Ø1.9 ND	Ø2.5/3.1 ND	Ø3.1/3.7 ND
Implant length	6–8 mm	6–8 mm	6–8 mm
Order no.	26051	26054	26057
Implant length	9–11 mm	9–11 mm	9–11 mm
Order no.	26052	26055	26058
Implant length	13–15 mm	13–15 mm	13–15 mm
Order no.	26053	26056	26059

## Drill EV-GS with narrow diameter Sleeve (ND)

Stainless steel

- Drills for spongy bone preparation
- Physical depth stop
- Delivered sterile with Sleeve on Drill
- Laser marked with the corresponding number and drill diameter
- Drills color white for all diameters
- Multiple use drill
- Single use Sleeve

**Note:** By using SIMPLANT as the planning Software, these Drills will be delivered case specific with the SAFE Guide.

## Drill EV-GS with wide diameter Sleeve (WD)

1-Drill EV-GS, WD



4.8

3-Drill EV-GS, WD



4.8

4-Drill EV-GS, WD



4.8

5-Drill EV-GS, WD



4.8

Ø mm	Ø1.9 WD	Ø2.5/3.1 WD	Ø3.1/3.7 WD	Ø3.7/4.3 WD
Implant length	6–8 mm	6–8 mm	6–8 mm	6–8 mm
Order no.	26060	26063	26066	26069
Implant length	9–11 mm	9–11 mm	9–11 mm	9–11 mm
Order no.	26061	26064	26067	26070
Implant length	13–15 mm	13–15 mm	13–15 mm	13–15 mm
Order no.	26062	26065	26068	26071

## Drill EV-GS with wide diameter Sleeve (WD)

Stainless steel

- Drills for spongy bone preparation
- Physical depth stop
- Delivered sterile with Sleeve on Drill
- Laser marked with the corresponding number and drill diameter
- Drills color white for all diameters
- Multiple use drill
- Single use Sleeve

**Note:** By using SIMPLANT as the planning Software, these Drills will be delivered case specific with the SAFE Guide.

# Cortical preparation

## Cortical Drill EV-GS

Stainless steel

- For straight implants
- Drills for the preparation of the cortical layer to reduce pressure in the bone around the implant neck
- Color: corresponds to implant
- Laser marked with (A) or (B), the drill diameter and implant length
- Laser etched depth indicator
- (A) – thin cortical bone < 2 mm
- (B) – thick cortical bone ≥ 2 mm
- Multiple use drill

## Cortical Drill EV-GS

(A)-Cortical Drill EV-GS (B)-Cortical Drill EV-GS (A)-Cortical Drill EV-GS (B)-Cortical Drill EV-GS (A)-Cortical Drill EV-GS (B)-Cortical Drill EV-GS



Ø mm	Ø3.1/3.3	Ø3.1/3.6	Ø3.7/3.9	Ø3.7/4.2	Ø4.3/4.5	Ø4.3/4.8
Order no.	26004	26005	26006	26007	26008	26009

## Conical Drill EV-GS

Stainless steel

- For conical implants
- Drills to prepare the conical shape of the cavity
- (A) – thin cortical bone < 2 mm
- (B) – thick cortical bone ≥ 2 mm
- Color: corresponds to implant
- Laser marked with (A/B), the drill diameter and implant length.
- Multiple use drill

## Conical Drill EV-GS

A/B-Drill EV-GS 4.2C, 9-13 A/B-Drill EV-GS 4.2C, 8-11-15 A/B-Drill EV-GS 4.8C, 9-13 A/B-Drill EV-GS 4.8C, 8-11-15




Ø mm	Ø3.1/4.2	Ø3.1/4.2	Ø3.7/4.8	Ø3.7/4.8
Order no.	26000	26001	26002	26003



# Optional Drill EV-GS

## Ⓟ-Drill EV-GS



Ø mm	Ø3.1	Ø3.7	Ø3.7	Ø4.3
Implant length	6–8 mm	6–8 mm	6–8 mm	6–8 mm
Order no.	26084	26087	26090	26093
Implant length	9–11 mm	9–11 mm	9–11 mm	9–11 mm
Order no.	26085	26088	26091	26094
Implant length	13–15 mm	13–15 mm	13–15 mm	13–15 mm
Order no.	26086	26089	26092	26095

## Additional osteotomy preparation

If necessary, additional preparation can be performed with one of the following drills:

### Ⓟ-Drill EV-GS

- Use to widen the apical portion of the osteotomy
- Physical depth stop
- Delivered sterile with Sleeve on Drill
- Laser marked with Ⓟ, the drill diameter and implant length
- Drills have color according to implant body diameter
- Multiple use drill
- Single use Sleeve

**Note:** By using SIMPLANT as the planning Software, these Drills will be delivered case specific with the SAFE Guide.

## ⓧ-Drill EV-GS



Ø mm	Ø3.1/3.45	Ø3.7/4.05	Ø3.7/4.05	Ø4.3/4.65
Implant length	6–8 mm	6–8 mm	6–8 mm	6–8 mm
Order no.	26072	26075	26078	26081
Implant length	9–11 mm	9–11 mm	9–11 mm	9–11 mm
Order no.	26073	26076	26079	26082
Implant length	13–15 mm	13–15 mm	13–15 mm	13–15 mm
Order no.	26074	26077	26080	26083

## ⓧ-Drill EV-GS

- Use to widen both the apical and body portion of the osteotomy
- Physical depth stop
- Delivered sterile with Sleeve on Drill
- Laser marked with ⓧ, the drill diameter and implant length
- Drills have color according to implant body diameter
- Multiple use drill
- Single use Sleeve

**Note:** By using SIMPLANT as the planning Software, these Drills will be delivered case specific with the SAFE Guide.

# Optional Drill EV-GS

## Surgical Instruments

### Implant Driver EV-GS

Stainless steel, non-sterile

- For picking up and installing implant
- With two level grooves to indicate the depth position according to the guide
- Six Notches for Straight and Conical to facilitate the correct position
- One Notch for OsseoSpeed Profile EV to facilitate the correct position

**Note:** For use with Contra Angle or Torque Wrench EV Surgical Driver Handle order no. 25775  
ASTRA TECH Implant System EV Product Catalog

### Implant Driver EV-GS

Implant Driver EV-GS 3.6



3.6

Implant Driver EV-GS 4.2



4.2

Implant Driver EV-GS 4.8



4.8

Implant Driver Extender EV-GS



Version	Straight and Conical	Straight and Conical	Straight and Conical	
Order no.	26016	26017	26018	26021

Version		Profile	Profile	
Order no.		26019	26020	

# PositioningAid

## Positioning System

Titanium

- Multiple use
- Color: corresponds to implant
- Laser markings: Implant Length 6-9-13 mm or 8-11-15 mm

## Positioning System

EV-PositioningAid



3.6

EV-PositioningAid



4.2

EV-PositioningAid



4.8

Ø mm	Ø3.6	Ø4.2	Ø4.8
Implant length	8-11-15 mm	8-11-15 mm	8-11-15 mm
Type	Straight and Conical	Straight and Conical	Straight and Conical
Order no.	26039	26041	26043
Implant length	6-9-13 mm	6-9-13 mm	6-9-13 mm
Type	Straight and Conical	Straight and Conical	Straight and Conical
Order no.	26040	26042	26044

Implant length		8-11-15 mm	8-11-15 mm
Type		Profile	Profile
Order no.		26045	26047
Implant length		6-9-13 mm	6-9-13 mm
Type		Profile	Profile
Order no.		26046	26048

# Fixation System

## Stabilization Abutments

EV-Stabilization Abutment EV-Stabilization Abutment EV-Stabilization Abutment



3.6



4.2



4.8

Ø mm	Ø3.6	Ø4.2	Ø4.8
Implant length	8-11-15 mm	8-11-15 mm	8-11-15 mm
Order no.	26033	26035	26037
Implant length	6-9-13 mm	6-9-13 mm	6-9-13 mm
Order no.	26034	26036	26038

## Fixation System

Titanium

- Multiple use
- Color: corresponds to the implant
- Stabilizes the guide for further implant treatment
- Laser markings: Implant length 6-9-13 mm or 8-11-15 mm and diameter

## Fixation System

Drill for guide fixation screw



Guide fixation screw



	14 mm	Ø2.0
Order no.	26050	26049

## Fixation System

Stainless steel

- Single use screw
- Multiple use drill
- Delivered sterile
- Drill to prepare the bone for the fixation screw
- Secures the guide directly to the bone to avoid guide movement
- The screw needs the Hex driver EV manual with the ref. nr. 25771, 25772, 25773

# Sleeves

## Sleeve-on-Drill™

ND



3.6 4.2 4.2  
3.6S 4.2S 4.2C

WD



4.8 4.8  
4.8S 4.8C

Drill Type & Ø Inner	1-Sleeve Ø1.9 ND	1-Sleeve Ø1.9 WD
Order no.	26022	26027
Drill Type & Ø Inner	3/V-Sleeve Ø3.1 ND	3-Sleeve Ø3.1 WD
Order no.	26023	26028
Drill Type & Ø Inner	4/V-Sleeve Ø3.7 ND	4/V-Sleeve Ø3.7 WD
Order no.	26024	26029
Drill Type & Ø Inner	X-Sleeve Ø3.45 ND	5/V-Sleeve Ø4.3 WD
Order no.	26025	26030
Drill Type & Ø Inner	X-Sleeve Ø4.05 ND	X-Sleeve Ø4.05 WD
Order no.	26026	26031
Drill Type & Ø Inner	-	X-Sleeve Ø4.65 WD
Order no.	-	26032

## Sleeve-on-Drill™

Stainless steel

- Delivered sterile
- Laser marked with inner and outer sleeve diameter according to the corresponding drill type.
- Outer sleeve diameter = inner tube size  
ND = narrow diameter  
WD = wide diameter
- Single use only

**Note:** By using SIMPLANT as the planning Software, these Sleeves will be delivered case specific with the SAFE Guide.

# Repair procedures

The ASTRA TECH Implant System EV provides a selection of unique products for safe and easy handling when meeting specific failures and other errors in the clinical situation. For different reasons abutments, implants or screws occasionally need to be removed and/or replaced.

The specific repair and retrieval products are used together with the ordinary instruments within ASTRA TECH Implant System EV.










# Compatibility table

Identify the implant/abutment size for OsseoSpeed EV.

Select the corresponding instruments; see the order number in the table below.

## ASTRA TECH Implant System™ EV

	OsseoSpeed EV					OsseoSpeed Profile EV		Uni Abutment EV
								
Fragment Fork	25856	25856	25857	25857	25857	25857	25857	25857
Fragment Drill	25858	25858	25859	25859	25859	25859	25859	25859
Screw Extractor	25860	25860	25861	25861	25861	25861	25861	N/A
Thread Cleaner	25862	25863	25864	25865	25865	25864	25865	25864
Trephine Drill	25866	25867	25886 25868	25887 25869	25888 25870	25886 25868	25887 25869	N/A
Rescue Driver Uni Abutment EV								25794


# Remove/retrieve screw fragments

## Guiding Cylinder EV

Stainless steel, non-sterile, single-use only

- Guides the instruments into the center of the fragment
- Protects the internal threads in the implant
- Marked with diameter and EV
- Use together with Guiding Cylinder Handle and Fragment Drill or Fragment Fork for OsseoSpeed EV implants

## Guiding Cylinder EV



Order no.	25846	25847	25848	25849	25850
-----------	-------	-------	-------	-------	-------

## Guiding Cylinder Uni Abutment EV

Stainless steel, non-sterile, single-use only

- Guides the instruments into the center of the fragment
- Protects the internal threads in the abutment
- Marked with diameter and EV
- Use together with Guiding Cylinder Handle and Fragment Drill or Fragment Fork for Uni Abutment EV in ASTRA TECH Implant System EV

## Guiding Cylinder Uni Abutment EV



Order no.	25851
-----------	-------

## Guiding Cylinder Handle

Stainless steel, non-sterile

- Adjustable handle for Guiding Cylinders

## Guiding Cylinder Handle



Order no.	25855
-----------	-------

### Fragment Fork



	M1.4/M1.6	M1.8/M2.0
Order no.	25856	25857

### Fragment Fork

Tungsten-Carbide, non-sterile, single-use only

- Used for retrieval of fractured abutment- and bridge screws fragment
- For manual use only
- Rotate the Fragment Fork counter-clockwise
- Marked with thread size
- Use together with Restorative Driver Handle EV

**Note:** Manual use only.

### Fragment Drill



∅	0.8	1.0
Order no.	25858	25859

### Fragment Drill

Shank: Stainless steel

Cutting portion: Tungsten-Carbide

Non-sterile, single-use only

- Used for creating an indentation in the abutment- or bridge screw fragment
- Drill counter-clockwise
- Marked with diameter

### Screw Extractor



∅	0.8	1.0
Order no.	25860	25861

### Screw Extractor

Stainless steel, non-sterile, single-use only

- Used for retrieval of abutment screw fragments
- Rotate the screw extractor counter-clockwise
- Marked with diameter
- Use together with Surgical Driver Handle EV

**Note:** Manual use only.

## Clean internal threads

### Thread Cleaner



	M1.4	M1.6	M1.8	M2.0
Order no.	25862	25863	25864	25865

### Thread Cleaner

Stainless steel, non-sterile, single-use only.

- Used for cleaning of threads internally in an implant/abutment
- Marked with thread size
- Use together with Restorative Driver Handle EV

**Note:** Manual use only.

# Remove Uni Abutments EV/implants

## Rescue Driver Uni Abutment EV

Stainless steel, non-sterile

- Used for retrieval of Uni Abutment EV

## Rescue Driver Uni Abutment EV



Order no.	25794
-----------	-------

## Trephine Drill

Stainless steel, non-sterile, single-use only

- Used for the retrieval of partly or fully integrated OsseoSpeed EV implants.
- Marked with diameter and length.



## Trephine Drill



	3.0*	3.6	4.2	P <sub>4.2</sub>	4.2	P <sub>4.2</sub>	4.8	P <sub>4.8</sub>	4.8	P <sub>4.8</sub>	5.4	5.4
Length mm	6-17mm	6-17mm	6-13mm	6-17mm	6-13mm	6-17mm	6-13mm	6-17mm	6-13mm	6-17mm	6-13mm	6-17mm
Inner Ø mm	3.2	3.8	4.4	4.4	5.0	5.0	5.6	5.6	6.4	6.4	5.6	5.6
Outer Ø mm	4.0	4.6	5.2	5.2	5.8	5.8	6.4	6.4	6.4	6.4	6.4	6.4
Order no.	25866	25867	25886	25868	25887	25869	25888	25870				

\*Note: Same drill for all 3.0 implants and single-use only.

## Abutment Retriever

Stainless steel, non-sterile, single-use only

- Use together with a Wrench.

## Abutment Retriever



Order no.	22429
-----------	-------

## Implant Retriever

Stainless steel, non-sterile, single-use only

- Use together with a Wrench.

## Implant Retriever



Order no.	22192
-----------	-------



# General instruments

## Torque Wrench EV



Order no.	25774
-----------	-------

## Torque Wrench EV

Stainless steel, non-sterile

- Use together with a Driver Handle.

## Torque Wrench EV, Surgical Driver Handle



Ø mm	8.9
Length mm	15.3
Order no.	25775

## Torque Wrench EV, Restorative Driver Handle



Ø mm	8.9	8.9
Length mm	15.5	11.5
Order no.	25776	25777

## Torque Wrench EV, Restorative Driver Handle 4x4 low



Ø mm	8.9
Length mm	9.7
Order no.	25730

## Torque Wrench EV, Surgical Driver Handle

Stainless steel, non-sterile

## Torque Wrench EV, Restorative Driver Handle 4x4 low

Stainless steel, non-sterile

## Hex Driver EV Manual



	Short	Intermediate	Long
Total length mm	20	31	38
Order no.	25771	25772	25773

## Hex Driver EV Manual

Stainless steel, non-sterile

# Index

## Order by reference number

REF	page	REF	page		
22137	Titanium Bowl	42	25231	OsseoSpeed™ EV 4.2 S – 6 mm	8, 16
22176	Disposable Irrigation Set	44	25232	OsseoSpeed™ EV 4.2 S – 8 mm	8, 16
22177	Irrigation Tubing 2.2 m Sterile	44	25233	OsseoSpeed™ EV 4.2 S – 9 mm	8, 16
22179	BoneTrap	44	25234	OsseoSpeed™ EV 4.2 S – 11 mm	8, 16
22192	Implant Retriever	72	25235	OsseoSpeed™ EV 4.2 S – 13 mm	8, 16
22429	Abutment Retriever	72	25236	OsseoSpeed™ EV 4.2 S – 15 mm	8, 16
22437	Forceps – 94 mm	42	25237	OsseoSpeed™ EV 4.2 S – 17 mm	8, 16
22740	Grinding Handle	47	25241	OsseoSpeed™ EV 4.8 S – 6 mm	10, 17
22903	Contra Angle W&H WS-75 E/KM AE	44	25242	OsseoSpeed™ EV 4.8 S – 8 mm	10, 17
24350	Contra Angle W&H WI-75 E/KM	44	25243	OsseoSpeed™ EV 4.8 S – 9 mm	10, 17
24360	Implant Unit SI-915, 115 V	44	25244	OsseoSpeed™ EV 4.8 S – 11 mm	10, 17
24412	Implant Unit SI-923, 230 V	44	25245	OsseoSpeed™ EV 4.8 S – 13 mm	10, 17
24482	Locator Core Tool	32, 46	25246	OsseoSpeed™ EV 4.8 S – 15 mm	10, 17
24483	Locator Process Kit	7, 9, 11, 33, 51, 53	25247	OsseoSpeed™ EV 4.8 S – 17 mm	10, 17
24484	Locator Abutment Pick-up	6, 8, 10, 32, 50, 52	25251	OsseoSpeed™ EV 5.4 S – 6 mm	12, 17
24485	Locator Abutment Replica	7, 9, 11, 32, 51, 53	25252	OsseoSpeed™ EV 5.4 S – 8 mm	12, 17
24486	Locator Insert Clear	7, 9, 11, 33, 51, 53	25253	OsseoSpeed™ EV 5.4 S – 9 mm	12, 17
24487	Locator Insert Pink	7, 9, 11, 33, 51, 53	25254	OsseoSpeed™ EV 5.4 S – 11 mm	12, 17
24488	Locator Insert Blue	7, 9, 11, 33, 51, 53	25255	OsseoSpeed™ EV 5.4 S – 13 mm	12, 17
24489	Locator Insert Green	7, 9, 11, 33, 51, 53	25256	OsseoSpeed™ EV 5.4 S – 15 mm	12, 17
24492	Locator Insert Red	7, 9, 11, 33, 51, 53	25262	OsseoSpeed™ EV 4.2 C – 8 mm	8, 16
25160	Guide Drill EV	38	25263	OsseoSpeed™ EV 4.2 C – 9 mm	8, 16
25161	Precision Drill EV	38	25264	OsseoSpeed™ EV 4.2 C – 11 mm	8, 16
25162	1 – Twist Drill EV Ø 1.9, 6–17 mm	38	25265	OsseoSpeed™ EV 4.2 C – 13 mm	8, 16
25163	1 – Twist Drill EV Ø 1.9, 6–13 mm	38	25266	OsseoSpeed™ EV 4.2 C – 15 mm	8, 16
25164	2 – Step Drill EV Ø 1.9/2.5, 6–17 mm	38	25267	OsseoSpeed™ EV 4.2 C – 17 mm	8, 16
25165	2 – Step Drill EV Ø 1.9/2.5, 6–13 mm	38	25272	OsseoSpeed™ EV 4.8 C – 8 mm	10, 17
25168	3 – Step Drill EV Ø 2.5/3.1, 6–17 mm	38	25273	OsseoSpeed™ EV 4.8 C – 9 mm	10, 17
25169	3 – Step Drill EV Ø 2.5/3.1, 6–13 mm	38	25274	OsseoSpeed™ EV 4.8 C – 11 mm	10, 17
25172	4 – Step Drill EV Ø 3.1/3.7, 6–17 mm	38	25275	OsseoSpeed™ EV 4.8 C – 13 mm	10, 17
25173	4 – Step Drill EV Ø 3.1/3.7, 6–13 mm	38	25276	OsseoSpeed™ EV 4.8 C – 15 mm	10, 17
25176	5 – Step Drill EV Ø 3.7/4.3, 6–17 mm	38	25277	OsseoSpeed™ EV 4.8 C – 17 mm	10, 17
25177	5 – Step Drill EV Ø 3.7/4.3, 6–13 mm	38	25280	Cover Screw EV 3.0	4, 17
25180	6 – Step Drill EV Ø 4.3/4.9, 6–17 mm	38	25281	Cover Screw EV 3.6 – 0 mm	6, 17
25181	6 – Step Drill EV Ø 4.3/4.9, 6–13 mm	38	25282	Cover Screw EV 4.2 – 0 mm	8, 17
25188	A/B – Conical Drill EV Ø 3.1/4.2	40	25283	Cover Screw EV 4.8 – 0 mm	10, 17
25190	A/B – Conical Drill EV Ø 3.7/4.8	40	25284	Cover Screw EV 5.4 – 0 mm	12, 17
25193	B – Cortical Drill EV Ø 2.5/3.0	39	25285	Healing Uni EV 3.6 – 2 mm/Ø 4	6, 19
25195	B – Cortical Drill EV Ø 3.1/3.6	39	25286	Healing Uni EV 3.6 – 4 mm/Ø 4	6, 19
25197	B – Cortical Drill EV Ø 3.7/4.2	39	25287	Healing Uni EV 3.6 – 6 mm/Ø 4	6, 19
25199	B – Cortical Drill EV Ø 4.3/4.8	39	25288	Healing Uni EV 4.2 – 2 mm/Ø 4	8, 19, 50
25201	B – Cortical Drill EV Ø 4.9/5.4	39	25289	Healing Uni EV 4.2 – 4 mm/Ø 4	8, 19, 50
25203	Abutment Screw EV 3.0	21	25290	Healing Uni EV 4.2 – 6 mm/Ø 4	8, 19, 50
25204	Abutment Screw EV 3.6	21	25291	Healing Uni EV 4.8 – 2 mm/Ø 4.3	10, 19, 50
25205	Abutment Screw EV 4.2	21, 57	25292	Healing Uni EV 4.8 – 4 mm/Ø 4.3	10, 19, 50
25206	Abutment Screw EV 4.8	21, 57	25293	Healing Uni EV 4.8 – 6 mm/Ø 4.3	10, 19, 50
25207	Abutment Screw EV 5.4	21	25294	Healing Uni EV 5.4 – 2 mm/Ø 4.8	12, 19
25212	OsseoSpeed™ EV 3.0 S – 8 mm	4, 16	25295	Healing Uni EV 5.4 – 4 mm/Ø 4.8	12, 19
25213	OsseoSpeed™ EV 3.0 S – 9 mm	4, 16	25296	Healing Uni EV 5.4 – 6 mm/Ø 4.8	12, 19
25214	OsseoSpeed™ EV 3.0 S – 11 mm	4, 16	25297	HealDesign™ EV 3.0 Ø 3.5 – 4.5 mm	4, 18
25215	OsseoSpeed™ EV 3.0 S – 13 mm	4, 16	25298	HealDesign™ EV 3.0 Ø 3.5 – 3.5 mm	4, 18
25216	OsseoSpeed™ EV 3.0 S – 15 mm	4, 16	25299	HealDesign™ EV 3.6 Ø 4 – 4.5 mm	6, 18
25221	OsseoSpeed™ EV 3.6 S – 6 mm	6, 16	25300	HealDesign™ EV 3.6 Ø 4 – 3.5 mm	6, 18
25222	OsseoSpeed™ EV 3.6 S – 8 mm	6, 16	25301	HealDesign™ EV 3.6 Ø 5 – 3.5 mm Triangular	6, 18
25223	OsseoSpeed™ EV 3.6 S – 9 mm	6, 16	25302	HealDesign™ EV 4.2 Ø 5 – 4.5 mm	8, 18, 50
25224	OsseoSpeed™ EV 3.6 S – 11 mm	6, 16	25303	HealDesign™ EV 4.2 Ø 5 – 3.5 mm Triangular	8, 18
25225	OsseoSpeed™ EV 3.6 S – 13 mm	6, 16	25304	HealDesign™ EV 4.2 Ø 6.5 – 3.5 mm Triangular	8, 18
25226	OsseoSpeed™ EV 3.6 S – 15 mm	6, 16	25305	HealDesign™ EV 4.8 Ø 5 – 3.5 mm Triangular	10, 18
25227	OsseoSpeed™ EV 3.6 S – 17 mm	6, 16	25306	HealDesign™ EV 4.8 Ø 6.5 – 4.5 mm	10, 18, 52

REF	page
25307	HealDesign™ EV 4.8 Ø 6.5 – 3.5 mm Triangular..... 10, 18
25308	HealDesign™ EV 5.4 Ø 6.5 – 4.5 mm ..... 12, 18
25309	HealDesign™ EV 5.4 Ø 6.5 – 3.5 mm ..... 12, 18
25310	Direct Abutment™ EV Heal Cap 3.3..... 28
25311	Direct Abutment™ EV Heal Cap 4..... 28
25312	Direct Abutment™ EV Heal Cap 5..... 28
25313	Direct Abutment™ EV Heal Cap 6..... 28
25315	ZirDesign™ EV 3.6 Ø 5.5 – 1.5 mm Triangular ..... 6, 23
25316	ZirDesign™ EV 3.6 Ø 4.5 – 2.5 mm ..... 6, 23
25317	ZirDesign™ EV 3.6 20° Ø 4.5 – 1.5 mm ..... 6, 23
25318	ZirDesign™ EV 4.2 Ø 5.5 – 1.5 mm Triangular ..... 8, 23
25319	ZirDesign™ EV 4.2 Ø 7 – 1.5 mm Triangular ..... 8, 23
25320	ZirDesign™ EV 4.2 Ø 5.5 – 2.5 mm ..... 8, 23
25321	ZirDesign™ EV 4.2 20° Ø 5.5 – 1.5 mm ..... 8, 23
25322	ZirDesign™ EV 4.8 Ø 5.5 – 1.5 mm Triangular ..... 10, 23
25323	ZirDesign™ EV 4.8 Ø 7 – 1.5 mm Triangular ..... 10, 23
25324	ZirDesign™ EV 4.8 Ø 7 – 2.5 mm ..... 10, 23
25325	ZirDesign™ EV 4.8 20° Ø 5.5 – 1.5 mm ..... 10, 23
25326	CastDesign™ EV 3.6..... 6, 23
25327	CastDesign™ EV 4.2..... 8, 23
25328	CastDesign™ EV 4.8..... 10, 23
25329	CastDesign™ EV 5.4..... 12, 23
25330	TiDesign™ EV 3.0 Ø 4 – 2.5 mm ..... 4, 22
25331	TiDesign™ EV 3.0 Ø 4 – 1.5 mm ..... 4, 22
25332	TiDesign™ EV 3.0 15° Ø 4 – 1.5 mm ..... 4, 22
25333	TiDesign™ EV 3.6 Ø 5.5 – 1.5/2.5 mm Triangular ..... 6, 22
25334	TiDesign™ EV 3.6 Ø 4.5 – 2.5/3.5 mm ..... 6, 22
25335	TiDesign™ EV 3.6 20° Ø 4.5 – 1.5/2.5 mm ..... 6, 22
25336	TiDesign™ EV 4.2 Ø 5.5 – 1.5/2.5 mm Triangular ..... 8, 22
25337	TiDesign™ EV 4.2 Ø 7 – 1.5/2.5 mm Triangular ..... 8, 22
25338	TiDesign™ EV 4.2 Ø 5.5 – 2.5/3.5 mm ..... 8, 22
25339	TiDesign™ EV 4.2 20° Ø 5.5 – 1.5/2.5 mm ..... 8, 22
25340	TiDesign™ EV 4.8 Ø 5.5 – 1.5/2.5 mm Triangular ..... 10, 22
25341	TiDesign™ EV 4.8 Ø 7 – 1.5/2.5 mm Triangular ..... 10, 22
25342	TiDesign™ EV 4.8 Ø 7 – 2.5/3.5 mm ..... 10, 22
25343	TiDesign™ EV 4.8 20° Ø 5.5 – 1.5/2.5 mm ..... 10, 22
25344	TiDesign™ EV 5.4 Ø 7 – 2.5/3.5 mm ..... 12, 22
25345	TiDesign™ EV 5.4 Ø 7 – 1.5/2.5 mm ..... 12, 22
25346	Direct EV API™ Ø 3.3..... 5, 28
25347	Direct EV API™ Ø 4..... 7, 28
25348	Direct EV API™ Ø 5..... 9, 11, 28, 50, 52
25349	Direct EV API™ Ø 6..... 9, 11, 28, 50, 52
25361	Direct Abutment™ EV 3.0 Ø 3.3 – 1 mm ..... 5, 27
25362	Direct Abutment™ EV 3.0 Ø 3.3 – 2 mm ..... 5, 27
25363	Direct Abutment™ EV 3.0 Ø 3.3 – 3 mm ..... 5, 27
25364	Direct Abutment™ EV 3.6 Ø 4 – 1 mm ..... 7, 27
25365	Direct Abutment™ EV 3.6 Ø 4 – 2 mm ..... 7, 27
25366	Direct Abutment™ EV 3.6 Ø 4 – 3 mm ..... 7, 27
25367	Direct Abutment™ EV 4.2 Ø 5 – 1 mm ..... 9, 27, 51
25368	Direct Abutment™ EV 4.2 Ø 5 – 2 mm ..... 9, 27, 51
25369	Direct Abutment™ EV 4.2 Ø 5 – 3 mm ..... 9, 27, 51
25370	Direct Abutment™ EV 4.8 Ø 5 – 1 mm ..... 11, 27, 53
25371	Direct Abutment™ EV 4.8 Ø 5 – 2 mm ..... 11, 27, 53
25372	Direct Abutment™ EV 4.8 Ø 5 – 3 mm ..... 11, 27, 53
25373	Direct Abutment™ EV 5.4 Ø 6 – 1 mm ..... 13, 27
25374	Direct Abutment™ EV 5.4 Ø 6 – 2 mm ..... 13, 27
25375	Direct Abutment™ EV 5.4 Ø 6 – 3 mm ..... 13, 27
25377	Implant Driver EV 3.0 Long ..... 42
25378	Implant Driver EV 3.6 Short..... 42
25379	Implant Driver EV 3.6 Long ..... 42
25380	Implant Driver EV 4.2 Short..... 42
25381	Implant Driver EV 4.2 Long ..... 42
25382	Implant Driver EV 4.8 Short..... 42
25383	Implant Driver EV 4.8 Long ..... 42
25384	Implant Driver EV 5.4 Short..... 42
25385	Implant Driver EV 5.4 Long ..... 42
25396	Direct Abutment™ EV Pick-Up 3.3 ..... 28
25397	Direct Abutment™ EV Pick-Up 4 ..... 28

REF	page
25398	Direct Abutment™ EV Pick-Up 5 ..... 28
25399	Direct Abutment™ EV Pick-Up 6 ..... 28
25401	Direct Abutment™ EV Replica 3.3 ..... 28
25402	Direct Abutment™ EV Replica 4 ..... 28
25403	Direct Abutment™ EV Replica 5 ..... 28
25404	Direct Abutment™ EV Replica 6 ..... 28
25406	Direct Abutment™ EV Burnout Cap 3.3..... 28
25407	Direct Abutment™ EV Burnout Cap 4..... 28
25408	Direct Abutment™ EV Burnout Cap 5..... 28
25409	Direct Abutment™ EV Burnout Cap 6..... 28
25411	B 6 mm – Cortical Drill EV Ø 3.1/3.6 ..... 40
25412	A 6 mm – Cortical Drill EV Ø 3.7/3.9 ..... 39
25419	B 6 mm – Cortical Drill EV Ø 3.7/4.2 ..... 39
25420	A 6 mm – Cortical Drill EV Ø 4.3/4.5..... 39
25421	B 6 mm – Cortical Drill EV Ø 4.3/4.8 ..... 40
25422	A 6 mm – Cortical Drill EV Ø 4.9/5.1 ..... 39
25423	A – Cortical Drill EV Ø 2.5/2.7 ..... 39
25424	B 6 mm – Cortical Drill EV Ø 4.9/5.4 ..... 40
25431	A – Cortical Drill EV Ø 4.9/5.1 ..... 39
25440	OsseoSpeed™ Profile EV 4.2 PS – 8 mm..... 50, 54
25441	OsseoSpeed™ Profile EV 4.2 PS – 9 mm..... 50, 54
25442	OsseoSpeed™ Profile EV 4.2 PS – 11 mm ..... 50, 54
25443	OsseoSpeed™ Profile EV 4.2 PS – 13 mm ..... 50, 54
25444	OsseoSpeed™ Profile EV 4.2 PS – 15 mm ..... 50, 54
25445	OsseoSpeed™ Profile EV 4.2 PS – 17 mm ..... 50, 54
25446	OsseoSpeed™ Profile EV 4.8 PS – 8 mm..... 52, 54
25447	OsseoSpeed™ Profile EV 4.8 PS – 9 mm..... 52, 54
25448	OsseoSpeed™ Profile EV 4.8 PS – 11 mm ..... 52, 54
25449	OsseoSpeed™ Profile EV 4.8 PS – 13 mm ..... 52, 54
25450	OsseoSpeed™ Profile EV 4.8 PS – 15 mm ..... 52, 54
25451	OsseoSpeed™ Profile EV 4.8 PS – 17 mm ..... 52, 54
25452	OsseoSpeed™ Profile EV 4.2 PC – 8 mm ..... 50, 54
25453	OsseoSpeed™ Profile EV 4.2 PC – 9 mm ..... 50, 54
25454	OsseoSpeed™ Profile EV 4.2 PC – 11 mm ..... 50, 54
25455	OsseoSpeed™ Profile EV 4.2 PC – 13 mm ..... 50, 54
25456	OsseoSpeed™ Profile EV 4.2 PC – 15 mm..... 50, 54
25457	OsseoSpeed™ Profile EV 4.2 PC – 17 mm..... 50, 54
25458	OsseoSpeed™ Profile EV 4.8 PC – 8 mm ..... 52, 54
25459	OsseoSpeed™ Profile EV 4.8 PC – 9 mm ..... 52, 54
25460	OsseoSpeed™ Profile EV 4.8 PC – 11 mm ..... 52, 54
25461	OsseoSpeed™ Profile EV 4.8 PC – 13 mm..... 52, 54
25462	OsseoSpeed™ Profile EV 4.8 PC – 15 mm..... 52, 54
25463	OsseoSpeed™ Profile EV 4.8 PC – 17 mm..... 52, 54
25464	Implant Driver Profile EV 4.2 Short..... 55
25465	Implant Driver Profile EV 4.2 Long ..... 55
25466	Implant Driver Profile EV 4.8 Short..... 55
25467	Implant Driver Profile EV 4.8 Long ..... 55
25476	Lab Abutment Screw EV 3.0..... 5, 25, 47
25477	Lab Abutment Screw EV 3.6 – M1.6..... 7, 25, 47
25478	Lab Abutment Screw EV 4.2 – M1.8 ..... 9, 25, 47, 50, 59
25479	Lab Abutment Screw EV 4.8 – M2 ..... 11, 25, 47, 52, 59
25480	Lab Abutment Screw EV 5.4 – M2 ..... 13, 25, 47
25481	Bridge Screw EV – M1.8 ..... 5, 7, 9, 11, 13, 30, 47, 51, 53
25482	X – Step Drill EV Ø 2.5/2.85, 6–13 mm..... 41
25483	X – Step Drill EV Ø 3.1/3.45, 6–13 mm ..... 41
25484	X – Step Drill EV Ø 3.7/4.05, 6–13 mm ..... 41
25485	X – Step Drill EV Ø 4.3/4.65, 6–13 mm..... 41
25486	X – Step Drill EV Ø 4.9/5.25, 6–13 mm..... 41
25487	A 6 mm – Cortical Drill EV Ø 3.1/3.3 ..... 39
25488	A – Cortical Drill EV Ø 3.1/3.3 ..... 39
25490	A – Cortical Drill EV Ø 3.7/3.9 ..... 39
25492	A – Cortical Drill EV Ø 4.3/4.5..... 39
25494	Direct Abutment™ EV 4.2 Ø 6 – 1 mm ..... 9, 26, 51
25495	Direct Abutment™ EV 4.2 Ø 6 – 2 mm ..... 9, 26, 51
25496	Direct Abutment™ EV 4.2 Ø 6 – 3 mm ..... 9, 26, 51
25497	Direct Abutment™ EV 4.8 Ø 6 – 1 mm ..... 11, 26, 53
25498	Direct Abutment™ EV 4.8 Ø 6 – 2 mm ..... 11, 26, 53
25499	Direct Abutment™ EV 4.8 Ø 6 – 3 mm ..... 11, 26, 53

REF	page
25500	Radiographic Implant Guides EV ..... 44
25501	HealDesign™ EV 4.2 Ø 5 – 3.5 mm ..... 8, 18, 50
25502	HealDesign™ EV 4.8 Ø 5 – 3.5 mm ..... 10, 18, 52
25503	TempDesign EV 3.0 ..... 4, 21
25504	TempDesign EV 3.6 ..... 6, 21
25505	TempDesign EV 4.2 ..... 8, 21
25506	TempDesign EV 4.8 ..... 10, 21
25507	TempDesign EV 5.4 ..... 12, 21
25508	Temp Abutment EV 3.0 ..... 4, 21
25509	Temp Abutment EV 3.6 ..... 6, 21
25510	Temp Abutment EV 4.2 ..... 8, 21
25511	Temp Abutment EV 4.8 ..... 10, 21
25512	Temp Abutment EV 5.4 ..... 12, 21
25513	Implant Pick-Up EV 3.0 Long ..... 5, 24
25515	Implant Pick-Up EV 3.6 Long ..... 7, 24
25516	Implant Pick-Up EV 3.6 Short ..... 7, 24
25517	Implant Pick-Up EV 4.2 Long ..... 9, 24
25518	Implant Pick-Up EV 4.2 Short ..... 9, 24
25519	Implant Pick-Up EV 4.8 Long ..... 11, 24
25520	Implant Pick-Up EV 4.8 Short ..... 11, 24
25522	Implant Pick-Up EV 5.4 Short ..... 13, 24
25523	Implant Pick-Up Design EV 3.0 ..... 5, 24
25524	Implant Pick-Up Design EV 3.6 ..... 7, 24
25525	Implant Pick-Up Design EV 4.2 ..... 9, 24
25526	Implant Pick-Up Design EV 4.8 ..... 11, 24
25527	Implant Pick-Up Design EV 5.4 ..... 13, 24
25528	Lab Pin Design EV 3.0/3.6 ..... 5, 7, 25, 47
25530	Lab Pin Design EV 4.2/4.8/5.4 ..... 9, 11, 13, 25, 47, 50, 52
25534	Implant Transfer EV 3.0 Long ..... 5, 25
25535	Implant Transfer EV 3.6 Short ..... 7, 24
25536	Implant Transfer EV 3.6 Long ..... 7, 25
25537	Implant Transfer EV 4.2 Short ..... 9, 24
25538	Implant Transfer EV 4.2 Long ..... 9, 25
25539	Implant Transfer EV 4.8 Short ..... 11, 24
25540	Implant Transfer EV 4.8 Long ..... 11, 25
25541	Implant Transfer EV 5.4 Short ..... 13, 24
25542	Implant Transfer EV 5.4 Long ..... 13, 25
25543	Implant Replica EV 3.0 ..... 5, 25
25544	Implant Replica EV 3.6 ..... 7, 25
25545	Implant Replica EV 4.2 ..... 9, 25
25546	Implant Replica EV 4.8 ..... 11, 25
25547	Implant Replica EV 5.4 ..... 13, 25
25555	Uni Abutment EV 3.0 – 2 mm ..... 4, 29
25556	Uni Abutment EV 3.0 – 3 mm ..... 4, 29
25557	Uni Abutment EV 3.0 – 5 mm ..... 4, 29
25558	Uni Abutment EV 3.6 – 1 mm ..... 6, 29
25559	Uni Abutment EV 3.6 – 2 mm ..... 6, 29
25560	Uni Abutment EV 3.6 – 3 mm ..... 6, 29
25561	Uni Abutment EV 3.6 – 5 mm ..... 6, 29
25562	Uni Abutment EV 4.2 – 1 mm ..... 8, 29, 50
25563	Uni Abutment EV 4.2 – 2 mm ..... 8, 29, 50
25564	Uni Abutment EV 4.2 – 3 mm ..... 8, 29, 50
25565	Uni Abutment EV 4.2 – 5 mm ..... 8, 29, 50
25566	Uni Abutment EV 4.8 – 1 mm ..... 10, 29, 52
25567	Uni Abutment EV 4.8 – 2 mm ..... 10, 29, 52
25568	Uni Abutment EV 4.8 – 3 mm ..... 10, 29, 52
25569	Uni Abutment EV 4.8 – 5 mm ..... 10, 29, 52
25570	Uni Abutment EV 5.4 – 1 mm ..... 12, 29
25571	Uni Abutment EV 5.4 – 2 mm ..... 12, 29
25572	Uni Abutment EV 5.4 – 3 mm ..... 12, 29
25573	Uni Abutment EV 5.4 – 5 mm ..... 12, 29
25574	Healing Uni EV 3.0 – 2 mm ..... 4, 19
25575	Healing Uni EV 3.0 – 3 mm ..... 4, 19
25576	Healing Uni EV 3.0 – 4 mm ..... 4, 19
25577	Healing Uni EV 3.0 – 6 mm ..... 4, 19
25578	Healing Uni EV 3.6 – 3 mm/Ø 4 ..... 6, 19
25579	Healing Uni EV 4.2 – 3 mm/Ø 4 ..... 8, 19, 50

REF	page
25580	Healing Uni EV 4.8 – 3 mm/Ø 4.3 ..... 10, 19, 52
25581	Healing Uni EV 5.4 – 3 mm/Ø 4.8 ..... 12, 19
25582	Cover Screw Profile EV 4.2 ..... 50, 55
25583	Cover Screw Profile EV 4.8 ..... 52, 55
25584	HealDesign™ Profile EV 4.2, Ø 5 ..... 50, 56
25585	HealDesign™ Profile EV 4.2, Ø 5 Triangular ..... 50, 56
25586	HealDesign™ Profile EV 4.2, Ø 6.5 Triangular ..... 50, 56
25587	HealDesign™ Profile EV 4.2, Ø 5 ..... 50, 56
25588	HealDesign™ Profile EV 4.8, Ø 5 Triangular ..... 52, 56
25589	HealDesign™ Profile EV 4.8, Ø 6.5 ..... 52, 56
25590	HealDesign™ Profile EV 4.8, Ø 6.5 Triangular ..... 52, 56
25591	HealDesign™ Profile EV 4.8, Ø 5 ..... 52, 56
25592	TiDesign™ Profile EV 4.2, Ø 5.5 Triangular ..... 50, 58
25593	TiDesign™ Profile EV 4.2, Ø 7.0 Triangular ..... 50, 58
25594	TiDesign™ Profile EV 4.2, Ø 5.5 ..... 50, 58
25595	TiDesign™ Profile EV 4.2, Ø 5.5 15° ..... 50, 58
25596	TiDesign™ Profile EV 4.8, Ø 5.5 Triangular ..... 52, 58
25597	TiDesign™ Profile EV 4.8, Ø 7.0 Triangular ..... 52, 58
25598	TiDesign™ Profile EV 4.8, Ø 7.0 ..... 52, 58
25599	TiDesign™ Profile EV 4.8, Ø 5.5 15° ..... 52, 58
25600	Implant Pick-Up Profile EV 4.2, Long ..... 50, 59
25601	Implant Pick-Up Profile EV 4.2, Short ..... 50, 59
25602	Implant Pick-Up Profile EV 4.8, Long ..... 52, 59
25603	Implant Pick-Up Profile EV 4.8, Short ..... 52, 59
25604	Implant Pick-Up Design Profile EV 4.2 ..... 51, 59
25605	Implant Pick-Up Design Profile EV 4.8 ..... 53, 59
25606	Implant Transfer Profile EV 4.2, Short ..... 51, 59
25607	Implant Transfer Profile EV 4.2, Long ..... 51, 59
25608	Implant Transfer Profile EV 4.8, Short ..... 53, 59
25609	Implant Transfer Profile EV 4.8, Long ..... 53, 59
25610	Implant Replica Profile EV 4.2 ..... 51, 59
25611	Implant Replica Profile EV 4.8 ..... 53, 59
25615	Uni Abutment EV Replica ..... 5, 7, 9, 11, 13, 30, 51, 53
25616	Uni Abutment EV Heal Cap Ø 4.3 – 4.5 mm ..... 4, 6, 8, 10, 12, 30, 50, 52
25617	Uni Abutment EV Heal Cap Ø 5.5 – 4.5 mm ..... 4, 6, 8, 10, 12, 30, 50, 52
25619	Angled Abutment EV 3.6 20° – 1 mm ..... 6, 31
25620	Angled Abutment EV 3.6 20° – 2 mm ..... 6, 31
25621	Angled Abutment EV 3.6 20° – 1 mm NI ..... 6, 31
25622	Angled Abutment EV 3.6 20° – 2 mm NI ..... 6, 31
25625	Angled Abutment EV 4.2 20° – 1 mm ..... 8, 31
25626	Angled Abutment EV 4.2 20° – 2 mm ..... 8, 31
25627	Angled Abutment EV 4.2 20° – 1 mm NI ..... 8, 31
25628	Angled Abutment EV 4.2 20° – 2 mm NI ..... 8, 31
25631	Angled Abutment EV 4.8 20° – 1 mm ..... 10, 31
25632	Angled Abutment EV 4.8 20° – 2 mm ..... 10, 31
25633	Angled Abutment EV 4.8 20° – 1 mm NI ..... 10, 31
25634	Angled Abutment EV 4.8 20° – 2 mm NI ..... 10, 31
25637	Radiographic Implant Guides Profile EV ..... 55
25638	OD Cylinder EV ..... 7, 9, 11, 34, 51, 53
25641	Uni Abutment EV Pick-Up Ø 4.3 ..... 4, 6, 8, 10, 12, 30, 50, 52
25642	Uni Abutment EV Pick-Up Ø 5.5 ..... 4, 6, 8, 10, 12, 30, 50, 52
25643	Lab Abutment Pin EV Short ..... 5, 7, 9, 11, 13, 30, 47, 51, 53
25644	Lab Abutment Pin EV Intermediate ..... 5, 7, 9, 11, 13, 30, 47, 51, 53
25645	Lab Abutment Pin EV Long ..... 5, 7, 9, 11, 13, 30, 47, 51, 53
25646	Uni Abutment EV Transfer ..... 5, 7, 9, 11, 13, 30, 51, 53
25647	Uni Abutment EV Semi-Burnout Cylinder ..... 5, 7, 9, 11, 13, 30, 51, 53
25648	Uni Abutment EV Temporary Cylinder ..... 5, 7, 9, 11, 13, 30, 51, 53
25649	Uni Abutment EV Burnout Cylinder ..... 5, 7, 9, 11, 13, 30, 51, 53
25650	Angled Abutment EV Heal Cap ..... 6, 8, 10, 31, 50, 52
25651	Angled Abutment EV Pick-Up ..... 6, 8, 10, 31, 50, 52
25652	Angled Abutment EV Replica ..... 6, 8, 10, 31, 51, 53
25653	Angled Abutment EV Semi-Burnout Cylinder ..... 7, 9, 11, 31, 51, 53
25654	Angled Abutment EV Temporary Cylinder ..... 7, 9, 11, 31, 51, 53
25655	Angled Abutment EV Burnout Cylinder ..... 7, 9, 11, 31, 51, 53
25656	Lab Bridge Screw EV – M1.8 ..... 5, 7, 9, 11, 13, 30, 47, 51, 53

REF	page
25657	Locator™ Abutment EV 3.6 – 1 mm.....6, 32
25658	Locator™ Abutment EV 3.6 – 2 mm.....6, 32
25659	Locator™ Abutment EV 3.6 – 3 mm.....6, 32
25660	Locator™ Abutment EV 3.6 – 4 mm.....6, 32
25661	Locator™ Abutment EV 3.6 – 5 mm.....6, 32
25662	Locator™ Abutment EV 4.2 – 1 mm.....8, 32, 50
25663	Locator™ Abutment EV 4.2 – 2 mm.....8, 32, 50
25664	Locator™ Abutment EV 4.2 – 3 mm.....8, 32, 50
25665	Locator™ Abutment EV 4.2 – 4 mm.....8, 32, 50
25666	Locator™ Abutment EV 4.2 – 5 mm.....8, 32, 50
25667	Locator™ Abutment EV 4.8 – 1 mm.....10, 32, 52
25668	Locator™ Abutment EV 4.8 – 2 mm.....10, 32, 52
25669	Locator™ Abutment EV 4.8 – 3 mm.....10, 32, 52
25670	Locator™ Abutment EV 4.8 – 4 mm.....10, 32, 52
25671	Locator™ Abutment EV 4.8 – 5 mm.....10, 32, 52
25679	Locator™ Insert Grey .....7, 9, 11, 33, 51, 53
25684	Ball Abutment EV 3.6 – 1 mm .....6, 33
25685	Ball Abutment EV 3.6 – 2 mm .....6, 33
25686	Ball Abutment EV 3.6 – 3 mm .....6, 33
25687	Ball Abutment EV 3.6 – 4 mm .....6, 33
25688	Ball Abutment EV 3.6 – 5 mm .....6, 33
25689	Ball Abutment EV 3.6 – 7 mm .....6, 33
25690	Ball Abutment EV 4.2 – 1 mm .....8, 33, 50
25691	Ball Abutment EV 4.2 – 2 mm .....8, 33, 50
25692	Ball Abutment EV 4.2 – 3 mm .....8, 33, 50
25693	Ball Abutment EV 4.2 – 4 mm .....8, 33, 50
25694	Ball Abutment EV 4.2 – 5 mm .....8, 33, 50
25695	Ball Abutment EV 4.2 – 7 mm .....8, 33, 50
25696	Ball Abutment EV 4.8 – 1 mm .....10, 34, 52
25697	Ball Abutment EV 4.8 – 2 mm .....10, 34, 52
25698	Ball Abutment EV 4.8 – 3 mm .....10, 34, 52
25699	Ball Abutment EV 4.8 – 4 mm .....10, 34, 52
25700	Ball Abutment EV 4.8 – 5 mm .....10, 34, 52
25701	Ball Abutment EV 4.8 – 7 mm .....10, 34, 52
25708	Uni Driver EV .....30, 45
25710	Implant Depth Gauge EV .....42
25711	Mucosal Punch EV Ø 3.5 .....43
25712	Mucosal Punch EV Ø 4 .....43
25713	Mucosal Punch EV Ø 4.5 .....43
25714	Mucosal Punch EV Ø 5 .....43
25715	Mucosal Punch EV Ø 5.5 .....43
25721	Large Tray EV, Overlay 1 .....36
25722	Large Tray EV, Overlay 2 .....36
25723	Large Tray EV, Overlay 3 .....36
25726	Abutment Depth Gauge EV 5.4 .....46
25727	Hex Driver EV Machine Intermediate, 24 mm .....43, 45
25728	Hex Driver EV Machine Long, 35 mm .....43, 45
25730	Torque Wrench EV Restorative Driver Handle 4x4 Low .....46
25731	Mucosal Punch EV Ø 6.5 .....43
25756	TempDesign™ Profile EV 4.2 .....50, 57
25757	TempDesign™ Profile EV 4.8 .....52, 57
25758	Temp Abutment Profile EV 4.2 .....50, 57
25759	Temp Abutment Profile EV 4.8 .....52, 57
25764	Direct Driver EV Ø3.3 Ø4 .....27, 45
25765	Direction Indicator EV .....42
25766	Locator™ Driver EV .....32, 45
25768	Ball Abutment Driver EV .....33, 46
25769	Large Tray EV .....36, 61
25771	Hex Driver EV Manual Short, 20 mm .....43, 45, 73
25772	Hex Driver EV Manual Intermediate, 31 mm .....43, 45, 73
25773	Hex Driver EV Manual Long, 38 mm .....43, 45, 73
25774	Torque Wrench EV .....43, 46, 73
25775	Torque Wrench EV Surgical Driver Handle .....43, 73
25776	Torque Wrench EV Restorative Driver Handle .....46, 73
25777	Torque Wrench EV Restorative Driver Handle Low .....46, 73
25778	Polishing Protector Uni EV .....47
25780	V – Twist Drill EV Ø 2.5, 6–17 mm .....41
25781	V – Twist Drill EV Ø 3.1, 6–17 mm .....41

REF	page
25782	V – Twist Drill EV Ø 3.7, 6–17 mm .....41
25783	V – Twist Drill EV Ø 4.3, 6–17 mm .....41
25784	V – Twist Drill EV Ø 4.9, 6–17 mm .....41
25790	Hex Driver EV Machine Short, 20 mm .....43, 45
25792	Abutment Depth Gauge EV 3.0/3.6 .....46
25793	Abutment Depth Gauge EV 4.2/4.8 .....46
25794	Rescue Driver Uni Abutment EV .....72
25795	HealDesign™ EV 3.0 Ø 3.5 – 6.5 mm .....4, 18
25796	HealDesign™ EV 3.6 Ø 4 – 6.5 mm .....6, 18
25797	HealDesign™ EV 4.2 Ø 5 – 6.5 mm .....8, 18, 50
25798	HealDesign™ EV 4.8 Ø 6.5 – 6.5 mm .....10, 18, 52
25799	HealDesign™ EV 5.4 Ø 6.5 – 6.5 mm .....12, 18
25826	Ball Abutment EV Replica .....7, 9, 11, 34, 51, 53
25827	Dalbo Plus Duplicating Aid .....6, 8, 10, 34
25834	Dalbo Plus Female Part TE Basic, complete .....7, 9, 11, 34, 51, 53
25835	Dalbo Plus Screwdriver / Activator .....34, 46
25843	Locator™ Insert Orange .....7, 9, 11, 33, 51, 53
25844	Dalbo Plus Lamellae retention Insert E .....7, 9, 11, 34
25846	Guiding Cylinder EV 3.0 .....70
25847	Guiding Cylinder EV 3.6 .....70
25848	Guiding Cylinder EV 4.2, P4.2 .....70
25849	Guiding Cylinder EV 4.8, P4.8 .....70
25850	Guiding Cylinder EV 5.4 .....70
25851	Guiding Cylinder Uni Abutment EV .....70
25855	Guiding Cylinder Handle .....70
25856	Fragment Fork M1.4/M1.6 .....71
25857	Fragment Fork M1.8/M2.0 .....71
25858	Fragment Drill Ø 0.8 .....71
25859	Fragment Drill Ø 1.0 .....71
25860	Screw Extractor 0.8 .....71
25861	Screw Extractor 1.0 .....71
25862	Thread Cleaner M1.4 .....71
25863	Thread Cleaner M1.6 .....71
25864	Thread Cleaner M1.8 .....71
25865	Thread Cleaner M2.0 .....71
25866	Trepine Drill 3.0, 6–17 mm .....72
25867	Trepine Drill 3.6, 6–17 mm .....72
25868	Trepine Drill 4.2, P4.2, 6–17 mm .....72
25869	Trepine Drill 4.8, P4.8, 6–17 mm .....72
25870	Trepine Drill 5.4, 6–17 mm .....72
25886	Trepine Drill 4.2, P4.2, 6–13 mm .....72
25887	Trepine Drill 4.8, P4.8, 6–13 mm .....72
25888	Trepine Drill 5.4, 6–13 mm .....72
25890	Angled Abutment Profile EV 4.2, 20° .....50, 58
25891	Angled Abutment Profile EV 4.2, 20° .....50, 58
25892	Angled Abutment Profile EV 4.8, 20° .....52, 58
25893	Angled Abutment Profile EV 4.8, 20° .....52, 58
25901	HealDesign™ EV 3.0, Ø 3.5 – 2.5 mm .....18
25902	HealDesign™ EV 3.6, Ø 4 – 2.5 mm .....18
25903	HealDesign™ EV 3.6, Ø 4 – 5 mm .....18
25904	HealDesign™ EV 3.6, Ø 5 – 4.5 mm .....18
25905	HealDesign™ EV 3.6, Ø 5 – 6.5 mm .....18
25906	HealDesign™ EV 3.6, Ø 6 – 3.5 mm .....18
25907	HealDesign™ EV 3.6, Ø 6 – 4.5 mm .....18
25908	HealDesign™ EV 4.2, Ø 5 – 2.5 mm .....18, 50
25909	HealDesign™ EV 4.2, Ø 6.5 – 2.5 mm .....18, 50
25910	HealDesign™ EV 4.2, Ø 6.5 – 3.5 mm .....18, 50
25911	HealDesign™ EV 4.2, Ø 6.5 – 4.5 mm .....18, 50
25912	HealDesign™ EV 4.2, Ø 6.5 – 6.5 mm .....18, 50
25913	HealDesign™ EV 4.8, Ø 5 – 2.5 mm .....18, 52
25914	HealDesign™ EV 4.8, Ø 5 – 4.5 mm .....18, 52
25915	HealDesign™ EV 4.8, Ø 5 – 6.5 mm .....18, 52
25916	HealDesign™ EV 4.8, Ø 6.5 – 2.5 mm .....18, 52
25917	HealDesign™ EV 4.8, Ø 6.5 – 3.5 mm .....18, 52
25918	HealDesign™ EV 4.8, Ø 7.5 – 3.5 mm .....18, 52
25919	HealDesign™ EV 4.8, Ø 7.5 – 4.5 mm .....18, 52
25920	HealDesign™ EV 3.6, Ø 5 – 3.5 mm .....18
25921	HealDesign™ EV 5.4, Ø 6.5 – 2.5 mm .....18

REF	page
25922	HealDesign™ EV 5.4, Ø 7.5 – 3.5 mm ..... 18
25923	HealDesign™ EV 5.4, Ø 7.5 – 4.5 mm ..... 18
25924	TitaniumBase EV 3.0 Ø 4 – 5 mm ..... 26
25925	TitaniumBase EV 3.0 Ø 4 – 6 mm ..... 26
25926	TitaniumBase EV 3.6 Ø 4.1 – 5 mm ..... 26
25927	TitaniumBase EV 3.6 Ø 4.1 – 6 mm ..... 26
25928	TitaniumBase EV 4.2 Ø 4.7 – 5 mm ..... 26
25929	TitaniumBase EV 4.2 Ø 4.7 – 6 mm ..... 26
25930	TitaniumBase EV 4.8 Ø 5 – 5 mm ..... 26
25931	TitaniumBase EV 4.8 Ø 5 – 6 mm ..... 26
25932	TitaniumBase EV 4.8 Ø 5.5 – 5 mm ..... 26
25933	TitaniumBase EV 4.8 Ø 5.5 – 6 mm ..... 26
25952	Uni Abutment EV Heal Cap Short Ø 4.3 – 3.4 mm ..... 30, 50, 52
25953	Uni Abutment EV Heal Cap Short Ø 5.5 – 3.4 mm ..... 30, 50, 52
26000	Conical Drill EV-GS, 4.2C, Ø 3.1/4.2, 9-13 ..... 64
26001	Conical Drill EV-GS, 4.2C, Ø 3.1/4.2, 8-11-15 ..... 64
26002	Conical Drill EV-GS, 4.8C, Ø 3.7/4.8, 9-13 ..... 64
26003	Conical Drill EV-GS, 4.8C, Ø 3.7/4.8, 8-11-15 ..... 64
26004	Cortical Drill EV-GS, 3.6, Ø 3.1/3.3 ..... 64
26005	Cortical Drill EV-GS, 3.6, Ø 3.1/3.6 ..... 64
26006	Cortical Drill EV-GS, 4.2, Ø 3.7/3.9 ..... 64
26007	Cortical Drill EV-GS, 4.2, Ø 3.7/4.2 ..... 64
26008	Cortical Drill EV-GS, 4.8, Ø 4.3/4.5 ..... 64
26009	Cortical Drill EV-GS, 4.8, Ø 4.3/4.8 ..... 64
26010	Punch EV-GS Ø 3.6 ..... 62
26011	Punch EV-GS Ø 4.2 ..... 62
26012	Punch EV-GS Ø 4.8 ..... 62
26013	Initial Drill Ø 3.6 ..... 62
26014	Initial Drill Ø 4.2 ..... 62
26015	Initial Drill Ø 4.8 ..... 62
26016	Implant Driver EV-GS 3.6 ..... 66
26017	Implant Driver EV-GS 4.2 ..... 66
26018	Implant Driver EV-GS 4.8 ..... 66
26019	Implant Driver EV-GS Profile 4.2 ..... 66
26020	Implant Driver EV-GS Profile 4.8 ..... 66
26021	Implant Driver Extender EV-GS ..... 66
26022	Sleeve-on-Drill™ 1-Sleeve Ø1.9 ND ..... 67
26023	Sleeve-on-Drill™ 3/V-Sleeve Ø3.1 ND ..... 67
26024	Sleeve-on-Drill™ 4/V-Sleeve Ø3.7 ND ..... 67
26025	Sleeve-on-Drill™ X-Sleeve Ø3.45 ND ..... 67
26026	Sleeve-on-Drill™ X-Sleeve Ø4.05 ND ..... 67
26027	Sleeve-on-Drill™ 1-Sleeve Ø1.9 WD ..... 67
26028	Sleeve-on-Drill™ 3-Sleeve Ø3.1 WD ..... 67
26029	Sleeve-on-Drill™ 4/V-Sleeve Ø3.7 WD ..... 67
26030	Sleeve-on-Drill™ 5/V-Sleeve Ø4.3 WD ..... 67
26031	Sleeve-on-Drill™ X-Sleeve Ø4.05 WD ..... 67
26032	Sleeve-on-Drill™ X-Sleeve Ø4.65 WD ..... 67
26033	EV-Stabilization Abutment 3.6, 8-11-15 mm ..... 67
26034	EV-Stabilization Abutment 3.6, 6-9-13 mm ..... 67
26035	EV-Stabilization Abutment 4.2, 8-11-15 mm ..... 67
26036	EV-Stabilization Abutment 4.2, 6-9-13 mm ..... 67
26037	EV-Stabilization Abutment 4.8, 8-11-15 mm ..... 67
26038	EV-Stabilization Abutment 4.8, 6-9-13 mm ..... 67
26039	EV-PositionAid 3.6, 8-11-15 mm ..... 66
26040	EV-PositionAid 3.6, 6-9-13 mm ..... 66
26041	EV-PositionAid 4.2, 8-11-15 mm ..... 66
26042	EV-PositionAid 4.2, 6-9-13 mm ..... 66
26043	EV-PositionAid 4.8, 8-11-15 mm ..... 66
26044	EV-PositionAid 4.8, 6-9-13 mm ..... 66
26045	EV-PositionAid Profile 4.2, 8-11-15 mm ..... 66
26046	EV-PositionAid Profile 4.2, 6-9-13 mm ..... 66
26047	EV-PositionAid Profile 4.8, 8-11-15 mm ..... 66
26048	EV-PositionAid Profile 4.8, 6-9-13 mm ..... 66
26049	Guide fixation screw ..... 67
26050	Drill for guide fixation screw ..... 67
26051	Drill EV-GS, narrow diam. Sleeve, Ø1.9 ND 6-8 mm ..... 63

REF	page
26052	Drill EV-GS, narrow diam. Sleeve, Ø1.9 ND 9-11 mm ..... 63
26053	Drill EV-GS, narrow diam. Sleeve, Ø1.9 ND 13-15 mm ..... 63
26054	Drill EV-GS, narrow diam. Sleeve, Ø2.5/3.1 ND 6-8 mm ..... 63
26055	Drill EV-GS, narrow diam. Sleeve, Ø2.5/3.1 ND 9-11 mm ..... 63
26056	Drill EV-GS, narrow diam. Sleeve, Ø2.5/3.1 ND 13-15 mm ..... 63
26057	Drill EV-GS, narrow diam. Sleeve, Ø3.1/3.7 ND 6-8 mm ..... 63
26058	Drill EV-GS, narrow diam. Sleeve, Ø3.1/3.7 ND 9-11 mm ..... 63
26059	Drill EV-GS, narrow diam. Sleeve, Ø3.1/3.7 ND 13-15 mm ..... 63
26060	Drill EV-GS, wide diam. Sleeve, Ø1.9 WD 6-8 mm ..... 63
26061	Drill EV-GS, wide diam. Sleeve, Ø1.9 WD 9-11 mm ..... 63
26062	Drill EV-GS, wide diam. Sleeve, Ø1.9 WD 13-15 mm ..... 63
26063	Drill EV-GS, wide diam. Sleeve, Ø2.5/3.1 WD 6-8 mm ..... 63
26064	Drill EV-GS, wide diam. Sleeve, Ø2.5/3.1 WD 9-11 mm ..... 63
26065	Drill EV-GS, wide diam. Sleeve, Ø2.5/3.1 WD 13-15 mm ..... 63
26066	Drill EV-GS, wide diam. Sleeve, Ø3.1/3.7 WD 6-8 mm ..... 63
26067	Drill EV-GS, wide diam. Sleeve, Ø3.1/3.7 WD 9-11 mm ..... 63
26068	Drill EV-GS, wide diam. Sleeve, Ø3.1/3.7 WD 13-15 mm ..... 63
26069	Drill EV-GS, wide diam. Sleeve, Ø3.7/4.3 WD 6-8 mm ..... 63
26070	Drill EV-GS, wide diam. Sleeve, Ø3.7/4.3 WD 9-11 mm ..... 63
26071	Drill EV-GS, wide diam. Sleeve, Ø3.7/4.3 WD 13-15 mm ..... 63
26072	X-Drill EV-GS 3.6-4.2C, Ø 3.1/3.45, 6-8 mm ..... 65
26073	X-Drill EV-GS 3.6-4.2C, Ø 3.1/3.45, 9-11 mm ..... 65
26074	X-Drill EV-GS 3.6-4.2C, Ø 3.1/3.45, 13-15 mm ..... 65
26075	X-Drill EV-GS 4.2, Ø 3.7/4.05, 6-8 mm ..... 65
26076	X-Drill EV-GS 4.2, Ø 3.7/4.05, 9-11 mm ..... 65
26077	X-Drill EV-GS 4.2, Ø 3.7/4.05, 13-15 mm ..... 65
26078	X-Drill EV-GS 4.8C, Ø 3.7/4.05, 6-8 mm ..... 65
26079	X-Drill EV-GS 4.8C, Ø 3.7/4.05, 9-11 mm ..... 65
26080	X-Drill EV-GS 4.8C, Ø 3.7/4.05, 13-15 mm ..... 65
26081	X-Drill EV-GS 4.8, Ø 4.3/4.65, 6-8 mm ..... 65
26082	X-Drill EV-GS 4.8, Ø 4.3/4.65, 9-11 mm ..... 65
26083	X-Drill EV-GS 4.8, Ø 4.3/4.65, 13-15 mm ..... 65
26084	V-Drill EV-GS 3.6-4.2C, Ø 3.1, 6-8 mm ..... 65
26085	V-Drill EV-GS 3.6-4.2C, Ø 3.1, 9-11 mm ..... 65
26086	V-Drill EV-GS 3.6-4.2C, Ø 3.1, 13-15 mm ..... 65
26087	V-Drill EV-GS 4.2, Ø 3.7, 6-8 mm ..... 65
26088	V-Drill EV-GS 4.2, Ø 3.7, 9-11 mm ..... 65
26089	V-Drill EV-GS 4.2, Ø 3.7, 13-15 mm ..... 65
26090	V-Drill EV-GS 4.8C, Ø 3.7, 6-8 mm ..... 65
26091	V-Drill EV-GS 4.8C, Ø 3.7, 9-11 mm ..... 65
26092	V-Drill EV-GS 4.8C, Ø 3.7, 13-15 mm ..... 65
26093	V-Drill EV-GS 4.8, Ø 4.3, 6-8 mm ..... 65
26094	V-Drill EV-GS 4.8, Ø 4.3, 9-11 mm ..... 65
26095	V-Drill EV-GS 4.8, Ø 4.3, 13-15 mm ..... 65
26098	Large Tray EV Proline ..... 61
26099	Large Tray EV Streamline ..... 61
3107 1000	Washtray Astra Tech Implant System™ EV ..... 37
3107 1002	Washtray Sterilization Container ATIS EV ..... 37
3107 1020	Washtray GS Astra Tech Implant System™ EV ..... 37, 61
34593	ATLANTIS™ FLO 3.0 ..... 26
34594	ATLANTIS™ FLO 3.6 ..... 26
34595	ATLANTIS™ FLO 4.2 ..... 26
34596	ATLANTIS™ FLO 4.8 ..... 26
34597	ATLANTIS™ FLO 5.4 ..... 26
34601	ATLANTIS™ FLO screwdriver ..... 26
35243	ATLANTIS™ IO FLO 3.0 ..... 26
35244	ATLANTIS™ IO FLO 3.6 ..... 26
35245	ATLANTIS™ IO FLO 4.2 ..... 26
35246	ATLANTIS™ IO FLO 4.8 ..... 26
35247	ATLANTIS™ IO FLO 5.4 ..... 26
36030	ATLANTIS™ Angulated Screw Access Screwdriver, 18 mm ..... 45
36031	ATLANTIS™ Angulated Screw Access Screwdriver, 24 mm ..... 45
36032	ATLANTIS™ Angulated Screw Access Screwdriver, 38 mm ..... 45
68108	Suction tube Medena ..... 44
68118	Suction tube Medena ..... 44
68130	Suction tube Medena ..... 44

# Alphabetical order

25162	1 – Twist Drill EV Ø 1.9, 6–17 mm	38
25163	1 – Twist Drill EV Ø 1.9, 6–13 mm	38
25164	2 – Step Drill EV Ø 1.9/2.5, 6–17 mm	38
25165	2 – Step Drill EV Ø 1.9/2.5, 6–13 mm	38
25168	3 – Step Drill EV Ø 2.5/3.1, 6–17 mm	38
25169	3 – Step Drill EV Ø 2.5/3.1, 6–13 mm	38
25172	4 – Step Drill EV Ø 3.1/3.7, 6–17 mm	38
25173	4 – Step Drill EV Ø 3.1/3.7, 6–13 mm	38
25176	5 – Step Drill EV Ø 3.7/4.3, 6–17 mm	38
25177	5 – Step Drill EV Ø 3.7/4.3, 6–13 mm	38
25180	6 – Step Drill EV Ø 4.3/4.9, 6–17 mm	38
25181	6 – Step Drill EV Ø 4.3/4.9, 6–13 mm	38
25487	A 6 mm – Cortical Drill EV Ø 3.1/3.3	39
25412	A 6 mm – Cortical Drill EV Ø 3.7/3.9	39
25420	A 6 mm – Cortical Drill EV Ø 4.3/4.5	39
25422	A 6 mm – Cortical Drill EV Ø 4.9/5.1	39
25423	A – Cortical Drill EV Ø 2.5/2.7	39
25488	A – Cortical Drill EV Ø 3.1/3.3	39
25490	A – Cortical Drill EV Ø 3.7/3.9	39
25492	A – Cortical Drill EV Ø 4.3/4.5	39
25431	A – Cortical Drill EV Ø 4.9/5.1	39
25188	A/B – Conical Drill EV Ø 3.1/4.2	40
25190	A/B – Conical Drill EV Ø 3.7/4.8	40
25792	Abutment Depth Gauge EV 3.0/3.6	46
25793	Abutment Depth Gauge EV 4.2/4.8	46
25726	Abutment Depth Gauge EV 5.4	46
22429	Abutment Retriever	72
25203	Abutment Screw EV 3.0	21
25204	Abutment Screw EV 3.6	21
25205	Abutment Screw EV 4.2	21, 57
25206	Abutment Screw EV 4.8	21, 57
25207	Abutment Screw EV 5.4	21
25619	Angled Abutment EV 3.6 20° – 1 mm	6, 31
25620	Angled Abutment EV 3.6 20° – 2 mm	6, 31
25621	Angled Abutment EV 3.6 20° – 1 mm NI	6, 31
25622	Angled Abutment EV 3.6 20° – 2 mm NI	6, 31
25625	Angled Abutment EV 4.2 20° – 1 mm	8, 31
25626	Angled Abutment EV 4.2 20° – 2 mm	8, 31
25627	Angled Abutment EV 4.2 20° – 1 mm NI	8, 31
25628	Angled Abutment EV 4.2 20° – 2 mm NI	8, 31
25631	Angled Abutment EV 4.8 20° – 1 mm	10, 31
25632	Angled Abutment EV 4.8 20° – 2 mm	10, 31
25633	Angled Abutment EV 4.8 20° – 1 mm NI	10, 31
25634	Angled Abutment EV 4.8 20° – 2 mm NI	10, 31
25655	Angled Abutment EV Burnout Cylinder	7, 9, 11, 31, 51, 53
25650	Angled Abutment EV Heal Cap	6, 8, 10, 31, 50, 52
25651	Angled Abutment EV Pick-Up	6, 8, 10, 31, 50, 52
25652	Angled Abutment EV Replica	6, 8, 10, 31, 51, 53
25653	Angled Abutment EV Semi-Burnout Cylinder	7, 9, 11, 31, 51, 53
25654	Angled Abutment EV Temporary Cylinder	7, 9, 11, 31, 51, 53
25890	Angled Abutment Profile EV 4.2, 20°	50, 58
25891	Angled Abutment Profile EV 4.2, 20°	50, 58
25892	Angled Abutment Profile EV 4.8, 20°	52, 58
25893	Angled Abutment Profile EV 4.8, 20°	52, 58
34593	ATLANTIS™ FLO 3.0	26
34594	ATLANTIS™ FLO 3.6	26
34595	ATLANTIS™ FLO 4.2	26
34596	ATLANTIS™ FLO 4.8	26
34597	ATLANTIS™ FLO 5.4	26
34601	ATLANTIS™ FLO screwdriver	26
35243	ATLANTIS™ IO FLO 3.0	26
35244	ATLANTIS™ IO FLO 3.6	26
35245	ATLANTIS™ IO FLO 4.2	26
35246	ATLANTIS™ IO FLO 4.8	26
35247	ATLANTIS™ IO FLO 5.4	26
36030	ATLANTIS™ Angulated Screw Access Screwdriver, 18 mm	45
36031	ATLANTIS™ Angulated Screw Access Screwdriver, 24 mm	45

36032	ATLANTIS™ Angulated Screw Access Screwdriver, 38 mm	45
25411	B 6 mm – Cortical Drill EV Ø 3.1/3.6	40
25419	B 6 mm – Cortical Drill EV Ø 3.7/4.2	39
25421	B 6 mm – Cortical Drill EV Ø 4.3/4.8	40
25424	B 6 mm – Cortical Drill EV Ø 4.9/5.4	40
25193	B – Cortical Drill EV Ø 2.5/3.0	39
25195	B – Cortical Drill EV Ø 3.1/3.6	39
25197	B – Cortical Drill EV Ø 3.7/4.2	39
25199	B – Cortical Drill EV Ø 4.3/4.8	39
25201	B – Cortical Drill EV Ø 4.9/5.4	39
25768	Ball Abutment Driver EV	33, 46
25684	Ball Abutment EV 3.6 – 1 mm	6, 33
25685	Ball Abutment EV 3.6 – 2 mm	6, 33
25686	Ball Abutment EV 3.6 – 3 mm	6, 33
25687	Ball Abutment EV 3.6 – 4 mm	6, 33
25688	Ball Abutment EV 3.6 – 5 mm	6, 33
25689	Ball Abutment EV 3.6 – 7 mm	6, 33
25690	Ball Abutment EV 4.2 – 1 mm	8, 33, 50
25691	Ball Abutment EV 4.2 – 2 mm	8, 33, 50
25692	Ball Abutment EV 4.2 – 3 mm	8, 33, 50
25693	Ball Abutment EV 4.2 – 4 mm	8, 33, 50
25694	Ball Abutment EV 4.2 – 5 mm	8, 33, 50
25695	Ball Abutment EV 4.2 – 7 mm	8, 33, 50
25696	Ball Abutment EV 4.8 – 1 mm	10, 34, 52
25697	Ball Abutment EV 4.8 – 2 mm	10, 34, 52
25698	Ball Abutment EV 4.8 – 3 mm	10, 34, 52
25699	Ball Abutment EV 4.8 – 4 mm	10, 34, 52
25700	Ball Abutment EV 4.8 – 5 mm	10, 34, 52
25701	Ball Abutment EV 4.8 – 7 mm	10, 34, 52
25826	Ball Abutment EV Replica	7, 9, 11, 34, 51, 53
22179	BoneTrap	44
25481	Bridge Screw EV – M1.8	5, 7, 9, 11, 13, 30, 47, 51, 53
25326	CastDesign™ EV 3.6	6, 23
25327	CastDesign™ EV 4.2	8, 23
25328	CastDesign™ EV 4.8	10, 23
25329	CastDesign™ EV 5.4	12, 23
26000	Conical Drill EV-GS, 4.2C, Ø 3.1/4.2, 9-13	64
26001	Conical Drill EV-GS, 4.2C, Ø 3.1/4.2, 8-11-15	64
26002	Conical Drill EV-GS, 4.8C, Ø 3.7/4.8, 9-13	64
26003	Conical Drill EV-GS, 4.8C, Ø 3.7/4.8, 8-11-15	64
22903	Contra Angle W&H WS-75 E/KM AE	44
24350	Contra Angle W&H WI-75 E/KM	44
26004	Cortical Drill EV-GS, 3.6, Ø 3.1/3.3	64
26005	Cortical Drill EV-GS, 3.6, Ø 3.1/3.6	64
26006	Cortical Drill EV-GS, 4.2, Ø 3.7/3.9	64
26007	Cortical Drill EV-GS, 4.2, Ø 3.7/4.2	64
26008	Cortical Drill EV-GS, 4.8, Ø 4.3/4.5	64
26009	Cortical Drill EV-GS, 4.8, Ø 4.3/4.8	64
25280	Cover Screw EV 3.0	4, 17
25281	Cover Screw EV 3.6 – 0 mm	6, 17
25282	Cover Screw EV 4.2 – 0 mm	8, 17
25283	Cover Screw EV 4.8 – 0 mm	10, 17
25284	Cover Screw EV 5.4 – 0 mm	12, 17
25582	Cover Screw Profile EV 4.2	50, 55
25583	Cover Screw Profile EV 4.8	52, 55
25827	Dalbo Plus Duplicating Aid	6, 8, 10, 34
25834	Dalbo Plus Female Part TE Basic, complete	7, 9, 11, 34, 51, 53
25844	Dalbo Plus Lamellae retention Insert E	7, 9, 11, 34
25835	Dalbo Plus Screwdriver / Activator	34, 46
25361	Direct Abutment™ EV 3.0 Ø 3.3 – 1 mm	5, 27
25362	Direct Abutment™ EV 3.0 Ø 3.3 – 2 mm	5, 27
25363	Direct Abutment™ EV 3.0 Ø 3.3 – 3 mm	5, 27
25364	Direct Abutment™ EV 3.6 Ø 4 – 1 mm	7, 27
25365	Direct Abutment™ EV 3.6 Ø 4 – 2 mm	7, 27
25366	Direct Abutment™ EV 3.6 Ø 4 – 3 mm	7, 27
25367	Direct Abutment™ EV 4.2 Ø 5 – 1 mm	9, 27, 51
25368	Direct Abutment™ EV 4.2 Ø 5 – 2 mm	9, 27, 51
25369	Direct Abutment™ EV 4.2 Ø 5 – 3 mm	9, 27, 51

REF	page
25494	Direct Abutment™ EV 4.2 Ø 6 – 1 mm..... 9, 26, 51
25495	Direct Abutment™ EV 4.2 Ø 6 – 2 mm..... 9, 26, 51
25496	Direct Abutment™ EV 4.2 Ø 6 – 3 mm..... 9, 26, 51
25370	Direct Abutment™ EV 4.8 Ø 5 – 1 mm..... 11, 27, 53
25371	Direct Abutment™ EV 4.8 Ø 5 – 2 mm..... 11, 27, 53
25372	Direct Abutment™ EV 4.8 Ø 5 – 3 mm..... 11, 27, 53
25497	Direct Abutment™ EV 4.8 Ø 6 – 1 mm..... 11, 26, 53
25498	Direct Abutment™ EV 4.8 Ø 6 – 2 mm..... 11, 26, 53
25499	Direct Abutment™ EV 4.8 Ø 6 – 3 mm..... 11, 26, 53
25373	Direct Abutment™ EV 5.4 Ø 6 – 1 mm..... 13, 27
25374	Direct Abutment™ EV 5.4 Ø 6 – 2 mm..... 13, 27
25375	Direct Abutment™ EV 5.4 Ø 6 – 3 mm..... 13, 27
25406	Direct Abutment™ EV Burnout Cap 3.3..... 28
25407	Direct Abutment™ EV Burnout Cap 4..... 28
25408	Direct Abutment™ EV Burnout Cap 5..... 28
25409	Direct Abutment™ EV Burnout Cap 6..... 28
25310	Direct Abutment™ EV Heal Cap 3.3..... 28
25311	Direct Abutment™ EV Heal Cap 4..... 28
25312	Direct Abutment™ EV Heal Cap 5..... 28
25313	Direct Abutment™ EV Heal Cap 6..... 28
25396	Direct Abutment™ EV Pick-Up 3.3..... 28
25397	Direct Abutment™ EV Pick-Up 4..... 28
25398	Direct Abutment™ EV Pick-Up 5..... 28
25399	Direct Abutment™ EV Pick-Up 6..... 28
25401	Direct Abutment™ EV Replica 3.3..... 28
25402	Direct Abutment™ EV Replica 4..... 28
25403	Direct Abutment™ EV Replica 5..... 28
25404	Direct Abutment™ EV Replica 6..... 28
25764	Direct Driver EV Ø3.3 Ø4..... 27, 45
25346	Direct EV API™ Ø 3.3..... 5, 28
25347	Direct EV API™ Ø 4..... 7, 28
25348	Direct EV API™ Ø 5..... 9, 11, 28, 50, 52
25349	Direct EV API™ Ø 6..... 9, 11, 28, 50, 52
25765	Direction Indicator EV..... 42
22176	Disposable Irrigation Set..... 44
26051	Drill EV-GS, narrow diam. Sleeve, Ø1.9 ND 6-8 mm..... 63
26052	Drill EV-GS, narrow diam. Sleeve, Ø1.9 ND 9-11 mm..... 63
26053	Drill EV-GS, narrow diam. Sleeve, Ø1.9 ND 13-15 mm..... 63
26054	Drill EV-GS, narrow diam. Sleeve, Ø2.5/3.1 ND 6-8 mm..... 63
26055	Drill EV-GS, narrow diam. Sleeve, Ø2.5/3.1 ND 9-11 mm..... 63
26056	Drill EV-GS, narrow diam. Sleeve, Ø2.5/3.1 ND 13-15 mm..... 63
26057	Drill EV-GS, narrow diam. Sleeve, Ø3.1/3.7 ND 6-8 mm..... 63
26058	Drill EV-GS, narrow diam. Sleeve, Ø3.1/3.7 ND 9-11 mm..... 63
26059	Drill EV-GS, narrow diam. Sleeve, Ø3.1/3.7 ND 13-15 mm..... 63
26060	Drill EV-GS, wide diam. Sleeve, Ø1.9 WD 6-8 mm..... 63
26061	Drill EV-GS, wide diam. Sleeve, Ø1.9 WD 9-11 mm..... 63
26062	Drill EV-GS, wide diam. Sleeve, Ø1.9 WD 13-15 mm..... 63
26063	Drill EV-GS, wide diam. Sleeve, Ø2.5/3.1 WD 6-8 mm..... 63
26064	Drill EV-GS, wide diam. Sleeve, Ø2.5/3.1 WD 9-11 mm..... 63
26065	Drill EV-GS, wide diam. Sleeve, Ø2.5/3.1 WD 13-15 mm..... 63
26066	Drill EV-GS, wide diam. Sleeve, Ø3.1/3.7 WD 6-8 mm..... 63
26067	Drill EV-GS, wide diam. Sleeve, Ø3.1/3.7 WD 9-11 mm..... 63
26068	Drill EV-GS, wide diam. Sleeve, Ø3.1/3.7 WD 13-15 mm..... 63
26069	Drill EV-GS, wide diam. Sleeve, Ø3.7/4.3 WD 6-8 mm..... 63
26070	Drill EV-GS, wide diam. Sleeve, Ø3.7/4.3 WD 9-11 mm..... 63
26071	Drill EV-GS, wide diam. Sleeve, Ø3.7/4.3 WD 13-15 mm..... 63
26050	Drill for guide fixation screw..... 67
26039	EV-PositionAid 3.6, 8-11-15 mm..... 66
26040	EV-PositionAid 3.6, 6-9-13 mm..... 66
26041	EV-PositionAid 4.2, 8-11-15 mm..... 66
26042	EV-PositionAid 4.2, 6-9-13 mm..... 66
26043	EV-PositionAid 4.8, 8-11-15 mm..... 66
26044	EV-PositionAid 4.8, 6-9-13 mm..... 66
26045	EV-PositionAid Profile 4.2, 8-11-15 mm..... 66
26046	EV-PositionAid Profile 4.2, 6-9-13 mm..... 66
26047	EV-PositionAid Profile 4.8, 8-11-15 mm..... 66
26048	EV-PositionAid Profile 4.8, 6-9-13 mm..... 66
26033	EV-Stabilization Abutment 3.6, 8-11-15 mm..... 67

REF	page
26034	EV-Stabilization Abutment 3.6, 6-9-13 mm..... 67
26035	EV-Stabilization Abutment 4.2, 8-11-15 mm..... 67
26036	EV-Stabilization Abutment 4.2, 6-9-13 mm..... 67
26037	EV-Stabilization Abutment 4.8, 8-11-15 mm..... 67
26038	EV-Stabilization Abutment 4.8, 6-9-13 mm..... 67
25858	Fragment Drill Ø 0.8..... 71
25859	Fragment Drill Ø 1.0..... 71
25856	Fragment Fork M1.4/M1.6..... 71
25857	Fragment Fork M1.8/M2.0..... 71
22437	Forceps – 94 mm..... 42
22740	Grinding Handle..... 47
25160	Guide Drill EV..... 38
26049	Guide fixation screw..... 67
25846	Guiding Cylinder EV 3.0..... 70
25847	Guiding Cylinder EV 3.6..... 70
25848	Guiding Cylinder EV 4.2, P4.2..... 70
25849	Guiding Cylinder EV 4.8, P4.8..... 70
25850	Guiding Cylinder EV 5.4..... 70
25855	Guiding Cylinder Handle..... 70
25851	Guiding Cylinder Uni Abutment EV..... 70
25901	HealDesign™ EV 3.0 Ø 3.5 – 2.5 mm..... 18
25298	HealDesign™ EV 3.0 Ø 3.5 – 3.5 mm..... 4, 18
25297	HealDesign™ EV 3.0 Ø 3.5 – 4.5 mm..... 4, 18
25795	HealDesign™ EV 3.0 Ø 3.5 – 6.5 mm..... 4, 18
25902	HealDesign™ EV 3.6 Ø 4 – 2.5 mm..... 18
25300	HealDesign™ EV 3.6 Ø 4 – 3.5 mm..... 6, 18
25299	HealDesign™ EV 3.6 Ø 4 – 4.5 mm..... 6, 18
25903	HealDesign™ EV 3.6 Ø 4 – 5 mm..... 18
25796	HealDesign™ EV 3.6 Ø 4 – 6.5 mm..... 6, 18
25920	HealDesign™ EV 3.6 Ø 5 – 3.5 mm..... 18
25301	HealDesign™ EV 3.6 Ø 5 – 3.5 mm Triangular..... 6, 18
25904	HealDesign™ EV 3.6 Ø 5 – 4.5 mm..... 18
25905	HealDesign™ EV 3.6 Ø 5 – 6.5 mm..... 18
25906	HealDesign™ EV 3.6 Ø 6 – 3.5 mm..... 18
25907	HealDesign™ EV 3.6 Ø 6 – 4.5 mm..... 18
25908	HealDesign™ EV 4.2 Ø 5 – 2.5 mm..... 18, 50
25501	HealDesign™ EV 4.2 Ø 5 – 3.5 mm..... 8, 18, 50
25303	HealDesign™ EV 4.2 Ø 5 – 3.5 mm Triangular..... 8, 18
25302	HealDesign™ EV 4.2 Ø 5 – 4.5 mm..... 8, 18, 50
25797	HealDesign™ EV 4.2 Ø 5 – 6.5 mm..... 8, 18, 50
25909	HealDesign™ EV 4.2 Ø 6.5 – 2.5 mm..... 18, 50
25910	HealDesign™ EV 4.2 Ø 6.5 – 3.5 mm..... 18, 50
25304	HealDesign™ EV 4.2 Ø 6.5 – 3.5 mm Triangular..... 8, 18
25911	HealDesign™ EV 4.2 Ø 6.5 – 4.5 mm..... 18, 50
25912	HealDesign™ EV 4.2 Ø 6.5 – 6.5 mm..... 18, 50
25913	HealDesign™ EV 4.8 Ø 5 – 2.5 mm..... 18, 52
25502	HealDesign™ EV 4.8 Ø 5 – 3.5 mm..... 10, 18, 52
25305	HealDesign™ EV 4.8 Ø 5 – 3.5 mm Triangular..... 10, 18
25914	HealDesign™ EV 4.8 Ø 5 – 4.5 mm..... 18, 52
25915	HealDesign™ EV 4.8 Ø 5 – 6.5 mm..... 18, 52
25916	HealDesign™ EV 4.8 Ø 6.5 – 2.5 mm..... 18, 52
25917	HealDesign™ EV 4.8 Ø 6.5 – 3.5 mm..... 18, 52
25306	HealDesign™ EV 4.8 Ø 6.5 – 4.5 mm..... 10, 18, 52
25798	HealDesign™ EV 4.8 Ø 6.5 – 6.5 mm..... 10, 18, 52
25307	HealDesign™ EV 4.8 Ø 6.5 – 3.5 mm Triangular..... 10, 18
25918	HealDesign™ EV 4.8 Ø 7.5 – 3.5 mm..... 18, 52
25919	HealDesign™ EV 4.8 Ø 7.5 – 4.5 mm..... 18, 52
25921	HealDesign™ EV 5.4 Ø 6.5 – 2.5 mm..... 18
25308	HealDesign™ EV 5.4 Ø 6.5 – 4.5 mm..... 12, 18
25309	HealDesign™ EV 5.4 Ø 6.5 – 3.5 mm..... 12, 18
25799	HealDesign™ EV 5.4 Ø 6.5 – 6.5 mm..... 12, 18
25922	HealDesign™ EV 5.4 Ø 7.5 – 3.5 mm..... 18
25923	HealDesign™ EV 5.4 Ø 7.5 – 4.5 mm..... 18
25584	HealDesign™ Profile EV 4.2, Ø 5..... 50, 56
25585	HealDesign™ Profile EV 4.2, Ø 5 Triangular..... 50, 56
25586	HealDesign™ Profile EV 4.2, Ø 6.5 Triangular..... 50, 56
25587	HealDesign™ Profile EV 4.2, Ø 5..... 50, 56
25588	HealDesign™ Profile EV 4.8, Ø 5 Triangular..... 52, 56



REF	page
25589	HealDesign™ Profile EV 4.8, Ø 6.5 .....52, 56
25590	HealDesign™ Profile EV 4.8, Ø 6.5 Triangular.....52, 56
25591	HealDesign™ Profile EV 4.8, Ø 5 .....52, 56
25574	Healing Uni EV 3.0 – 2 mm .....4, 19
25575	Healing Uni EV 3.0 – 3 mm .....4, 19
25576	Healing Uni EV 3.0 – 4 mm .....4, 19
25577	Healing Uni EV 3.0 – 6 mm .....4, 19
25285	Healing Uni EV 3.6 – 2 mm/Ø 4.....6, 19
25578	Healing Uni EV 3.6 – 3 mm/Ø 4.....6, 19
25286	Healing Uni EV 3.6 – 4 mm/Ø 4.....6, 19
25287	Healing Uni EV 3.6 – 6 mm/Ø 4.....6, 19
25288	Healing Uni EV 4.2 – 2 mm/Ø 4.....8, 19, 50
25579	Healing Uni EV 4.2 – 3 mm/Ø 4.....8, 19, 50
25289	Healing Uni EV 4.2 – 4 mm/Ø 4.....8, 19, 50
25290	Healing Uni EV 4.2 – 6 mm/Ø 4.....8, 19, 50
25291	Healing Uni EV 4.8 – 2 mm/Ø 4.3.....10, 19, 50
25580	Healing Uni EV 4.8 – 3 mm/Ø 4.3.....10, 19, 52
25292	Healing Uni EV 4.8 – 4 mm/Ø 4.3.....10, 19, 50
25293	Healing Uni EV 4.8 – 6 mm/Ø 4.3.....10, 19, 50
25294	Healing Uni EV 5.4 – 2 mm/Ø 4.8.....12, 19
25581	Healing Uni EV 5.4 – 3 mm/Ø 4.8.....12, 19
25295	Healing Uni EV 5.4 – 4 mm/Ø 4.8.....12, 19
25296	Healing Uni EV 5.4 – 6 mm/Ø 4.8.....12, 19
25727	Hex Driver EV Machine Intermediate, 24 mm .....43, 45
25728	Hex Driver EV Machine Long, 35 mm .....43, 45
25790	Hex Driver EV Machine Short, 20 mm.....43, 45
25772	Hex Driver EV Manual Intermediate, 31 mm .....43, 45, 73
25773	Hex Driver EV Manual Long, 38 mm .....43, 45, 73
25771	Hex Driver EV Manual Short, 20 mm .....43, 45, 73
25710	Implant Depth Gauge EV .....42
25377	Implant Driver EV 3.0 Long .....42
25379	Implant Driver EV 3.6 Long .....42
25378	Implant Driver EV 3.6 Short.....42
25381	Implant Driver EV 4.2 Long .....42
25380	Implant Driver EV 4.2 Short.....42
25383	Implant Driver EV 4.8 Long .....42
25382	Implant Driver EV 4.8 Short.....42
25385	Implant Driver EV 5.4 Long .....42
25384	Implant Driver EV 5.4 Short.....42
26016	Implant Driver EV-GS 3.6.....66
26017	Implant Driver EV-GS 4.2.....66
26018	Implant Driver EV-GS 4.8.....66
26019	Implant Driver EV-GS Profile 4.2.....66
26020	Implant Driver EV-GS Profile 4.8.....66
26021	Implant Driver Extender EV-GS.....66
25464	Implant Driver Profile EV 4.2 Short.....55
25465	Implant Driver Profile EV 4.2 Long .....55
25466	Implant Driver Profile EV 4.8 Short.....55
25467	Implant Driver Profile EV 4.8 Long .....55
25513	Implant Pick-Up EV 3.0 Long .....5, 24
25515	Implant Pick-Up EV 3.6 Long .....7, 24
25516	Implant Pick-Up EV 3.6 Short.....7, 24
25517	Implant Pick-Up EV 4.2 Long .....9, 24
25518	Implant Pick-Up EV 4.2 Short.....9, 24
25519	Implant Pick-Up EV 4.8 Long .....11, 24
25520	Implant Pick-Up EV 4.8 Short.....11, 24
25522	Implant Pick-Up EV 5.4 Short.....13, 24
25523	Implant Pick-Up Design EV 3.0 .....5, 24
25524	Implant Pick-Up Design EV 3.6 .....7, 24
25525	Implant Pick-Up Design EV 4.2 .....9, 24
25526	Implant Pick-Up Design EV 4.8 .....11, 24
25527	Implant Pick-Up Design EV 5.4 .....13, 24
25604	Implant Pick-Up Design Profile EV 4.2 .....51, 59
25605	Implant Pick-Up Design Profile EV 4.8 .....53, 59
25600	Implant Pick-Up Profile EV 4.2, Long .....50, 59
25601	Implant Pick-Up Profile EV 4.2, Short.....50, 59
25602	Implant Pick-Up Profile EV 4.8, Long .....52, 59
25603	Implant Pick-Up Profile EV 4.8, Short.....52, 59

REF	page
25543	Implant Replica EV 3.0 .....5, 25
25544	Implant Replica EV 3.6 .....7, 25
25545	Implant Replica EV 4.2 .....9, 25
25546	Implant Replica EV 4.8 .....11, 25
25547	Implant Replica EV 5.4 .....13, 25
25610	Implant Replica Profile EV 4.2 .....51, 59
25611	Implant Replica Profile EV 4.8 .....53, 59
22192	Implant Retriever .....72
25534	Implant Transfer EV 3.0 Long.....5, 25
25535	Implant Transfer EV 3.6 Short.....7, 24
25536	Implant Transfer EV 3.6 Long.....7, 25
25537	Implant Transfer EV 4.2 Short.....9, 24
25538	Implant Transfer EV 4.2 Long.....9, 25
25539	Implant Transfer EV 4.8 Short.....11, 24
25540	Implant Transfer EV 4.8 Long.....11, 25
25541	Implant Transfer EV 5.4 Short.....13, 24
25542	Implant Transfer EV 5.4 Long.....13, 25
25606	Implant Transfer Profile EV 4.2, Short.....51, 59
25607	Implant Transfer Profile EV 4.2, Long.....51, 59
25608	Implant Transfer Profile EV 4.8, Short.....53, 59
25609	Implant Transfer Profile EV 4.8, Long.....53, 59
24360	Implant Unit SI-915, 115 V .....44
24412	Implant Unit SI-923, 230 V.....44
26013	Initial Drill Ø 3.6.....62
26014	Initial Drill Ø 4.2.....62
26015	Initial Drill Ø 4.8.....62
22177	Irrigation Tubing 2.2 m Sterile .....44
25643	Lab Abutment Pin EV Short.....5, 7, 9, 11, 13, 30, 47, 51, 53
25644	Lab Abutment Pin EV Intermediate .....5, 7, 9, 11, 13, 30, 47, 51, 53
25645	Lab Abutment Pin EV Long.....5, 7, 9, 11, 13, 30, 47, 51, 53
25476	Lab Abutment Screw EV 3.0.....5, 25, 47
25477	Lab Abutment Screw EV 3.6 – M1.6.....7, 25, 47
25478	Lab Abutment Screw EV 4.2 – M1.8 .....9, 25, 47, 50, 59
25479	Lab Abutment Screw EV 4.8 – M2 .....11, 25, 47, 52, 59
25480	Lab Abutment Screw EV 5.4 – M2 .....13, 25, 47
25656	Lab Bridge Screw EV – M1.8.....5, 7, 9, 11, 13, 30, 47, 51, 53
25528	Lab Pin Design EV 3.0/3.6.....5, 7, 25, 47
25530	Lab Pin Design EV 4.2/4.8/5.4 .....9, 11, 13, 25, 47, 50, 52
25769	Large Tray EV .....36, 61
25721	Large Tray EV, Overlay 1 .....36
25722	Large Tray EV, Overlay 2 .....36
25723	Large Tray EV, Overlay 3 .....36
26098	Large Tray EV Proline.....61
26099	Large Tray EV Streamline .....61
25657	Locator™ Abutment EV 3.6 – 1 mm.....6, 32
25658	Locator™ Abutment EV 3.6 – 2 mm.....6, 32
25659	Locator™ Abutment EV 3.6 – 3 mm.....6, 32
25660	Locator™ Abutment EV 3.6 – 4 mm.....6, 32
25661	Locator™ Abutment EV 3.6 – 5 mm.....6, 32
25662	Locator™ Abutment EV 4.2 – 1 mm.....8, 32, 50
25663	Locator™ Abutment EV 4.2 – 2 mm.....8, 32, 50
25664	Locator™ Abutment EV 4.2 – 3 mm.....8, 32, 50
25665	Locator™ Abutment EV 4.2 – 4 mm.....8, 32, 50
25666	Locator™ Abutment EV 4.2 – 5 mm.....8, 32, 50
25667	Locator™ Abutment EV 4.8 – 1 mm.....10, 32, 52
25668	Locator™ Abutment EV 4.8 – 2 mm.....10, 32, 52
25669	Locator™ Abutment EV 4.8 – 3 mm.....10, 32, 52
25670	Locator™ Abutment EV 4.8 – 4 mm.....10, 32, 52
25671	Locator™ Abutment EV 4.8 – 5 mm.....10, 32, 52
24484	Locator Abutment Pick-up .....6, 8, 10, 32, 50, 52
24485	Locator Abutment Replica.....7, 9, 11, 32, 51, 53
24482	Locator Core Tool.....32, 46
25766	Locator™ Driver EV.....32, 45
24488	Locator Insert Blue.....7, 9, 11, 33, 51, 53
24486	Locator Insert Clear .....7, 9, 11, 33, 51, 53
24489	Locator Insert Green .....7, 9, 11, 33, 51, 53
25679	Locator™ Insert Grey .....7, 9, 11, 33, 51, 53
25843	Locator™ Insert Orange .....7, 9, 11, 33, 51, 53

REF	page
24487	Locator Insert Pink ..... 7, 9, 11, 33, 51, 53
24492	Locator Insert Red..... 7, 9, 11, 33, 51, 53
24483	Locator Process Kit ..... 7, 9, 11, 33, 51, 53
25711	Mucosal Punch EV Ø 3.5..... 43
25712	Mucosal Punch EV Ø 4..... 43
25713	Mucosal Punch EV Ø 4.5..... 43
25714	Mucosal Punch EV Ø 5..... 43
25715	Mucosal Punch EV Ø 5.5..... 43
25731	Mucosal Punch EV Ø 6.5..... 43
25638	OD Cylinder EV ..... 7, 9, 11, 34, 51, 53
25212	OsseoSpeed™ EV 3.0 S – 8 mm..... 4, 16
25213	OsseoSpeed™ EV 3.0 S – 9 mm..... 4, 16
25214	OsseoSpeed™ EV 3.0 S – 11 mm..... 4, 16
25215	OsseoSpeed™ EV 3.0 S – 13 mm..... 4, 16
25216	OsseoSpeed™ EV 3.0 S – 15 mm..... 4, 16
25221	OsseoSpeed™ EV 3.6 S – 6 mm..... 6, 16
25222	OsseoSpeed™ EV 3.6 S – 8 mm..... 6, 16
25223	OsseoSpeed™ EV 3.6 S – 9 mm..... 6, 16
25224	OsseoSpeed™ EV 3.6 S – 11 mm..... 6, 16
25225	OsseoSpeed™ EV 3.6 S – 13 mm..... 6, 16
25226	OsseoSpeed™ EV 3.6 S – 15 mm..... 6, 16
25227	OsseoSpeed™ EV 3.6 S – 17 mm..... 6, 16
25231	OsseoSpeed™ EV 4.2 S – 6 mm..... 8, 16
25232	OsseoSpeed™ EV 4.2 S – 8 mm..... 8, 16
25233	OsseoSpeed™ EV 4.2 S – 9 mm..... 8, 16
25234	OsseoSpeed™ EV 4.2 S – 11 mm..... 8, 16
25235	OsseoSpeed™ EV 4.2 S – 13 mm..... 8, 16
25236	OsseoSpeed™ EV 4.2 S – 15 mm..... 8, 16
25237	OsseoSpeed™ EV 4.2 S – 17 mm..... 8, 16
25241	OsseoSpeed™ EV 4.8 S – 6 mm..... 10, 17
25242	OsseoSpeed™ EV 4.8 S – 8 mm..... 10, 17
25243	OsseoSpeed™ EV 4.8 S – 9 mm..... 10, 17
25244	OsseoSpeed™ EV 4.8 S – 11 mm..... 10, 17
25245	OsseoSpeed™ EV 4.8 S – 13 mm..... 10, 17
25246	OsseoSpeed™ EV 4.8 S – 15 mm..... 10, 17
25247	OsseoSpeed™ EV 4.8 S – 17 mm..... 10, 17
25251	OsseoSpeed™ EV 5.4 S – 6 mm..... 12, 17
25252	OsseoSpeed™ EV 5.4 S – 8 mm..... 12, 17
25253	OsseoSpeed™ EV 5.4 S – 9 mm..... 12, 17
25254	OsseoSpeed™ EV 5.4 S – 11 mm..... 12, 17
25255	OsseoSpeed™ EV 5.4 S – 13 mm..... 12, 17
25256	OsseoSpeed™ EV 5.4 S – 15 mm..... 12, 17
25262	OsseoSpeed™ EV 4.2 C – 8 mm..... 8, 16
25263	OsseoSpeed™ EV 4.2 C – 9 mm..... 8, 16
25264	OsseoSpeed™ EV 4.2 C – 11 mm..... 8, 16
25265	OsseoSpeed™ EV 4.2 C – 13 mm..... 8, 16
25266	OsseoSpeed™ EV 4.2 C – 15 mm..... 8, 16
25267	OsseoSpeed™ EV 4.2 C – 17 mm..... 8, 16
25272	OsseoSpeed™ EV 4.8 C – 8 mm..... 10, 17
25273	OsseoSpeed™ EV 4.8 C – 9 mm..... 10, 17
25274	OsseoSpeed™ EV 4.8 C – 11 mm..... 10, 17
25275	OsseoSpeed™ EV 4.8 C – 13 mm..... 10, 17
25276	OsseoSpeed™ EV 4.8 C – 15 mm..... 10, 17
25277	OsseoSpeed™ EV 4.8 C – 17 mm..... 10, 17
25440	OsseoSpeed™ Profile EV 4.2 PS – 8 mm..... 50, 54
25441	OsseoSpeed™ Profile EV 4.2 PS – 9 mm..... 50, 54
25442	OsseoSpeed™ Profile EV 4.2 PS – 11 mm..... 50, 54
25443	OsseoSpeed™ Profile EV 4.2 PS – 13 mm..... 50, 54
25444	OsseoSpeed™ Profile EV 4.2 PS – 15 mm..... 50, 54
25445	OsseoSpeed™ Profile EV 4.2 PS – 17 mm..... 50, 54
25446	OsseoSpeed™ Profile EV 4.8 PS – 8 mm..... 52, 54
25447	OsseoSpeed™ Profile EV 4.8 PS – 9 mm..... 52, 54
25448	OsseoSpeed™ Profile EV 4.8 PS – 11 mm..... 52, 54
25449	OsseoSpeed™ Profile EV 4.8 PS – 13 mm..... 52, 54
25450	OsseoSpeed™ Profile EV 4.8 PS – 15 mm..... 52, 54
25451	OsseoSpeed™ Profile EV 4.8 PS – 17 mm..... 52, 54
25452	OsseoSpeed™ Profile EV 4.2 PC – 8 mm..... 50, 54
25453	OsseoSpeed™ Profile EV 4.2 PC – 9 mm..... 50, 54

REF	page
25454	OsseoSpeed™ Profile EV 4.2 PC – 11 mm..... 50, 54
25455	OsseoSpeed™ Profile EV 4.2 PC – 13 mm..... 50, 54
25456	OsseoSpeed™ Profile EV 4.2 PC – 15 mm..... 50, 54
25457	OsseoSpeed™ Profile EV 4.2 PC – 17 mm..... 50, 54
25458	OsseoSpeed™ Profile EV 4.8 PC – 8 mm..... 52, 54
25459	OsseoSpeed™ Profile EV 4.8 PC – 9 mm..... 52, 54
25460	OsseoSpeed™ Profile EV 4.8 PC – 11 mm..... 52, 54
25461	OsseoSpeed™ Profile EV 4.8 PC – 13 mm..... 52, 54
25462	OsseoSpeed™ Profile EV 4.8 PC – 15 mm..... 52, 54
25463	OsseoSpeed™ Profile EV 4.8 PC – 17 mm..... 52, 54
25778	Polishing Protector Uni EV ..... 47
25161	Precision Drill EV ..... 38
26010	Punch EV-GS Ø 3.6..... 62
26011	Punch EV-GS Ø 4.2..... 62
26012	Punch EV-GS Ø 4.8..... 62
25500	Radiographic Implant Guides EV ..... 44
25637	Radiographic Implant Guides Profile EV ..... 55
25794	Rescue Driver Uni Abutment EV ..... 72
25860	Screw Extractor 0.8..... 71
25861	Screw Extractor 1.0..... 71
26022	Sleeve-on-Drill™ 1-Sleeve Ø1.9 ND ..... 67
26023	Sleeve-on-Drill™ 3/V-Sleeve Ø3.1 ND ..... 67
26024	Sleeve-on-Drill™ 4/V-Sleeve Ø3.7 ND ..... 67
26025	Sleeve-on-Drill™ X-Sleeve Ø3.45 ND..... 67
26026	Sleeve-on-Drill™ X-Sleeve Ø4.05 ND..... 67
26027	Sleeve-on-Drill™ 1-Sleeve Ø1.9 WD..... 67
26028	Sleeve-on-Drill™ 3-Sleeve Ø3.1 WD..... 67
26029	Sleeve-on-Drill™ 4/V-Sleeve Ø3.7 WD ..... 67
26030	Sleeve-on-Drill™ 5/V-Sleeve Ø4.3 WD ..... 67
26031	Sleeve-on-Drill™ X-Sleeve Ø4.05 WD ..... 67
26032	Sleeve-on-Drill™ X-Sleeve Ø4.65 WD ..... 67
68108	Suction tube Medena ..... 44
68118	Suction tube Medena ..... 44
68130	Suction tube Medena ..... 44
25508	Temp Abutment EV 3.0 ..... 4, 21
25509	Temp Abutment EV 3.6 ..... 6, 21
25510	Temp Abutment EV 4.2 ..... 8, 21
25511	Temp Abutment EV 4.8 ..... 10, 21
25512	Temp Abutment EV 5.4 ..... 12, 21
25758	Temp Abutment Profile EV 4.2 ..... 50, 57
25759	Temp Abutment Profile EV 4.8 ..... 52, 57
25503	TempDesign EV 3.0 ..... 4, 21
25504	TempDesign EV 3.6 ..... 6, 21
25505	TempDesign EV 4.2 ..... 8, 21
25506	TempDesign EV 4.8 ..... 10, 21
25507	TempDesign EV 5.4 ..... 12, 21
25756	TempDesign™ Profile EV 4.2 ..... 50, 57
25757	TempDesign™ Profile EV 4.8 ..... 52, 57
25862	Thread Cleaner M1.4 ..... 71
25863	Thread Cleaner M1.6 ..... 71
25864	Thread Cleaner M1.8 ..... 71
25865	Thread Cleaner M2.0..... 71
25330	TiDesign™ EV 3.0 Ø 4 – 2,5 mm..... 4, 22
25331	TiDesign™ EV 3.0 Ø 4 – 1,5 mm..... 4, 22
25332	TiDesign™ EV 3.0 15° Ø 4 – 1,5 mm..... 4, 22
25333	TiDesign™ EV 3.6 Ø 5.5 – 1.5/2,5 mm Triangular..... 6, 22
25334	TiDesign™ EV 3.6 Ø 4.5 – 2.5/3,5 mm ..... 6, 22
25335	TiDesign™ EV 3.6 20° Ø 4.5 – 1.5/2,5 mm ..... 6, 22
25336	TiDesign™ EV 4.2 Ø 5.5 – 1.5/2,5 mm Triangular..... 8, 22
25337	TiDesign™ EV 4.2 Ø 7 – 1.5/2,5 mm Triangular..... 8, 22
25338	TiDesign™ EV 4.2 Ø 5.5 – 2.5/3,5 mm ..... 8, 22
25339	TiDesign™ EV 4.2 20° Ø 5.5 – 1.5/2,5 mm ..... 8, 22
25340	TiDesign™ EV 4.8 Ø 5.5 – 1.5/2,5 mm Triangular..... 10, 22
25341	TiDesign™ EV 4.8 Ø 7 – 1.5/2,5 mm Triangular..... 10, 22
25342	TiDesign™ EV 4.8 Ø 7 – 2.5/3,5 mm ..... 10, 22
25343	TiDesign™ EV 4.8 20° Ø 5.5 – 1.5/2,5 mm ..... 10, 22
25344	TiDesign™ EV 5.4 Ø 7 – 2.5/3,5 mm ..... 12, 22
25345	TiDesign™ EV 5.4 Ø 7 – 1.5/2,5 mm ..... 12, 22








REF		page
25592	TiDesign™ Profile EV 4.2, Ø 5.5 Triangular	50, 58
25593	TiDesign™ Profile EV 4.2, Ø 7.0 Triangular	50, 58
25594	TiDesign™ Profile EV 4.2, Ø 5.5	50, 58
25595	TiDesign™ Profile EV 4.2, Ø 5.5 15°	50, 58
25596	TiDesign™ Profile EV 4.8, Ø 5.5 Triangular	52, 58
25597	TiDesign™ Profile EV 4.8, Ø 7.0 Triangular	52, 58
25598	TiDesign™ Profile EV 4.8, Ø 7.0	52, 58
25599	TiDesign™ Profile EV 4.8, Ø 5.5 15°	52, 58
25924	TitaniumBase EV 3.0 Ø 4 – 5 mm	26
25925	TitaniumBase EV 3.0 Ø 4 – 6 mm	26
25926	TitaniumBase EV 3.6 Ø 4.1 – 5 mm	26
25927	TitaniumBase EV 3.6 Ø 4.1 – 6 mm	26
25928	TitaniumBase EV 4.2 Ø 4.7 – 5 mm	26
25929	TitaniumBase EV 4.2 Ø 4.7 – 6 mm	26
25930	TitaniumBase EV 4.8 Ø 5 – 5 mm	26
25931	TitaniumBase EV 4.8 Ø 5 – 6 mm	26
25932	TitaniumBase EV 4.8 Ø 5.5 – 5 mm	26
25933	TitaniumBase EV 4.8 Ø 5.5 – 6 mm	26
22137	Titanium Bowl	42
25774	Torque Wrench EV	43, 46, 73
25776	Torque Wrench EV Restorative Driver Handle	46, 73
25777	Torque Wrench EV Restorative Driver Handle Low	46, 73
25730	Torque Wrench EV Restorative Driver Handle 4x4 Low	46
25775	Torque Wrench EV Surgical Driver Handle	43, 73
25866	Trephine Drill 3.0, 6–17 mm	72
25867	Trephine Drill 3.6, 6–17 mm	72
25868	Trephine Drill 4.2, P4.2, 6–17 mm	72
25869	Trephine Drill 4.8, P4.8, 6–17 mm	72
25870	Trephine Drill 5.4, 6–17 mm	72
25886	Trephine Drill 4.2, P4.2, 6–13 mm	72
25887	Trephine Drill 4.8, P4.8, 6–13 mm	72
25888	Trephine Drill 5.4, 6–13 mm	72
25555	Uni Abutment EV 3.0 – 2 mm	4, 29
25556	Uni Abutment EV 3.0 – 3 mm	4, 29
25557	Uni Abutment EV 3.0 – 5 mm	4, 29
25558	Uni Abutment EV 3.6 – 1 mm	6, 29
25559	Uni Abutment EV 3.6 – 2 mm	6, 29
25560	Uni Abutment EV 3.6 – 3 mm	6, 29
25561	Uni Abutment EV 3.6 – 5 mm	6, 29
25562	Uni Abutment EV 4.2 – 1 mm	8, 29, 50
25563	Uni Abutment EV 4.2 – 2 mm	8, 29, 50
25564	Uni Abutment EV 4.2 – 3 mm	8, 29, 50
25565	Uni Abutment EV 4.2 – 5 mm	8, 29, 50
25566	Uni Abutment EV 4.8 – 1 mm	10, 29, 52
25567	Uni Abutment EV 4.8 – 2 mm	10, 29, 52
25568	Uni Abutment EV 4.8 – 3 mm	10, 29, 52
25569	Uni Abutment EV 4.8 – 5 mm	10, 29, 52
25570	Uni Abutment EV 5.4 – 1 mm	12, 29
25571	Uni Abutment EV 5.4 – 2 mm	12, 29
25572	Uni Abutment EV 5.4 – 3 mm	12, 29
25573	Uni Abutment EV 5.4 – 5 mm	12, 29
25649	Uni Abutment EV Burnout Cylinder	5, 7, 9, 11, 13, 30, 51, 53
25616	Uni Abutment EV Heal Cap Ø 4.3 – 4.5 mm	4, 6, 8, 10, 12, 30, 50, 52
25617	Uni Abutment EV Heal Cap Ø 5.5 – 4.5 mm	4, 6, 8, 10, 12, 30, 50, 52
25952	Uni Abutment EV Heal Cap Short Ø 4.3 – 3.4 mm	30, 50, 52







REF		page
25953	Uni Abutment EV Heal Cap Short Ø 5.5 – 3.4 mm	30, 50, 52
25641	Uni Abutment EV Pick-Up Ø 4.3	4, 6, 8, 10, 12, 30, 50, 52
25642	Uni Abutment EV Pick-Up Ø 5.5	4, 6, 8, 10, 12, 30, 50, 52
25615	Uni Abutment EV Replica	5, 7, 9, 11, 13, 30, 51, 53
25647	Uni Abutment EV Semi-Burnout Cylinder	5, 7, 9, 11, 13, 30, 51, 53
25648	Uni Abutment EV Temporary Cylinder	5, 7, 9, 11, 13, 30, 51, 53
25646	Uni Abutment EV Transfer	5, 7, 9, 11, 13, 30, 51, 53
25708	Uni Driver EV	30, 45
3107 1000	Washtray Astra Tech Implant System™ EV	37
3107 1020	Washtray GS Astra Tech Implant System™ EV	37, 61
3107 1002	Washtray Sterilization Container ATIS EV	37
26084	V-Drill EV-GS 3.6-4.2C, Ø 3.1, 6–8 mm	65
26085	V-Drill EV-GS 3.6-4.2C, Ø 3.1, 9–11 mm	65
26086	V-Drill EV-GS 3.6-4.2C, Ø 3.1, 13–15 mm	65
26087	V-Drill EV-GS 4.2, Ø 3.7, 6–8 mm	65
26088	V-Drill EV-GS 4.2, Ø 3.7, 9–11 mm	65
26089	V-Drill EV-GS 4.2, Ø 3.7, 13–15 mm	65
26090	V-Drill EV-GS 4.8C, Ø 3.7, 6–8 mm	65
26091	V-Drill EV-GS 4.8C, Ø 3.7, 9–11 mm	65
26092	V-Drill EV-GS 4.8C, Ø 3.7, 13–15 mm	65
26093	V-Drill EV-GS 4.8, Ø 4.3, 6–8 mm	65
26094	V-Drill EV-GS 4.8, Ø 4.3, 9–11 mm	65
26095	V-Drill EV-GS 4.8, Ø 4.3, 13–15 mm	65
25780	V – Twist Drill EV Ø 2.5, 6–17 mm	41
25781	V – Twist Drill EV Ø 3.1, 6–17 mm	41
25782	V – Twist Drill EV Ø 3.7, 6–17 mm	41
25783	V – Twist Drill EV Ø 4.3, 6–17 mm	41
25784	V – Twist Drill EV Ø 4.9, 6–17 mm	41
26072	X-Drill EV-GS 3.6-4.2C, Ø 3.1/3.45, 6–8 mm	65
26073	X-Drill EV-GS 3.6-4.2C, Ø 3.1/3.45, 9–11 mm	65
26074	X-Drill EV-GS 3.6-4.2C, Ø 3.1/3.45, 13–15 mm	65
26075	X-Drill EV-GS 4.2, Ø 3.7/4.05, 6–8 mm	65
26076	X-Drill EV-GS 4.2, Ø 3.7/4.05, 9–11 mm	65
26077	X-Drill EV-GS 4.2, Ø 3.7/4.05, 13–15 mm	65
26078	X-Drill EV-GS 4.8C, Ø 3.7/4.05, 6–8 mm	65
26079	X-Drill EV-GS 4.8C, Ø 3.7/4.05, 9–11 mm	65
26080	X-Drill EV-GS 4.8C, Ø 3.7/4.05, 13–15 mm	65
26081	X-Drill EV-GS 4.8, Ø 4.3/4.65, 6–8 mm	65
26082	X-Drill EV-GS 4.8, Ø 4.3/4.65, 9–11 mm	65
26083	X-Drill EV-GS 4.8, Ø 4.3/4.65, 13–15 mm	65
25482	X – Step Drill EV Ø 2.5/2.85, 6–13 mm	41
25483	X – Step Drill EV Ø 3.1/3.45, 6–13 mm	41
25484	X – Step Drill EV Ø 3.7/4.05, 6–13 mm	41
25485	X – Step Drill EV Ø 4.3/4.65, 6–13 mm	41
25486	X – Step Drill EV Ø 4.9/5.25, 6–13 mm	41
25315	ZirDesign™ EV 3.6 Ø 5.5 – 1.5 mm Triangular	6, 23
25316	ZirDesign™ EV 3.6 Ø 4.5 – 2.5 mm	6, 23
25317	ZirDesign™ EV 3.6 20° Ø 4.5 – 1.5 mm	6, 23
25318	ZirDesign™ EV 4.2 Ø 5.5 – 1.5 mm Triangular	8, 23
25319	ZirDesign™ EV 4.2 Ø 7 – 1.5 mm Triangular	8, 23
25320	ZirDesign™ EV 4.2 Ø 5.5 – 2.5 mm	8, 23
25321	ZirDesign™ EV 4.2 20° Ø 5.5 – 1.5 mm	8, 23
25322	ZirDesign™ EV 4.8 Ø 5.5 – 1.5 mm Triangular	10, 23
25323	ZirDesign™ EV 4.8 Ø 7 – 1.5 mm Triangular	10, 23
25324	ZirDesign™ EV 4.8 Ø 7 – 2.5 mm	10, 23
25325	ZirDesign™ EV 4.8 20° Ø 5.5 – 1.5 mm	10, 23

## Torque guide for ASTRA TECH Implant System™ EV

Installation procedures	Recommended torque
Implant installation	≤45 Ncm
Healing components	Manual/light finger force (5–10 Ncm)
Temporary restoration on all levels	15 Ncm
Final restoration on implant level	25 Ncm
Final restoration on abutment level	15 Ncm

## Explanation of the symbols on labels and instructions for use

Symbol	Text
 Date of manufacture	Date of manufacture.
 Use by	Expire date.
	Sterilized using irradiation.
	<b>Caution:</b> Federal (USA) law restrict this product to sale by or on a order of a dentist.
 Single use	Do not re-use, Single use only.
 Do not re-sterilize	Do not re-sterilize.
	GOST is the valid quality certification system in Russian Federation.

Symbol	Text
	ASTRA TECH Implant System™ products carry the CE mark and fulfill the requirements of the medical devices directive.
 Do not use if package is damaged	Do not use if package is damaged.
 Consult instructions for use	Consult instructions for use.
	LOT/BATCH number.
	Article number.
	Contains article number (GTIN number), lot number and quantity.





#### About DENTSPLY Implants

DENTSPLY Implants offers comprehensive solutions for all phases of implant therapy, including ANKYLOS®, ASTRA TECH Implant System™ and XiVE® implant lines, digital technologies, such as ATLANTIS™ patient-specific CAD/CAM solutions and SIMPLANT® guided surgery, SYMBIOS® regenerative solutions, and professional and business development programs, such as STEPPS™. DENTSPLY Implants creates value for dental professionals and allows for predictable and lasting implant treatment outcomes, resulting in enhanced quality of life for patients.

#### About DENTSPLY International

DENTSPLY International Inc. is a leading manufacturer and distributor of dental and other healthcare products. For over 115 years, DENTSPLY's commitment to innovation and professional collaboration has enhanced its portfolio of branded consumables and small equipment. Headquartered in the United States, the Company has global operations with sales in more than 120 countries.

Follow DENTSPLY Implants



[www.dentsplyimplants.com](http://www.dentsplyimplants.com)

