

Front-Dent cikkszám	Megnevezés	Tartalom	Nettó Eur	Bruttó Eur	Nettó Ft	Bruttó Ft
DS6386598	T1 Control S	with Sirona connection	761,26	966,79	255021	323876
DS6386754	T1 Control K	with Multiflex LUX® connection (KaVo)	761,26	966,79	255021	323876
DS6386770	T1 Control W	with ROTO Quick® connection (W&H)	761,26	966,79	255021	323876
DS6386812	T1 Control N	with MachLite/Phatelus® connection (NSK)	761,26	966,79	255021	323876
DS6386606	T1 Boost S	with Sirona connection	761,26	966,79	255021	323876
DS6386911	T1 Boost K	with Multiflex LUX® connection (KaVo)	761,26	966,79	255021	323876
DS6386929	T1 Boost W	with ROTO Quick® connection (W&H)	761,26	966,79	255021	323876
DS6386937	T1 Boost N	with MachLite/Phatelus® connection (NSK)	761,26	966,79	255021	323876
DS6386630	T1 mini S	with Sirona connection	761,26	966,79	255021	323876
DS6386994	T1 mini K	with Multiflex LUX® connection (KaVo)	761,26	966,79	255021	323876
DS6387000	T1 mini W	with ROTO Quick® connection (W&H)	761,26	966,79	255021	323876
DS6387018	T1 mini N	with MachLite/Phatelus® connection (NSK)	761,26	966,79	255021	323876
DS6386648	T2 Control S	with Sirona connection	624,06	792,55	209059	265504
DS6387737	T2 Control K	with Multiflex LUX® connection (KaVo)	624,06	792,55	209059	265504
DS6387752	T2 Control W	with ROTO Quick® connection (W&H)	624,06	792,55	209059	265504
DS6387760	T2 Control N	with MachLite/Phatelus® connection (NSK)	624,06	792,55	209059	265504
DS6386655	T2 Boost S	with Sirona connection	624,06	792,55	209059	265504
DS6387778	T2 Boost K	with Multiflex LUX® connection (KaVo)	624,06	792,55	209059	265504
DS6387786	T2 Boost W	with ROTO Quick® connection (W&H)	624,06	792,55	209059	265504
DS6387794	T2 Boost N	with MachLite/Phatelus® connection (NSK)	624,06	792,55	209059	265504
DS6386663	T2 mini S	with Sirona connection	624,06	792,55	209059	265504
DS6387802	T2 mini K	with Multiflex LUX® connection (KaVo)	624,06	792,55	209059	265504
DS6387810	T2 mini W	with ROTO Quick® connection (W&H)	624,06	792,55	209059	265504
DS6387828	T2 mini N	with MachLite/Phatelus® connection (NSK)	624,06	792,55	209059	265504
DS6387919	T3 Boost S	with Sirona connection	452,04	574,09	151435	192322
DS6387927	T3 Boost K	with Multiflex LUX® connection (KaVo)	452,04	574,09	151435	192322
DS6387935	T3 Boost W	with ROTO Quick® connection (W&H)	452,04	574,09	151435	192322
DS6387943	T3 Boost NQ	with QD-J® connection (NSK)	452,04	574,09	151435	192322
DS6387950	T3 mini S	with Sirona connection	452,04	574,09	151435	192322
DS6387968	T3 mini K	with Multiflex LUX® connection (KaVo)	452,04	574,09	151435	192322
DS6387976	T3 mini W	with ROTO Quick® connection (W&H)	452,04	574,09	151435	192322
DS6387984	T3 mini NQ	with QD-J® connection (NSK)	452,04	574,09	151435	192322
DS6460385	T3 Racer Midwest	with Midwest 4-hole connection	207,34	263,32	69458	88211
DS6460427	T3 Racer Borden	with Borden 2/3-hole connection	207,34	263,32	69458	88211
DS6601731	T3 mini Midwest	with Midwest 4-hole connection	207,34	263,32	69458	88211
DS6601756	T3 mini Borden	with Borden 2/3-hole connection	203,24	258,12	68086	86469
DS6486240	T3/T4 Racer spare rotor SN> 600.000		92,15	117,03	30870	39205
DS6627124	T3 mini spare rotor SN > 600.000		92,15	117,03	30870	39205
DS5948968	T3F Racer spare rotor SN <100.000		92,15	117,03	30870	39205
DS5948976	T3F mini spare rotor SN < 108.399		92,15	117,03	30870	39205
DS6319706	Sirona quick coupling R (LED), for T1 / T2 Turbines	Sirona quick coupling R (LED), for T1 / T2 Turbines 4 hole standard connection with LED light and spray regulation, with anti-retraction stop	210,41	267,22	70487	89518
DS1894588	Sirona quick coupling R, for T1 / T2 Turbines	Sirona quick coupling R, for T1 / T2 Turbines 4 hole standard connection with light and spray regulation, with anti-retraction stop	188,39	239,26	63112	80152
DS4174467	Sirona quick coupling F, for T1 / T2 Turbines	4 hole standard connection with light, spray regulation, and with anti-retraction stop. For units without exhaust of drive air in the unit. Drive air exhausts between quick coupling and hose connection to avoid power- impairing anti-retraction.	188,39	239,26	63112	80152
DS5861724	Sirona quick coupling B, for T3 Turbines	Sirona quick coupling B, for T3 Turbines 4 hole standard connection without light, without spray regulation and with anti-retraction stop. For units without exhaust of drive air in the unit . Drive air exhausts between quick coupling and hose connecti	97,27	123,53	32585	41383
DS6314558	Dentsply Sirona LED	For the BL/BL E and BL ISO motors (not the BL ISO C/E/S motors) as well as the SL/SL ISO and EL1 motors; compatible with the brown and green halogen lamps. The LED can be used in the following Dentsply Sirona treatment centers: M1-90, M1-94, M1-96, Siro	37,12	47,14	12434	15791
DS5940291	Lamp (brown)	for Sprayvit L	18,84	23,93	6311	8015
DS4175803	O-ring set f. Sirona quick coupling (two sets each)		14,64	18,59	4905	6229
DS5866749	3 nozzles service set	incl. tools, 2 spray rings, 4 O-rings, 4 screws	99,32	126,13	33271	42254
DS5866715	3 nozzles spray ring set	incl. 1 spray ring, 2 O-rings, 2 screws	31,64	40,18	10599	13460
DS6090786	SiroBreeze	Cleaning fluid for maintenance of the chuck of the SiroPure instruments	23,65	30,04	7923	10063
DS6547694	T1 Boost spare rotor, incl. torque wrench		165,87	210,65	55566	70569
DS6548106	T1 mini spare rotor, incl. torque wrench		165,87	210,65	55566	70569

Front-Dent cikkszám	Megnevezés	Tartalom	Nettó Eur	Bruttó Eur	Nettó Ft	Bruttó Ft
DS6548122	T2/T3 Boost spare rotor, incl. torque wrench		137,71	174,89	46134	58590
DS6548130	T2/T3 mini spare rotor, incl. torque wrench		137,71	174,89	46134	58590
DS6432608	T1 Control spare rotor, incl. torque wrench		165,87	210,65	55566	70569
DS6432624	T1 Boost spare rotor, incl. torque wrench		165,87	210,65	55566	70569
DS6432640	T1 mini spare rotor, incl. torque wrench		165,87	210,65	55566	70569
DS6432590	T2 Control spare rotor, incl. torque wrench		137,71	174,89	46134	58590
DS6432616	T2/T3 Boost spare rotor, incl. torque wrench		137,71	174,89	46134	58590
DS6432632	T2/T3 mini spare rotor, incl. torque wrench		137,71	174,89	46134	58590
DS4175217	Spare Rotor for T 1 CONTROL	T1 Control spare rotor	206,82	262,67	69286	87993
DS4178591	T1 mini spare rotor	T1 mini spare rotor	206,82	262,67	69286	87993
DS5868299	T2 Control spare rotor	T1/T2 Control spare rotor	176,11	223,66	58996	74925
DS5868315	T2 mini spare rotor	T1/T2 mini spare rotor	176,11	223,66	58996	74925
DS5868307	T2 Racer spare rotor	T2 Racer spare rotor	176,11	223,66	58996	74925
DS6334598	SiroBoost spare rotor	SiroBoost spare rotor	180,71	229,51	60540	76885
DS6342435	Upgrade-kit for turbines Racer	SiroBoost spare rotor for use in turbines T2 Racer	180,71	229,51	60540	76885
DS5868323	T3 Racer spare rotor	T3 Racer spare rotor	115,70	146,94	38759	49224
DS5868331	T3 mini spare rotor	T3 mini spare rotor	115,70	146,94	38759	49224
DS5953054	TS2/1 spare rotor	TS2/TS1 turbines spare rotor	176,11	223,66	58996	74925
DS5951595	TM1 spare rotor (mini)	TM1 turbine spare rotor (mini)	176,11	223,66	58996	74925
DS5941802	Spray cap Dentsply Sirona connection	T1-T3 Turbines	3,07	3,90	1029	1307
DS5456954	Spray cap Multiflex LUX® connection (KaVo)	T1-T3 Turbines	11,26	14,30	3773	4792
DS5456970	Spray cap ROTO Quick® connection (W&H)	T1-T3 Turbines	17,92	22,76	6003	7623
DS5829796	Spray cap Unifix® connection (BienAir)	T1-T3 Turbines	18,94	24,06	6346	8059
DS5867911	Spray cap Mach-/Phatelus® connection (NSK)	T1-T3 Turbines	16,38	20,81	5488	6970
DS5862243	Spray cap QD-J® connection (NSK)	T3 Turbines	19,97	25,36	6689	8494
DS8916074	Handpiece tray	(without handpieces)	87,03	110,53	29155	37027
DS5901665!	T1 Spray	Non-polluting oil for cleaning and maintenance 6 x 250 ml	96,24	122,23	32242	40947
DS5911586	Pressure-balancing valve		6,35	8,06	2127	2701
DS5958579	Wiederaufbereitung	Reconditioning of handpieces and contra-angle handpieces (de, en, fr, es, it, nl, jp, ko)	0,00	0,00	0	0
DS6576065	T2 S-Line AS 200 L	Step-up 1:5, red Ceramic ball bearings 4-nozzle spray	531,91	675,52	178189	226299
DS6576073	T2 S-Line AS 40 L	Transmission 1:1, blue Single spray	393,68	499,98	131884	167492
DS6576081	T2 S-Line AS 6 L	Step-down 6:1, green Single spray	420,30	533,78	140802	178818
DS6576123	T3 S-Line ES 200	Step-up 1:5, red Ceramic ball bearings 4-nozzle spray	425,42	540,29	142517	180996
DS6576131	T3 S-Line ES 40	Transmission 1:1, blue Single spray	287,20	364,74	96212	122189
DS6576149	T3 S-Line ES 6	Step-down 6:1, green Single spray	313,82	398,55	105130	133514
DS5898866	T1 Classic S 200 L	Step-up 1:5, red Ceramic ball bearings 4-nozzle spray	868,25	1102,68	290864	369397
DS5898874	T1 Classic S 40 L	Transmission 1:1, blue Single spray	597,43	758,74	200141	254178
DS5898882	T1 Classic S 6 L	Step-down 6:1, green Single spray	627,13	796,45	210088	266811

Front-Dent cikkszám	Megnevezés	Tartalom	Nettó Eur	Bruttó Eur	Nettó Ft	Bruttó Ft
DS5898890	T1 Classic S 1.6 L	Step-down 24:1, green Single spray	650,16	825,71	217805	276612
DS6031400	T1 Classic SH 40 L	Transmission 1:1, blue Single spray	487,37	618,96	163268	207350
DS5899278	T1 Classic Propy	For prophylaxis For screw-in and snap-on instruments, Step-down 2.4:1, single spray	588,22	747,04	197054	250258
DS5899237	Stroke 0.4 w/o Lamineer tips	T1 Classic EVA 04 L (Stroke 0.4 mm)	651,70	827,66	218320	277266
DS5899245	Stroke 1.1 w/o Lamineer tips	T1 Classic EVA 11 L (Stroke 1.1 mm)	651,70	827,66	218320	277266
DS5899260	T1 Classic Endo L	Push-button chuck for endo hand instruments (Ø 3.6 - 4 mm) with adapter also for endo steel files (Ø 2.35 mm) Alternating rotation approx. 60°	627,13	796,45	210088	266811
DS5899252	T1 Classic KM 1,6 L	Oral surgery according to Kirschner/Meyer With push-button chuck for contra-angle hollow drill and grinders (Ø 2.35 mm), connection for physiological saline solution Step-down 24:1	651,70	827,66	218320	277266
DS4174079	Spray clip H for handpieces	Spray clip H for handpieces (for T1 and T2)	8,70	11,05	2916	3703
DS4174087	Spray clip C for contra-angles		26,62	33,81	8918	11326
DS5917419	NaCL silicon hose, thin, 200 mm long (6 pieces)		25,60	32,51	8575	10890
DS8916074	Handpiece tray	(without handpieces)	87,03	110,53	29155	37027
DS5901665!	T1 Spray	Non-polluting oil for cleaning and maintenance 6 x 250 ml	96,24	122,23	32242	40947
DS1894299!	T1 Spray	Non-polluting oil for cleaning and maintenance 50 ml	10,24	13,00	3430	4356
DS5953930	T1 Classic Spray insert		3,07	3,90	1029	1307
DS4176223	Air deflection plate for contra-angle drills Ø 2.35 mm	Chip blower air rejector	0,51	0,65	172	218
DS8925679	Screw-in button	Screw-in button for snap-on caps and brushes	6,71	8,52	2247	2853
DS5910984	Key bar Classic	for T1 Classic Propy	4,15	5,27	1389	1764
DS3327793	Chuck tester	for FG chuck Ø 1.6 mm	69,11	87,77	23153	29404
DS5869669	Adapter Endo	For using endo steel files (Ø 2.35 mm)	30,97	39,33	10376	13177
DS5866749	3 nozzles service set	incl. tools, 2 spray rings, 4 O-rings, 4 screws	99,32	126,13	33271	42254
DS5866715	3 nozzles spray ring set	incl. 1 spray ring, 2 O-rings, 2 screws	31,64	40,18	10599	13460
DS6090786	SiroBreeze	Cleaning fluid for maintenance of the chuck of the SiroPure instruments	23,65	30,04	7923	10063
DS5958579	Wiederaufbereitung	Reconditioning of handpieces and contra-angle handpieces (de, en, fr, es, it, nl, jp, ko)	0,00	0,00	0	0
DS3328452	T1Line C 200 L	Step-up 1:5, red Ceramic ball bearings 4-nozzle spray	761,77	967,44	255192	324094
DS3328437	T1 Line C 40 L	T1 Line C 40 L Transmission 1:1, blue Single spray	473,03	600,75	158466	201252
DS3328429	T1 Line C 6 L	Step-down 6:1, green Single spray	498,12	632,61	166870	211924
DS3328411	T1 Line C 1.6 L	Step-down 24:1, green Single spray	548,80	696,98	183848	233487
DS6031277	T1 Line H 40 L	Transmission 1:1, blue Single spray	415,18	527,28	139087	176640
DS1894901	T1 LINE Propy	T1 Line Propy For prophylaxis For screw-in and snap-on instruments Single spray Step-down 2.4:1	340,95	433,01	114219	145058
DS1894737	T1 Line Condens	For condensation of amalgam with AVA Dentatus instruments	425,42	540,29	142517	180996
DS3329260	Stroke 0.4 w/o Lamineer tips	T1 Line EVA 04 L (Stroke 0.4 mm)	441,80	561,09	148005	187966
DS4177015	Stroke 1.1 w/o Lamineer Tips	T1 Line EVA 11 L (Stroke 1.1 mm)	441,80	561,09	148005	187966
DS5869552	T1 Line Endo L	Push-button chuck for endo hand instruments (Ø 3.6 - 4 mm) with adapter also for endo steel files (Ø 2.35 mm) Alternating rotation approx. 60°	509,38	646,91	170643	216716

Front-Dent cikkszám	Megnevezés	Tartalom	Nettó Eur	Bruttó Eur	Nettó Ft	Bruttó Ft
DS6527191	Endo 6 L	T1 Line Endo 6 L For endodontics / endometry Contra-angle handpiece for Teneo and Sinius with endodontic function, suitable for wireless APEX measurements, push-button chuck for NiTi files (Ø 2.35 mm) Gear reduction 6:1 1 year guarantee	543,68	690,47	182133	231309
DS6376177	T2 Line A 200 L	T2 Line A 200 L Step-up 1:5, red Ceramic ball bearings 4-nozzle spray	531,91	675,52	178189	226299
DS6376185	T2 Line A 40 L	T2 Line A 40 L Transmission 1:1, blue Single spray	393,68	499,98	131884	167492
DS6376193	T2 Line A 6 L	Step-down 6:1, green Single spray	420,30	533,78	140802	178818
DS6376201	T2 Line AH 40 L	T2 Line AH 40 L Transmission 1:1, blue Single spray	313,82	398,55	105130	133514
DS6392679	T3 Line E 200	Step-up 1:5, red Ceramic ball bearings 4-nozzle spray	425,42	540,29	142517	180996
DS6392687	T3 Line E 40	Transmission 1:1, blue Single spray	287,20	364,74	96212	122189
DS6392695	T3 Line E 6	Step-down 6:1, green Single spray	313,82	398,55	105130	133514
DS6392711	T3 Line EH 40	Transmission 1:1, blue Single spray	207,34	263,32	69458	88211
DS4174079	Spray clip H for handpieces	Spray clip H for handpieces (for T1 and T2)	8,70	11,05	2916	3703
DS4174087	Spray clip C for contra-angles		26,62	33,81	8918	11326
DS5917419	NaCl silicon hose, thin, 200 mm long (6 pieces)		25,60	32,51	8575	10890
DS8916074	Handpiece tray	(without handpieces)	87,03	110,53	29155	37027
DS5901665!	T1 Spray	Non-polluting oil for cleaning and maintenance 6 x 250 ml	96,24	122,23	32242	40947
DS1894299!	T1 Spray	Non-polluting oil for cleaning and maintenance 50 ml	10,24	13,00	3430	4356
DS8917858	Spray cap ISO		3,07	3,90	1029	1307
DS7036353	O-Ring for spray cap		1,38	1,76	463	588
DS4176223	Air deflection plate for contra-angle drills Ø 2.35 mm	Chip blower air rejector	0,51	0,65	172	218
DS8925679	Screw-in button	Screw-in button for snap-on caps and brushes	6,71	8,52	2247	2853
DS3327793	Chuck tester	for FG chuck Ø 1.6 mm	69,11	87,77	23153	29404
DS5876490	Key bar ISO	for T1 Line Propy	2,66	3,38	892	1133
DS5869669	Adapter Endo	For using endo steel files (Ø 2.35 mm)	30,97	39,33	10376	13177
DS6539089	Isolation sleeve for T1 Line Endo 6 L handpiece with light (5 pcs.)	for use with ApexLocator	12,90	16,38	4322	5489
DS5866749	3 nozzles service set	incl. tools, 2 spray rings, 4 O-rings, 4 screws	99,32	126,13	33271	42254
DS5866715	3 nozzles spray ring set	incl. 1 spray ring, 2 O-rings, 2 screws	31,64	40,18	10599	13460
DS6090786	SiroBreeze	Cleaning fluid for maintenance of the chuck of the SiroPure instruments	23,65	30,04	7923	10063
DS5958579	Wiederaufbereitung	Reconditioning of handpieces and contra-angle handpieces (de, en, fr, es, it, nl, jp, ko)	0,00	0,00	0	0
DS6174234	SiroNiTi Apex	Contra-angle for root canal preparation. In combination with the gold clip for the connection of an apex locator. With treatment head for NiTi files (Ø 2.35 mm), push-button chuck, one set of Torque Cards (ProFile®, ProTaper Universal™, PathFile™, ProTa	531,91	675,52	178189	226299

Front-Dent cikkszám	Megnevezés	Tartalom	Nettó Eur	Bruttó Eur	Nettó Ft	Bruttó Ft
DS6324615	SiroNiTi Air Plus Apex	Contra-angle for root canal preparation. In combination with the gold clip for the connection of an apex locator. With treatment head for NiTi files (Ø 2.35 mm), push-button chuck, Torque Cards ( (ProFile®, ProTaper Universal™, PathFile™, ProTaper Nex	531,91	675,52	178189	226299
DS6345230	Clip Ø 2 mm (gold plated)	e. g. for ProPex and ProPex II (Dentsply Sirona), Raypex 4® and Raypex 5® (VDW), Root ZX (Morita), Apex Pointer (MicroMega), iPEX (NSK), Mini Apex Locator (SybronEndo)	16,84	21,39	5642	7166
DS6345248	Clip Ø 1.5 mm (gold-plated)	e. g. Apex Master (EMS)	16,84	21,39	5642	7166
DS6324631	Isolation sleeve for Endo 6:1 handpiece (5 pcs.)		12,90	16,38	4322	5489
DS5983072	Adapter Basic for motor SL	Adapter Basic Apex To use with SiroNiTi Apex and SiroNiTi Air Plus Apex with the motors SL/BL For ISO 3964 interface for standard straight and contra-angle handpieces with light and without spray, sterilizable. 2 years guarantee	190,44	241,86	63798	81023
DS5901665!	T1 Spray	Non-polluting oil for cleaning and maintenance 6 x 250 ml	96,24	122,23	32242	40947
DS1894299!	T1 Spray	Non-polluting oil for cleaning and maintenance 50 ml	10,24	13,00	3430	4356
DS8917858	Spray cap ISO		3,07	3,90	1029	1307
DS7036353	O-Ring for spray cap		1,38	1,76	463	588
DS5958579	Wiederaufbereitung	Reconditioning of handpieces and contra-angle handpieces (de, en, fr, es, it, nl, jp, ko)	0,00	0,00	0	0
DS6401827	T4 Line B 40	Transmission 1:1, blue	140,78	178,80	47163	59896
DS6401843	T4 Line BH 40	Transmission 1:1, blue	103,92	131,98	34815	44214
DS6398775	Spray clip B		9,21	11,70	3087	3920
DS5917419	NaCl silicon hose, thin, 200 mm long (6 pieces)		25,60	32,51	8575	10890
DS6538792	Sprayclip BH		9,32	11,83	3121	3964
DS6624394	T4 Racer Midwest	with Midwest 4-hole connection	142,83	181,40	47849	60768
DS6624402	T4 Racer Borden	with Borden 2/3-hole connection	142,83	181,40	47849	60768
DS6386218	T4F Racer spare rotor SN < 450.000		72,18	91,67	24182	30711
DS6439884	Air Motor M		140,78	178,80	47163	59896
DS6439892	Air Motor B		140,78	178,80	47163	59896
DS6402049	T4 Line Kit BM		340,95	433,01	114219	145058
DS6402056	T4 Line Kit BO		340,95	433,01	114219	145058
DS6402064	T4 Line Kit BI		223,21	283,47	74774	94963
DS6418318	T4 Line Kit BMT		447,44	568,24	149891	190362
DS6418326	T4 Line Kit BOT		447,44	568,24	149891	190362
DS6433366	T4 Line Kit BMWT		394,19	500,63	132055	167710
DS5994277	Endo 6:1	Endo 6:1 Contra-angle for SiroEndo and SiroEndo Pocket and Intego with endodontic treatment function suitable for cable-free APEX measuring. Step down 6:1	315,87	401,15	105816	134386
DS6324631	Isolation sleeve for Endo 6:1 handpiece (5 pcs.)		12,90	16,38	4322	5489
DS6043702	Implant 20:1	Implant 20:1 with push-button chuck for drills (Ø 2.35 mm) with internal and external cooling spray for saline solution, reduction 20:1	546,24	693,73	182991	232398
DS8924896	Spray tube for T1 Classic KM L and	T1 Line KM/KM L	29,69	37,71	9947	12633
DS5455733	Spray parting for T1 Classic KM L and	T1 Line KM/KM L	24,98	31,73	8369	10629
DS5917419	NaCl silicon hose, thin, 200 mm long (6 pieces)		25,60	32,51	8575	10890
DS4176223	Air deflection plate for contra-angle drills Ø 2.35 mm	Chip blower air rejector	0,51	0,65	172	218
DS6001205	Irrigation hose 1-way, 10 pcs.		26,72	33,94	8952	11369
DS6001213	Irrigation hose 2-ways, 10 pcs.		34,30	43,56	11491	14593
DS6000009	Rubber foot		4,35	5,53	1458	1851
DS5999995	Solution rod NaCl		9,37	11,90	3138	3986
DS5999821	Motor support		9,73	12,35	3259	4138