

Sterilization, Hygiene and Maintenance

Sterilization, Hygiene and Maintenance



Hygiene standards at the highest level

Sterilization, hygiene and maintenance are increasingly important in the dental practice! W&H offers a complete solution for your handpieces, contra-angle handpieces and turbines on their way through the hygiene system.



You can find the exact work process for preparation of transmission instruments and motors at wh.com.

4 – 5
6 – 7
8 – 9
els transmission parts / 10 – 11
/ Lubrication 12 – 13
/ Lubrication 14 – 15
16 – 17
18 – 21
22 – 23
24 – 25
26 – 27
28 – 31
32
33 – 36
37 – 39



W&H Dentalwerk Bürmoos (A)



W&H Sterilization
Brusaporto (I)



Healthy development occurs when action is taken in advance. This applies for sterilization, hygiene and maintenance just as it does for W&H: after all, as a family-owned company, we have been operating with the appropriate far-sightedness for generations.

The secret to our success: W&H has always focussed on people — regardless of whether they are partners, customers, patients or employees. It would only be natural for you now to ask critically: Is that really put into practice? What we suggest: Put us to the test!



People have Priority

W&H at a glance

- > Head office in Austria
- > about 1,000 employees worldwide
- > over 100 teams
- > Established in Berlin in 1890 by Jean Weber and Hugo Hampel
- > 3 production facilities
- > 18 subsidiaries in Europe and Asia
- > Export share over 95%

For more information see wh.com



Whatever happens:


With W&H sterilization and hygienic programme you are always prepared.

Now at your dental supplier or at wh.com




»With automatic external cleaning the Assistina 3x3 is the first choice for the preparation of turbines and handpieces for the sterilization.«

MR Dr. Franz Hastermann,



»Now I have the certainty that my instruments can be reprocessed between treatments without additional waiting times for me or my patients. It's a win-win situation for my practice.«

Dr. Christian Müller, dentist with his own practice



Dr. Florian Gierl, dentist with his own practice

Your advantages at a glance

- > Automatic internal cleaning (gear parts and spray channels)
- > Automatic external cleaning (Assistina 3x3)
- > Perfect instrument lubrication
- > Short cycle time around 6 minutes
- > Simple operation
- > Optimum value for money
- > Validated process



Assistina TWIN

Assistina 3x3 / 3x2

Your advantages at a glance

- > Easy operation
- > Instrument maintenance in just 10 seconds
- > Non-stop loading through two process chambers that can be used alternately
- > Assistina TWIN Care Set sufficient for reprocessing up to 2,800 instruments
- > Active suction of aerosols with integrated HEPA filter
- > Wide range of adaptors



Your advantages at a glance

- > Automatic rotary lubrication
- > Automatic oil dispenser
- > Optimum instrument lubrication
- > Optimum cleaning of spray channels with cleaning solution
- > Flushing through with compressed air

Assistina 301 plus







»Lisa is an efficient sterilizer very easy to use. It makes our daily work much more easier!«

Dr. Kohlpaintner, dentist with his own practice



»We find the Lina to be the ideal basic model for economical instrument preparation.«

Dr. Jakob Svoboda, dentist with his own practice



»Change filters without wet feet, without a plumber and without lugging containers around.«

Dr. Maria Boshamer, veterinary surgeon with her own practice

Your advantages at a glance

- > User interface and user-friendly menu structure
- > Advanced patented Eco Dry technology enables type B cycles with a reduced cycle time of 30 minutes for 2 kg of load
- > Able to sterilize up to 9 kg with container load
- > Full traceability via Wi-Fi connection and Mobile App for Real Time Remote Monitoring
- > Revised design with minimized gaps for simple cleaning
- > Guided maintenance animations displayed on touch screen
- > Ethernet connection allows four sterilizers to share one label printer
- > Battery-operated door opening tool
- > Automatic diagnostic cycles
- > Programmable cycle start
- > Automatic water filling valve
- > Water separation system, dust filter and water quality sensor
- > Modular front feet



More information from page 19

Lisa

Your advantages at a glance

- > The ECO B cycle reduces the cycle time by half
- > Quiet operation with the patented water separation system
- > User-friendly keypad for simple navigation to all sterilization options
- > Built-in dust filter to protect internal components
- > Programmable cycle start
- > Excellent value for money
- > Integrated automatic water filling valve (optional)
- > Automatic digital cycle recording on USB stick (optional)

Lina



More information from page 21

Your advantages at a glance

- > Fast and easy cartridge change without tools
- > Cartridge can be positioned without a fixing/securing device
- > Suitable for use with conventional sterilizers and processing units
- > Flexible use with the spray gun
- > External power supply not required
- > Optimized ion exchange resin
- > The purified water complies with the recommendations and regulations for the operation of steam sterilizers and for the treatment and preparation of instruments.



Multidem

More information from page 29

Assistina 3x3 / 3x2 assistina axa

Perfect cleaning inside and outside

Clean inside, clean outside. Now you can concentrate on what is really important: your patients. The fully automatic Assistina 3x3 takes over the time-consuming process of preparing e.g. straight and contra-angle handpieces and turbines for sterilization.







The thorough cleaning of all transmission parts and spray channels ensures that the instrument operates correctly throughout its working life.



External cleaning

The removal of organic deposits before sterilization increases the safety of your patients and your practice team.



Perfect lubrication

The precise automatic lubrication of all transmission parts extends the working life of your instruments.



Record time

The short cycle time of about six minutes reduces the total conventional preparation time for your instruments.



Easy to use

The operation of the Assistina 3x3 is intuitive, preparation starts at the press of a button.

Absolutely no training required.



Price-performance ratio

Maximum cleaning efficiency with low purchase price and extremely economical in use.

Assistina 3x2

3 instruments x 2 preparation steps: Internal cleaning, lubrication

Assistina 3x3

3 instruments x 3 preparation steps: Internal cleaning, external cleaning, lubrication

Assistina TWIN



Oil service in record time

Simple, fast, efficient. The Assistina TWIN performs your instrument maintenance quicker than ever before.



Simple

First reprocessing device for dental instruments which is equipped with two process chambers that can be used alternately.



Fast

W&H has been able to reduce the maintenance process to a record time of just 10 seconds.



Efficient

Thanks to the smart process monitoring, the Assistina TWIN Care Set does not need to be replaced until after approximately 2,800 instruments.



Groundbreaking technology

Thorough, comprehensive oil service of gearing components (orange) and cleaning of spray channels (green) thanks to innovative oil nebulization technology.



Safe

All aerosols are eliminated from the process chambers via active suction and integrated HEPA filter.



Adaptors for all situations

The two chambers can be equipped with corresponding adaptors to suit your requirements.

Assistina 301 plus



Maintenance at the press of a button

Simple, easy to use and safe. The Assistina 301 plus maintenance process runs automatically: rotation lubrication, internal cleaning of spray channels, blow-drying with compressed air. The instrument is perfectly cleaned after only 35 seconds. The service life of the instruments is significantly increased.



Automatic rotary lubrication
The oil is optimally distributed to
form an even lubricating film. Dirt
particles are dislodged and removed.



Automatic oil dispenser
The system uses exactly the right amount of oil required for optimum lubrication of the instrument.
No more and no less.



Non-electrical drive
The Assistina 301 plus operates
without electrical power, only
requiring a compressed-air
connection for power.




Optimal cleaning
The Assistina 301 plus cleans and rinses the spray water and spray air channels with cleaning solution and dries them with compressed air.



Optimal care
Cleaning and lubricating the interior
with W&H Service Oil F1 extends the
service life of your instruments.



For perfect manual lubrication W&H Service Oil F1, MD-400, in the spray can is a product of W&H research.



Sterilization in record time

Cleaned, serviced, sterilized. The Assistina 3x3 cleaning process, in combination with the Lisa fast cycle, reduces the overall preparation time. You can use the instruments again after only 19 minutes.



Wipe disinfection

Disinfect the instruments before cleaning and servicing by wiping them.

Cleaning and care

The Assistina 3x3 cleans and services three instruments inside and outside in just 6 minutes.

Sterilization

With the Lisa fast cycle, the instruments can be removed from the sterilizer ready for use after only 13 minutes.



Assistina 3x3 / 3x2

The validation of the cleaning process is confirmed by expert opinion and can be viewed at wh.com.



Assistina 3x2

The Assistina 3x2 prepares instruments in two stages: internal cleaning, lubrication.

Lisa



Precision and perfection

Fast. Easy to use. Secure traceability. The W&H Lisa sterilizer is the modern and high quality device with highest sterilization efficiency. The sterilizer features accelerated type B sterilization cycles, an intuitive user interface and a unique system for Real Time Remote Monitoring.



Easy to use

The Lisa touch screen with intuitive menus offers a wide range of options to meet all your needs.



Performance

Reduced cycle time of 30 minutes for 2 kg of load, increases the life span of instruments and optimizes the energy consumption. The advanced patented Eco Dry technology adapts the drying time to the mass of the load.



3 special aluminium containers

may be sterilized at the same time in the same cycle. The ECO Dry function is automatically enabled for maximum efficiency.



Full optimization of traceability
Offered by the W&H Lisa Mobile App,
the LisaSafe label printer and
the USB drive.



Connected, easy, time saving
When units start talking, traceability
becomes a new meaning. Work in the
practice is easier and your team
saves time.



Ergonomics

Simple cleaning thanks to a smooth surface design with minimized gaps.

Lina



The essentials of sterilization

Simple and expandable. Lina is one of the range of W&H sterilizers which offers maximum safety and an excellent price-performance ratio with its type B cycles and a built-in USB data log.



Type B cycles exclusively
The Lina sterilizer works exclusively
with type B cycles and with short
ECO B cycles for smaller loads.



Simple navigation
All sterilization options are easily
accessible with the easily operated
keypad.




ECO B sterilization program
The cycle time can be reduced by half for small loads.



Built-in data log
The built-in data log means that
sterilization cycles can be saved to
a USB drive without needing cables
and external boxes.



Barcode label printer
The LisaSafe label printer can be connected to the sterilizer to print barcodes. Combined with the built-in data log your traceability system is enhanced.



Traceability at the press of a finger

Traceable, seamless, safe. The traceability concept is the link between the sterilization cycle and the patient file. This ensures seamless traceability for your hygiene protocol.



Risk-free cycle selection
The simple menu guidance makes it easy to select the automatic sterilization cycles.



Safe cycles
The process assessment system
monitors all current cycle
parameters and guarantees a
successful sterilization result.



Check and release of load
The sterile load is checked and released. The cycle report is automatically saved to the memory card.



Simple labelling
The printed barcode labels are
attached to the package with the
sterilized instruments.



The packed instruments are used according to the first-in, first-out principle (FIFO). They must be used before the expiration date.



Transmission of data
The data is read into the patient file
with the barcode scanner or the label
is attached to the patient card.

LisaSafe, Lisa Mobile App, Sprint



Accessories

Compact, practical, good. W&H offers a wide range of accessories for optimization of the sterilization process. Minor extras lead to major results. Work in the practice is easier and your team saves time.



LisaSafe label printer
The label printer is a quick and easy tool for linking the sterilization cycle with patient records.



Barcode scanner
LisaSafe includes a barcode scanner.
This enables you to scan labels into patient records.



Lisa Mobile App
With Lisa Mobile App you are able
to monitor up to 4 sterilizers in real
time. The Lisa App enables you to
retrieve cycle reports using the
camera of your mobile phone.



Sprint
Print out cycle protocols on thermal paper with 10-year paper guarantee.



Helix test
The Helix test is a test indicator suitable for type B sterilizers.

Seal²



A perfect sealing process

Express packaging with Seal². It is not easy to keep a product sterile. Only absolutely hermetic and strong protection of the sterile item from environmental influences will guarantee continuing sterility.



Seal²
The foil sealer creates a 12-mm wide seal in just two seconds.



Hermetic seal
The sealing temperature is
electronically controlled and
guarantees a perfectly
hermetic seal.



Patented double-roll holder
The patented double-roll holder
takes a wide range of widths.



Convenient and user-friendly
Handling is optimized with the
transparent sealing unit and the
integrated work surface.



The roll holder can be removed from the station and mounted on the wall. This allows flexible working in the smallest spaces.

Multidem



Water treatment systems

Ultrapure water for all systems. Multidem supplies demineralized water for steam generation and can be used for many conventional sterilizers and processing units.



User-friendly
Cartridges can be replaced quickly
without tools. The cartridge can be
positioned without a fixing/securing
device.




Compatible
Multidem is suitable for use with all
conventional sterilizers and
processing units.



Practical
In addition, Multidem is also
equipped with a spray gun and is
ideal for rinsing instruments prior to
sterilization and for manual filling of
other sterilizers and processing units.



Economical
Multidem does not require an
electrical connection. It has an
optimized ion exchange resin.



The purified water complies with the recommendations and regulations for the operation of steam sterilizers and for the preparation of instruments.

Osmo, Dist, Prim



Water treatment systems

High-quality demineralized water. The use of high-quality demineralized water guarantees consistent performance at the highest level and extends the service life of your sterilizer and your instruments.



Osmo
Osmo fills and drains multiple
sterilizers automatically and
simultaneously.



Spray gun
Osmo has a spray gun for manual
filling of other units or for rinsing
instruments prior to sterilization.



Tank
The water tank has a capacity
of nine litres.



LisaDist produces four litres of distilled water of the highest quality at a very low price in less than five hours.



Prim
LisaPrim checks water quality
by measuring the conductivity
of the water.

W&H adapter set for cleaning units and disinfectors

Compact, practical, universal. The W&H adapter set enables uncomplicated, validated machine preparation of accessories and small parts in the thermo washer disinfector – internal and external.



W&H adapter setThe W&H adapter set was specially

accessories and small parts.

designed for machine preparation of




Validated cleaning
Supports validated internal cleaning and disinfection of the lumina of instruments such as scaler tips or coolant tubes.



cleaning
A special attachment to the adapter
head guarantees that internal and
external threads are cleaned.

Internal and external thread



Universal application

Usable with all rinsing channels in the cleaner and disinfector with an internal thread of 8 mm (M8x1) or a matching rubber insert. The W&H adapter set is compatible with all tips with M3x0.5 mm thread. For a complete list see wh.com



Value for money

Maximum cleaning and disinfection
efficiency at a low purchase price.

Assistina 3x3 / 3x2

\in

Туре:	3x3	3x2
Process:	Internal and external cleaning, lubrication	Internal cleaning, lubrication
Suitable for:	Straight and contra-angle handpieces, turbin	es, air motors and air-driven scalers
Mains voltage:	100 – 240	V
Max. power consumption:	40 VA	
Air consumption:	approx. 100 NI/min.	approx. 60 NI/min.
Operating pressure:	5 – 10 bar (controlled via an integrated	automatic pressure controller)
Height / width / depth:	358 x 207 x 397 mm	
Capacity:	1000 ml W&H Activefluid, MC-1100, 200	ml W&H Service 0il F1, MD-200

For details of the various Assistina 3x3 and 3x2 adaptors, please visit wh.com



W&H Activefluid

Cleaning solution for thorough cleaning of instruments internally and externally for use with Assitina 3x3/3x2.

W&H Service Oil F1

The optimum lubrication of transmission parts increases the working life of precision dental instruments.

Assistina TWIN

\in

Туре:	MB-302 Assistina TWIN
Process:	Cleaning of spray channels, oil service
Suitable for:	Straight, contra-angle and turbine handpieces, air-driven scalers, air motors
Supply voltage:	100 – 240 V AC
Maximum power consumption:	18 VA
Air consumption:	Approx. 40 NI/min.
Operating pressure:	5-10 bar (controlled via an integrated, automatic pressure controller)
Dimensions (W x D x H):	297 x 435 x 190 mm
Weight:	3.5 kg
Capacity:	200 ml W&H Active Fluid cleaning solution 200 ml W&H Service Oil F1

Assistina 301 plus

$C \in$

Type:	Assistina 301 plus
Cycle time:	approx. 35 secs.
Capacity of service oil container:	250 ml for approx. 3,500 maintenance cycles
Capacity of cleaning fluid container:	250 ml for approx. 2,500 maintenance cycles
Connection:	Compressed air connection with quick swivel coupling for air hose 0 6 x 4 mm, 1/8" female thread
Compressed air:	4 – 10 bar flow pressure (automatic pressure regulation)
Air consumption:	approx. 60 l/min.
Height / width / depth:	223 x 190 x 415 mm
Weight:	2.70 kg

Lisa

C € C € 0051 0497 1940/000 1972/000

	Lisa 17	Lisa 22
Type:	VA131-17	VA131-22
Chamber size:	17 l	221
Power supply:	200 – 240 Vac; 50 / 60 Hz; 10 A	200 – 240 Vac; 50 / 60 Hz; 10 A
Power consumption:	2.0 – 2.4 kW	
Overall dimension (width x height x depth):	465 x 449 x 599 mm	
Weight (empty):	50.2 kg	51.7 kg
Main/Used water tanks:	4/	3.51
Working range:	7 to 12 cycles	
Usable space in chamber (width x height x depth):	195 x 195 x 297 mm	195 x 195 x 390 mm
Connection types:	1 Ethernet port, 3 USB ports, 1 serial port, i	ntegrated automatic water filling connection

Lina



	Lina 17	Lina 22
Туре:	PR013-003-17	PR013-003-22
Chamber size:	17 I	221
Power supply:		- 240 Vac O Hz; 10 A
Power consumption	2	? kW
Dimensions overall (W x H x D):	450 x 435 x 599 mm	
Weight:	39 kg	40 kg
Main/Used water tanks:	4 / 3.5 litres	
Working range:	5 to 10 cycles	
Usable space in chamber (W x H x D):	195 x 195 x 297 mm	195 x 195 x 390 mm
Connection type:	$1\text{serial port}, 1\text{USB} + 1\text{serial (optional)},\\ \text{integrated automatic water filling valve (optional)}$	

Multidem

Type:	Multidem C27	
Operating pressure:	2 bar – 8.6 bar (max.)	
Water temperature (inlet):	4 – 30 °C / 40 – 86 °F	
Nominal flow rate:	60 l/h	
Water quality (out):	demineralized (EN 13060)	
Water quality (in):	drinking water	
Weight:	2.7 kg	
Width/depth/height:	124 / 123 / 476 mm	
Operating position:	vertical	
Tube lengths:	2 x 3 m	
Safety valve:	yes	
Backflow preventer:	⟨EB⟩	


Osmo

Type:	Osmo
Dimensions (W x D x H) mm: 52	20 x 200 x 420
Weight:	11.0 kg
H ₂ 0 pressure:	1 – 5 bar

Seal²

Туре:	Seal ²
Mains supply:	200 - 240 V / 100 W
Dimensions (L x D x H) mm:	452 x 480 x min 315 – max 420
Weight:	7.1 kg

System overview adaptor – Assistina 3x3 / 3x2




^{*]} Multiflex® and Sirona are trademarks of third parties not affiliated with W&H Dentalwerk Bürmoos GmbH

System overview adaptor – Assistina TWIN

System overview adaptor – Assistina 301 plus

Straight and contraangle handpieces All straight and contra-angle handpieces with ISO connection Contra-angles with removable heads Adaptor REF 02679000 Adaptor HPI Sirona* T1 Classic REF 07477400 contra-angle handpieces Adaptor REF 02691000 FG chuck system (W&H, Sirona) Adaptor REF 02693000 Entran contra-angle head Adaptor REF 05204600 Turbines W&H turbines, air scaler and air motors with Roto Quick system W&H Adaptor REF 02690400 Sirona* T1, T2, T3 Adaptor REF 02692000 Turbines with Multiflex®* connection Adaptor REF 04713200 Turbines with Borden 2(3)-hole connection Adaptor REF 02083500 Turbines or adaptors with standard 4-hole connection (with or without light)



^{*)} Sirona and Multiflex® are trademarks of third parties not affiliated with W&H Dentalwerk Bürmoos GmbH

^{*)} Multiflex® and Sirona are trademarks of third parties not affiliated with W&H Dentalwerk Bürmoos GmbH

Sterilization, Hygiene and Maintenance

Scan the QR-Code with your mobile telephor for more information on our products



Pictures are for illustrative purposes only. Additional equipment and accessories shown are not included as standard.

W&H Dentalwerk Bürmoos GmbH Ignaz-Glaser-Straße 53, Postfach 1 5111 Bürmoos, Austria t + 43 6274 6236-0 f + 43 6274 6236-55 office@wh.com

wh.com

W&H Sterilization Srl.
Via Bolgara, 2
24060 Brusaporto (BG), Italy
t +39 035-66 63 000
f +39 035-50 96 988
office.sterilization@wh.com
wh.com